

Jakarta EE Platform, Enterprise Edition 8
Compatibility Test Suite User's Guide,
Release 8 for Jakarta EE

Table of Contents

Eclipse Foundation™	1
Preface	2
Who Should Use This Book	2
Before You Read This Book	2
Typographic Conventions	3
Shell Prompts in Command Examples	3
1 Introduction	5
1.1 Compatibility Testing	5
1.2 About Java EE 8 CTS	7
1.3 Hardware Requirements	13
1.4 Software Requirements	13
1.5 Additional Java EE 8 CTS Requirements	14
1.6 Getting Started With the Java EE 8 CTS Test Suite	14
2 Procedure for Java Platform, Enterprise Edition 8 Certification	16
2.1 Certification Overview	16
2.2 Compatibility Requirements	16
2.3 Java Platform, Enterprise Edition Version 8 Test Appeals Process	24
2.4 Specifications for Java Platform, Enterprise Edition Version 8	26
2.5 Libraries for Java Platform, Enterprise Edition Version 8	27
3 Procedure for Java Platform, Enterprise Edition 8 Web Profile Certification	28
3.1 Certification Overview	28
3.2 Compatibility Requirements	28
3.3 Java Platform, Enterprise Edition Version 8 Test Appeals Process	36
3.4 Specifications for Java Platform, Enterprise Edition Version 8	38
3.5 Libraries for Java Platform, Enterprise Edition Version 8	38
4 Installation	43
4.1 Installing the Java EE 8 Reference Implementation	43
4.2 Installing the Java EE 8 CTS	44
4.3 Verifying Your Installation (Optional)	44
5 Setup and Configuration	46
5.1 Allowed Modifications	46
5.2 Configuring the Test Environment	46
5.3 Configuring a Java EE 8 Server	47
5.4 Modifying Environment Settings for Specific Technology Tests	57
5.5 Using the JavaTest Harness Configuration GUI	107
6 Setup and Configuration for Testing with the Java EE 8 Web Profile	110

6.1 Configuring the Java EE 8 Web Profile Test Environment	110
7 Executing Tests	112
7.1 Java EE 8 CTS Operating Assumptions	112
7.2 Starting JavaTest	112
7.3 Validating Your Test Configuration	114
7.4 Running a Subset of the Tests	116
7.5 Using Keywords to Test Required and Optional Technologies	117
7.7 Rebuilding Test Directories	124
7.8 Test Reports	124
8 Debugging Test Problems	127
8.1 Overview	127
8.2 Test Tree	127
8.3 Folder Information	128
8.4 Test Information	128
8.5 Report Files	128
8.6 Configuration Failures	129
9 Troubleshooting	130
9.1 Common CTS Problems and Resolutions	130
9.2 Support	131
10 Building and Debugging Tests	132
10.1 Configuring Your Build Environment	132
10.2 Building the Tests	133
10.3 Running the Tests	134
10.4 Listing the Contents of dist/classes Directories	135
10.5 Debugging Service Tests	136
11 Implementing the Porting Package	138
11.1 Overview	138
11.2 Porting Package APIs	139
A Common Applications Deployment	144
B CSiv2 Test Reference	146
B.1 Overview	146
B.2 CSiv2 Logging Servlet	150
B.3 Naming Conventions for CSiv2 Test Directories	151
B.4 CSiv2 Test Directory Structure	152
B.5 Naming Conventions for CSiv2 Test Names	153
B.6 Security Elements Associated With CSiv2 Tests	154
B.7 Debugging CSiv2 Test Failures	160
B.8 Examining Test Logs	162

B.9 CSiv2 Log Elements	167
B.10 IORs and Associated CSiv2 Tests	175
C JASPIC Technology Notes and Files	182
C.1 JASPIC 1.1 Technology Overview	182
C.2 JASPIC TSSV Files	183
D Configuring Your Backend Database	185
D.1 Overview	185
D.2 The init.<database> Ant Target	186
D.3 Database Properties in ts.jte	186
D.4 Database DDL and DML Files	188
D.5 CMP Table Creation	189
E EJBQL Schema	190
E.1 Persistence Schema Relationships	190
E.2 SQL Statements for CMP 1.1 Finders	192
F Context Root Mapping Rules for Web Services Tests	194
F.1 Servlet-Based Web Service Endpoint Context Root Mapping	194
F.2 EJB-Based Web Service Endpoint Context Root Mapping	196
G Testing a Standalone JMS Resource Adapter	199
G.1 Setting Up Your Environment	199
G.2 Configuring Java EE 8 CTS	199
G.3 Configuring the Java EE 8 RI for the Standalone JMS Resource Adapter	200
G.4 Modifying the Runtime Deployment Descriptors for the JMS MDB and Resource Adapter Tests	201
G.5 Running the JMS Tests From the Command Line	201
G.6 Restoring the Runtime Deployment Descriptors for the JMS MDB and Resource Adapter Tests	202
G.7 Reconfiguring Java EE 8 RI for Java EE 8 CTS After Testing the Standalone JMS Resource Adapter	202

Eclipse Foundation™

Jakarta Platform, Enterprise Edition 8 Compatibility Test Suite User's Guide

Release 8 for Jakarta EE

April, 2018

Provides detailed instructions for obtaining, installing, configuring, and using the Eclipse Jakarta, Enterprise Edition 8 Compatibility Test Suite for the Full Profile and the Web Profile.

Jakarta Platform, Enterprise Edition 8 Compatibility Test Suite User's Guide, Release 8 for Jakarta EE

Copyright © 2013, 2018 Oracle and/or its affiliates. All rights reserved.

Emeritus Author: Eric Jendrock

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at <http://www.eclipse.org/legal/epl-2.0>.

SPDX-License-Identifier: EPL-2.0

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

Preface



The Java Enterprise Edition documentation is part of the Java Enterprise Edition contribution to the Eclipse Foundation and is not intended for use in relation to Java Enterprise Edition or Java Licensee requirements. The documentation is in the process of being revised to reflect the new Jakarta EE branding. Additional changes will be made as requirements and procedures evolve for Jakarta EE. Where applicable, references to Java EE or Java Enterprise Edition should be considered references to Jakarta EE.

Please see the Title page for additional license information.

This book introduces the Compatibility Test Suite (CTS) for the Jakarta Platform, Enterprise Edition 8 (Jakarta EE 8) and Jakarta Platform, Enterprise Edition 8 Web Profile (Jakarta EE 8 Web Profile), and explains how to configure and run the test suite. It also provides information for troubleshooting problems you may encounter as you run the test suite.

The Jakarta Platform, Enterprise Edition 8 Compatibility Test Suite (Jakarta EE 8 CTS) is a portable, configurable automated test suite for verifying the compatibility of a licensee's implementation of the Jakarta EE 8 Specification (hereafter referred to as the licensee implementation). The Jakarta EE 8 CTS uses the JavaTest harness version 4.4.1 to run the test suite.



URLs are provided so you can locate resources quickly. However, these URLs are subject to changes that are beyond the control of the authors of this guide.

Who Should Use This Book

This guide is for developers of the Java EE 8 technology to assist them in running the test suite that verifies compatibility of their implementation of the Java EE 8 Specification.

Before You Read This Book

Before reading this guide, you should familiarize yourself with the Java programming language, the Java Platform, Enterprise Edition 8 (Java EE 8) Specification, and the JavaTest documentation.

The Java Platform, Enterprise Edition 8 (Java EE 8) Specification can be downloaded from <http://jcp.org/en/jsr/detail?id=366>.

For documentation on the test harness used for running the Java EE 8 CTS test suite, see <https://wiki.openjdk.java.net/display/CodeTools/Documentation>.

Typographic Conventions

The following table describes the typographic conventions that are used in this book.

Convention	Meaning	Example
Boldface	Boldface type indicates graphical user interface elements associated with an action, terms defined in text, or what you type, contrasted with onscreen computer output.	From the File menu, select Open Project. A cache is a copy that is stored locally. <pre>machine_name% su Password:</pre>
Monospace	Monospace type indicates the names of files and directories, commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.	Edit your <code>.login</code> file. Use <code>ls -a</code> to list all files. <pre>machine_name% you have mail.</pre>
Italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.	Read Chapter 6 in the User's Guide. Do not save the file. The command to remove a file is <code>rm filename</code> .

Shell Prompts in Command Examples

The following table shows the default UNIX system prompt and superuser prompt for the C shell, Bourne shell, and Korn shell.

Shell	Prompt
C shell	<code>machine_name%</code>
C shell for superuser	<code>machine_name#</code>
Bourne shell and Korn shell	<code>\$</code>
Bourne shell and Korn shell for superuser	<code>#</code>
Bash shell	<code>shell_name-shell_version\$</code>
Bash shell for superuser	<code>shell_name-shell_version#</code>

1 Introduction

This document provides instructions for installing, configuring, and running the Java Platform, Enterprise Edition 8 Compatibility Test Suite (Java EE 8 CTS).

This chapter includes the following topics:

- [Compatibility Testing](#)
- [About Java EE 8 CTS](#)
- [Hardware Requirements](#)
- [Software Requirements](#)
- [Additional Java EE 8 CTS Requirements](#)
- [Getting Started With the Java EE 8 CTS Test Suite](#)

1.1 Compatibility Testing

Compatibility testing differs from traditional product testing in a number of ways. The focus of compatibility testing is to test those features and areas of an implementation that are likely to differ across other implementations, such as those features that:

- Rely on hardware or operating system-specific behavior
- Are difficult to port
- Mask or abstract hardware or operating system behavior

Compatibility test development for a given feature relies on a complete specification and reference implementation for that feature. Compatibility testing is not primarily concerned with robustness, performance, or ease of use.

1.1.1 Why Compatibility Testing is Important

Java platform compatibility is important to different groups involved with Java technologies for different reasons:

- Compatibility testing ensures that the Java platform does not become fragmented as it is ported to different operating systems and hardware environments.
- Compatibility testing benefits developers working in the Java programming language, allowing them to write applications once and then to deploy them across heterogeneous computing environments without porting.

- Compatibility testing allows application users to obtain applications from disparate sources and deploy them with confidence.
- Conformance testing benefits Java platform implementors by ensuring a level playing field for all Java platform ports.

1.1.2 Compatibility Rules

Compatibility criteria for all technology implementations are embodied in the Compatibility Rules that apply to a specified technology. The Java EE 8 CTS tests for adherence to these Rules as described in [Chapter 2, "Procedure for Java Platform, Enterprise Edition 8 Certification,"](#) for Java EE 8 and [Chapter 3, "Procedure for Java Platform, Enterprise Edition 8 Web Profile Certification,"](#) for Java EE 8 Web Profile.

1.1.3 CTS Overview

A Java EE 8 CTS is a set of tools and tests used to verify that a licensee's implementation of Java EE 8 technology conforms to the applicable specification. All tests in the CTS are based on the written specifications for the Java platform. The CTS tests compatibility of a licensee's implementation of a technology to the applicable specification of the technology. Compatibility testing is a means of ensuring correctness, completeness, and consistency across all implementations developed by technology licensees.

The set of tests included with the Java EE 8 CTS is called the test suite. All tests in the CTS test suite are self-checking, but some tests may require tester interaction. Most tests return either a Pass or Fail status. For a given platform to be certified, all of the required tests must pass. The definition of required tests may change from platform to platform.

The definition of required tests will change over time. Before your final certification test pass, be sure to download the latest Exclude List for the Java EE 8 CTS. The definition of required tests will change over time. See [Section 1.2.5, "Exclude Lists,"](#) for more information.

1.1.4 Java Community Process (JCP) Program and Compatibility Testing

The Java Community Process (JCP) program is the formalization of the open process that has been used since 1995 to develop and revise Java technology specifications in cooperation with the international Java community. The JCP program specifies that the following three major components must be included as deliverables in a final Java technology release under the direction of the responsible Expert Group:

- Technology Specification

- Reference Implementation
- Technology Compatibility Kit (TCK)

For further information about the JCP program, go to Java Community Process (<http://jcp.org/en/home/index>).

1.2 About Java EE 8 CTS

Java EE 8 CTS is a portable, configurable, automated test suite for verifying the compliance of a licensee's implementation of the Java EE 8 technologies. Java EE 8 CTS includes version 4.4.1 of the JavaTest harness.

For documentation on the test harness used for running the Java EE 8 CTS test suite, see <https://wiki.openjdk.java.net/display/CodeTools/Documentation>.

1.2.1 Java EE 8 Technologies Tested with Java EE 8 CTS

The Java EE 8 CTS test suite includes compatibility tests for the following required and optional Java EE 8 technologies:

- Enterprise JavaBeans (EJB) 3.2



Support for the following features has been made optional in the Java EE 8 release:

- EJB 2.1 and earlier Entity Bean Component Contract for Container-Managed Persistence and Bean-Managed Persistence
- Client View of an EJB 2.1 and earlier Entity Bean
- EJB QL: Query Language for Container-Managed Persistence Query Methods
- JAX-RPC Based Web Service Endpoints
- JAX-RPC Web Service Client View

- Java Servlet 4.0
- JavaServer Pages (JSP) 2.3
- Expression Language (EL) 3.0
- Java Message Service (JMS) 2.0
- Java Transaction API (JTA) 1.2
- JavaMail 1.6

- Java EE Connector Architecture 1.7
- Web Services for Java EE 1.4
- Java API for XML-Based RPC (JAX-RPC) 1.1 (optional)
- Java API for RESTful Web Services (JAX-RS) 2.1
- Java API for WebSocket (WebSocket) 1.1
- Java API for JSON Processing (JSON-P) 1.1
- Java API for JSON Binding (JSON-B) 1.0
- Concurrency Utilities 1.0
- Batch 1.0
- Java API for XML Registries (JAXR) 1.0 (optional)
- Java EE Management 1.1
- Java EE Deployment 1.2 (optional)
- Java Authorization Contract for Containers (JACC) 1.5
- Java Authentication Service Provider Interface for Containers (JASPIC) 1.1
- Standard Tag Library for JavaServer Pages (JSTL) 1.2
- JavaServer Faces 2.3
- Java Security API 1.0
- Common Annotations for the Java Platform 1.3
- Java Persistence API (JPA) 2.2
- Bean Validation 2.0
- Managed Beans 1.0
- Interceptors 1.2
- Contexts and Dependency Injection for Java EE Platform 2.0
- Dependency Injection for Java1.0

1.2.2 Java EE 8 Web Profile Technologies Tested With Java EE 8 CTS

The Java EE 8 CTS test suite can also be used to test compatibility for the following required Java EE 8 Web Profile technologies:

- Java Servlet 4.0
- JavaServer Pages (JSP) 2.3
- Expression Language (EL) 3.0

- Standard Tag Library for JavaServer Pages (JSTL) 1.2
- JavaServer Faces 2.3
- Java API for RESTful Web Services (JAX-RS) 2.1
- Java API for WebSocket (WebSocket) 1.1
- Java API for JSON Processing (JSON-P) 1.1
- Java API for JSON Binding (JSON-B) 1.0
- Common Annotations for the Java Platform (JSR 250) 1.3
- Enterprise JavaBeans (EJB) 3.2 Lite
- Java Transaction API (JTA) 1.2
- Java Persistence (JPA) 2.2
- Bean Validation 2.0
- Managed Beans 1.0
- Interceptors 1.2
- Contexts and Dependency Injection for Java EE Platform 2.0
- Dependency Injection for Java 1.0
- Java EE Security API 1.0
- Java Authentication Service Provider Interface for Containers (JASPIC) 1.1 Servlet Container Profile
- Debugging Support for Other Languages (JSR-45) 1.0

1.2.3 CTS Tests

The Java EE 8 CTS contains API tests and enterprise edition tests, which are tests that start in the Java EE 8 platform and use the underlying enterprise service or services as specified. For example, a JDBC enterprise edition test connects to a database, uses SQL commands and the JDBC 4.2 API to populate the database tables with data, queries the database, and compares the returned results against the expected results.

Figure 1-1 Typical Java Platform, Enterprise Edition Workflow




Figure 1-1 shows how most licensees will use the test suite. They will set up and run the test suite with the Java Platform, Enterprise Edition 8 Reference Implementation (Java EE 8 RI) first to become familiar with the testing process. Then they will set up and run the test suite with their own Java EE 8 implementation. When they pass all of the tests, they will apply for and be granted certification.

- Before you do anything with the test suite, read the rules in [Chapter 2, "Procedure for Java Platform, Enterprise Edition 8 Certification,"](#) or [Chapter 3, "Procedure for Java Platform, Enterprise Edition 8 Web Profile Certification."](#) These chapters explain the certification process and provides a definitive list of certification rules for Java EE 8 and Java EE 8 Web Profile implementations.
- Next, take a look at the test assertions in the Assertion List, which you can find in the Java EE 8 CTS documentation bundle. The assertions explain what each test is testing. When you run the tests with the JavaTest GUI, the assertion being tested as part of the test description of the currently selected test is displayed.
- Third, install and configure the Java EE 8 CTS software and the Java EE 8 RI or Java EE 8 Web Profile RI and run the tests as described in this guide. This will familiarize you with the testing process.
- Finally, set up and run the test suite with your own Java EE 8 or Java EE 8 Web Profile

implementation.



In the instructions in this document, variables in angle brackets need to be expanded for each platform. For example, `<TS_HOME>` becomes `$TS_HOME` on Solaris/Linux and `%TS_HOME%` on Windows. In addition, the forward slashes (/) used in all of the examples need to be replaced with backslashes (\) for Windows.

1.2.4 JavaTest Harness

The JavaTest harness version 4.4.1 is a set of tools designed to run and manage test suites on different Java platforms. The JavaTest harness can be described as both a Java application and a set of compatibility testing tools. It can run tests on different kinds of Java platforms and it allows the results to be browsed online within the JavaTest GUI, or offline in the HTML reports that the JavaTest harness generates.

The JavaTest harness includes the applications and tools that are used for test execution and test suite management. It supports the following features:

- Sequencing of tests, allowing them to be loaded and executed automatically
- Graphic user interface (GUI) for ease of use
- Automated reporting capability to minimize manual errors
- Failure analysis
- Test result auditing and auditable test specification framework
- Distributed testing environment support

To run tests using the JavaTest harness, you specify which tests in the test suite to run, how to run them, and where to put the results as described in [Chapter 7, "Executing Tests."](#)

The tests that make up the CTS are precompiled and indexed within the CTS test directory structure. When a test run is started, the JavaTest harness scans through the set of tests that are located under the directories that have been selected. While scanning, the JavaTest harness selects the appropriate tests according to any matches with the filters you are using and queues them up for execution.

1.2.5 Exclude Lists

The Java EE 8 CTS includes an Exclude List contained in a `.jtx` file. This is a list of test file URLs that identify tests which do not have to be run for the specific version of the CTS being used. Whenever tests are run, the JavaTest harness automatically excludes any test on the Exclude List from being executed.

A licensee is not required to pass or run any test on the Exclude List. The Exclude List file, `<TS_HOME>/bin/ts.jtx`, is included in the Java EE 8 CTS.



Always make sure you are using an up-to-date copy of the Exclude List before running the Java EE 8 CTS test suite to verify your implementation.

A test might be in the Exclude List for reasons such as:

- An error in an underlying implementation API has been discovered which does not allow the test to execute properly.
- An error in the specification that was used as the basis of the test has been discovered.
- An error in the test itself has been discovered.
- The test fails due to a bug in the tools (such as the JavaTest harness, for example).

In addition, all tests are run against the reference implementations. Any tests that fail when run on a reference Java platform are put on the Exclude List. Any test that is not specification-based, or for which the specification is vague, may be excluded. Any test that is found to be implementation dependent (based on a particular thread scheduling model, based on a particular file system behavior, and so on) may be excluded.



Licensees are not permitted to alter or modify Exclude Lists. Changes to an Exclude List can only be made by using the procedure described in [Section 2.3.1, "Java Platform, Enterprise Edition Version 8 TCK Test Appeals Steps,"](#) and [Section 3.3.1, "Java Platform, Enterprise Edition Version 8 TCK Test Appeals Steps."](#)

1.2.6 Apache Ant

The Java EE 8 RI, Java EE 8 Web Profile RI, and Java EE 8 CTS require implementations of Apache Ant 1.9.7 from the Apache Ant Project (<http://ant.apache.org/>). Apache Ant is a free, open-source, Java-based build tool, similar in some ways to the make tool, but more flexible, cross-platform compatible, and centered around XML-based configuration files.

Ant is invoked in the Java EE 8 RI, Java EE 8 Web Profile RI, and Java EE 8 CTS in conjunction with various XML files containing Ant targets. These Ant targets provide a convenient way to automate various configuration tasks for Java EE 8 CTS. For example, the initial configuration of the Java EE 8 RI or Java EE 8 Web Profile RI for CTS is done by means of the `config.vi` Ant target.

The Ant configuration targets are there for your convenience. When configuring your Java EE 8 or Java EE 8 Web Profile implementation for the Java EE 8 CTS, you can either set up your environment to use the Ant tools, or you can perform some or all of your configuration procedures manually. Java EE 8 CTS includes the Ant Contrib package, and the tasks included with Ant Contrib are used within the CTS build files. See <http://ant-contrib.sourceforge.net/> for more information about Ant Contrib.

This User's Guide does not provide in-depth instruction on Ant internals or how to configure Ant targets for your particular Java EE 8 or Java EE 8 Web Profile implementation. For complete information about Ant, refer to the extensive documentation on the Apache Ant Project site. The Apache Ant Manual is available at <http://ant.apache.org/manual/index.html>.

Apache Ant is protected under the Apache Software, License 2.0, which is available on the Apache Ant Project license page at <http://ant.apache.org/license.html>.

Installing Apache Ant * Download the Apache Ant 1.9.7 binary bundle from the Apache Ant Project. * Change to the directory in which you want to install Apache Ant and extract the bundle * Set the `ANT_HOME` environment variable to point to the `apache-ant-<version>` directory * Add `<ANT_HOME>/bin` directory to the environment variable `PATH`

1.3 Hardware Requirements

The following section lists the hardware requirements for the Java EE 8 CTS software, using the Java EE 8 RI or Java EE 8 Web Profile RI. Hardware requirements for other reference implementations will vary.

All systems should meet the following recommended hardware requirements:

- CPU running at 2.0 GHz or higher
- 4 GB of RAM or more
- 2 GB of swap space , if required
- 6 GB of free disk space for writing data to log files, the Java EE 8 repository, and the database
- Network access to the Internet

1.4 Software Requirements

You can run the Java EE 8 CTS software on platforms running the Solaris, Linux, Windows, and Mac OS software that meet the following software requirements:

- Operating Systems:
 - Solaris 10 and newer
 - MAC OS X Mountain Lion (10.8.1+)
 - Windows XP SP3, Windows 2008 R2
 - Oracle Linux 6.4
 - Fedora 18

- Ubuntu Linux 12.10
- Suse Enterprise Linux 12.2
- Java SE 8 SDK
- Java EE 8 RI or Java EE 8 Web Profile RI
- Mail server that supports the IMAP and SMTP protocols
- One of the following databases:
 - Oracle
 - Sybase
 - DB2
 - Microsoft SQL Server
 - Postgres SQL
 - MySQL
 - Java DB

1.5 Additional Java EE 8 CTS Requirements

In addition to the instructions and requirements described in this document, all Java EE 8 and Java EE 8 Web Profile implementations must also pass the standalone TCKs for the following technologies:

- Contexts and Dependency Injection for Java 2.0 (JSR 365)
- Dependency Injection for Java 1.0 (JSR 330)
- Bean Validation 2.0 (JSR 380)

For more information about the Contexts and Dependency Injection for Java EE (CDI) technology, see the specification at <http://jcp.org/en/jsr/detail?id=365>.

For more information about the Dependency Injection for Java technology, see the specification at <http://jcp.org/en/jsr/detail?id=330>.

For more information about the Bean Validation technology, see the specification at <http://jcp.org/en/jsr/detail?id=380>.

1.6 Getting Started With the Java EE 8 CTS Test Suite

Installing, configuring, and using the Java EE 8 CTS involves the following general steps:

1. Download, install, and configure the Java EE 8 RI or Java EE 8 Web Profile RI.
2. Download and install the Java EE 8 CTS package.
3. Configure your database to work with your RI.
4. Configure CTS to work with your database and RI.
5. Run the CTS tests.

The remainder of this guide explains these steps in detail. If you just want to get started quickly with the Java EE 8 CTS using the most basic test configuration, refer to [Chapter 4, "Installation."](#)

2 Procedure for Java Platform, Enterprise Edition 8 Certification

This chapter describes the compatibility testing procedure and compatibility requirements for Java Platform, Enterprise Edition Version 8.

This chapter contains the following sections:

- [Certification Overview](#)
- [Compatibility Requirements](#)
- [Java Platform, Enterprise Edition Version 8 Test Appeals Process](#)
- [Specifications for Java Platform, Enterprise Edition Version 8](#)
- [Libraries for Java Platform, Enterprise Edition Version 8](#)

2.1 Certification Overview

The certification process for Java EE 8 Web Profile consists of the following activities:

- Install the appropriate version of the Technology Compatibility Kit (TCK) and execute it in accordance with the instructions in this User's Guide.
- Ensure that you meet the requirements outlined in [Section 2.2, "Compatibility Requirements,"](#) below.
- Certify to the Java Partner organization that you have finished testing and that you meet all of the compatibility requirements.

2.2 Compatibility Requirements

The compatibility requirements for Java EE 8 consist of meeting the requirements set forth by the rules and associated definitions contained in this section.

2.2.1 Definitions

These definitions are for use only with these compatibility requirements and are not intended for any other purpose.

Table 2-1 Definitions

Term	Definition
API Definition Product	A Product for which the only Java class files contained in the product are those corresponding to the application programming interfaces defined by the Specifications, and which is intended only as a means for formally specifying the application programming interfaces defined by the Specifications.
Application	A collection of components contained in a single application package (such as an EAR file or JAR file) and deployed at the same time using a Deployment Tool.
Computational Resource	<p>A piece of hardware or software that may vary in quantity, existence, or version, which may be required to exist in a minimum quantity and/or at a specific or minimum revision level so as to satisfy the requirements of the Test Suite.</p> <p>Examples of computational resources that may vary in quantity are RAM and file descriptors.</p> <p>Examples of computational resources that may vary in existence (that is, may or may not exist) are graphics cards and device drivers.</p> <p>Examples of computational resources that may vary in version are operating systems and device drivers.</p>
Configuration Descriptor	Any file whose format is well defined by a specification and which contains configuration information for a set of Java classes, archive, or other feature defined in the specification.
Conformance Tests	All tests in the Test Suite for an indicated Technology Under Test, as distributed by the Maintenance Lead, excluding those tests on the Exclude List for the Technology Under Test.
Container	An implementation of the associated Libraries, as specified in the Specifications, and a version of a Java Platform, Standard Edition Runtime Product, as specified in the Specifications, or a later version of a Java Platform, Standard Edition Runtime Product that also meets these compatibility requirements.
Deployment Tool	A tool used to deploy applications or components in a Product, as described in the Specifications.
Development Kit	A software product that implements or incorporates a Compiler, a Schema Compiler, a Schema Generator, a Java-to-WSDL Tool, a WSDL-to-Java Tool, and an RMI Compiler.
Documented	Made technically accessible and made known to users, typically by means such as marketing materials, product documentation, usage messages, or developer support programs.

Term	Definition
Edition	A Version of the Java Platform. Editions include Java Platform Standard Edition and Java Platform Enterprise Edition.
Endorsed Standard	A Java API defined through a standards process other than the Java Community Process. The Endorsed Standard packages are listed later in this chapter.
Exclude List	The most current list of tests, distributed by the Maintenance Lead, that are not required to be passed to certify conformance. The Maintenance Lead may add to the Exclude List for that Test Suite as needed at any time, in which case the updated Exclude List supplants any previous Exclude Lists for that Test Suite.
Java-to-WSDL Output	Output of a Java-to-WSDL Tool that is required for Web service deployment and invocation.
Java-to-WSDL Tool	A software development tool that implements or incorporates a function that generates web service endpoint descriptions in WSDL and XML schema format from Source Code as specified by the JAXWS Specification.
JSP Page	A text-based document that uses JavaServer Pages technology.
JSP Page Implementation Class	A program constructed by transforming the JSP Page text into a Java language program using the transformation rules described in the Specifications.
Libraries	<p>The class libraries, as specified through the Java Community Process (JCP), for the Technology Under Test.</p> <p>The Libraries for Java Platform, Enterprise Edition Version 8 are listed at the end of this chapter.</p>
Location Resource	<p>A location of classes or native libraries that are components of the test tools or tests, such that these classes or libraries may be required to exist in a certain location in order to satisfy the requirements of the test suite.</p> <p>For example, classes may be required to exist in directories named in a CLASSPATH variable, or native libraries may be required to exist in directories named in a PATH variable.</p>
Maintenance Lead	The Java Community Process member responsible for maintaining the Specification, reference implementation, and TCK for the Technology. Oracle is the Maintenance Lead for Java Platform, Enterprise Edition Version 8.

Term	Definition
Operating Mode	<p>Any Documented option of a Product that can be changed by a user in order to modify the behavior of the Product.</p> <p>For example, an Operating Mode of a Runtime can be binary (enable/disable optimization), an enumeration (select from a list of localizations), or a range (set the initial Runtime heap size).</p> <p>Note that an Operating Mode may be selected by a command line switch, an environment variable, a GUI user interface element, a configuration or control file, etc.</p>
Product	A licensee product in which the Technology Under Test is implemented or incorporated, and that is subject to compatibility testing.
Product Configuration	<p>A specific setting or instantiation of an Operating Mode.</p> <p>For example, a Product supporting an Operating Mode that permits user selection of an external encryption package may have a Product Configuration that links the Product to that encryption package.</p>
Rebuildable Tests	Tests that must be built using an implementation-specific mechanism. This mechanism must produce specification defined artifacts. Rebuilding and running these tests against the Java EE 8 Reference Implementation (RI) verifies that the mechanism generates compatible artifacts.
Reference Implementation (RI)	The prototype or "proof of concept" implementation of a Specification.
Resource	A Computational Resource, a Location Resource, or a Security Resource.
Rules	These definitions and rules in this Compatibility Requirements section of this User's Guide.
Runtime	The Containers specified in the Specifications.
Security Resource	<p>A security privilege or policy necessary for the proper execution of the Test Suite.</p> <p>For example, the user executing the Test Suite will need the privilege to access the files and network resources necessary for use of the Product.</p>
Specifications	<p>The documents produced through the Java Community Process that define a particular Version of a Technology.</p> <p>The Specifications for the Technology Under Test are referenced later in this chapter.</p>

Term	Definition
Technology	Specifications and a reference implementation produced through the Java Community Process.
Technology Under Test	Specifications and the reference implementation for Java Platform, Enterprise Edition Version 8.
Test Suite	The requirements, tests, and testing tools distributed by the Maintenance Lead as applicable to a given Version of the Technology.
Version	A release of the Technology, as produced through the Java Community Process.
WSDL-to-Java Output	Output of a WSDL-to-Java tool that is required for Web service deployment and invocation.
WSDL-to-Java Tool	A software development tool that implements or incorporates a function that generates web service interfaces for clients and endpoints from a WSDL description as specified by the JAXWS Specification.

2.2.2 Rules for Java Platform, Enterprise Edition Version 8 Products

The following rules apply for each version of an operating system, software component, and hardware platform Documented as supporting the Product:

EE-WP1 The Product must be able to satisfy all applicable compatibility requirements, including passing all Conformance Tests, in every Product Configuration and in every combination of Product Configurations, except only as specifically exempted by these Rules.

For example, if a Product provides distinct Operating Modes to optimize performance, then that Product must satisfy all applicable compatibility requirements for a Product in each Product Configuration, and combination of Product Configurations, of those Operating Modes.

EE-WP1.1 If an Operating Mode controls a Resource necessary for the basic execution of the Test Suite, testing may always use a Product Configuration of that Operating Mode providing that Resource, even if other Product Configurations do not provide that Resource. Notwithstanding such exceptions, each Product must have at least one set of Product Configurations of such Operating Modes that is able to pass all the Conformance Tests.

For example, a Product with an Operating Mode that controls a security policy (i.e., Security Resource) which has one or more Product Configurations that cause Conformance Tests to fail may be tested using a Product Configuration that allows all Conformance Tests to pass.

EE-WP1.2 A Product Configuration of an Operating Mode that causes the Product to report only version, usage, or diagnostic information is exempted from these compatibility rules.

EE-WP1.3 A Product may contain an Operating Mode that provides compatibility with previous versions of the Product that would not otherwise meet these compatibility requirements. At least the

default Product Configuration of this Operating Mode must meet these compatibility requirements without invoking this rule; testing may always use such a Product Configuration. This Operating Mode must affect no smaller unit of execution than an entire Application. Any Product Configuration that invokes this rule must be clearly Documented as not meeting the requirements of the Specifications.

EE-WP1.4 A Product may contain an Operating Mode that selects the Edition with which it is compatible. The Product must meet the compatibility requirements for the corresponding Edition for all Product Configurations of this Operating Mode. This Operating Mode must affect no smaller unit of execution than an entire Application.

EE-WP1.5 An API Definition Product is exempt from all functional testing requirements defined here, except the signature tests.

EE-WP2 Some Conformance Tests may have properties that may be changed. Properties that can be changed are identified in the configuration interview. Properties that can be changed are identified in the JavaTest Environment (.jte) files in the lib directory of the Test Suite installation. Apart from changing such properties and other allowed modifications described in this User's Guide (if any), no source or binary code for a Conformance Test may be altered in any way without prior written permission. Any such allowed alterations to the Conformance Tests would be posted to the [Java Licensee Engineering] web site and apply to all licensees.

EE-WP3 The testing tools supplied as part of the Test Suite or as updated by the Maintenance Lead must be used to certify compliance.

EE-WP4 The Exclude List associated with the Test Suite cannot be modified.

EE-WP5 The Maintenance Lead may define exceptions to these Rules. Such exceptions would be made available to and apply to all licensees.

EE-WP6 All hardware and software component additions, deletions, and modifications to a Documented supporting hardware/software platform, that are not part of the Product but required for the Product to satisfy the compatibility requirements, must be Documented and available to users of the Product.

For example, if a patch to a particular version of a supporting operating system is required for the Product to pass the Conformance Tests, that patch must be Documented and available to users of the Product.

EE-WP7 The Product must contain the full set of public and protected classes and interfaces for all the Libraries. Those classes and interfaces must contain exactly the set of public and protected methods, constructors, and fields defined by the Specifications for those Libraries. No subsetting, supersetting, or modifications of the public and protected API of the Libraries are allowed except only as specifically exempted by these Rules.

EE-WP7.1 If a Product includes Technologies in addition to the Technology Under Test, then it must contain the full set of combined public and protected classes and interfaces. The API of the Product must contain the union of the included Technologies. No further modifications to the APIs of the

included Technologies are allowed.

EE-WP7.2 A Product may provide a newer version of an Endorsed Standard. Upon request, the Maintenance Lead will make available alternate Conformance Tests as necessary to conform with such newer version of an Endorsed Standard. Such alternate tests will be made available to and apply to all licensees. If a Product provides a newer version of an Endorsed Standard, the version of the Endorsed Standard supported by the Product must be Documented.

EE-WP7.3 The Maintenance Lead may authorize the use of newer Versions of a Technology included in the Technology Under Test. A Product that provides a newer Version of a Technology must meet the Compatibility Requirements for that newer Version, and must Document that it supports the newer Version.

For example, the Java Platform, Enterprise Edition Maintenance Lead could authorize use of a newer version of a Java technology such as JAX-WS.

EE-WP8 Except for tests specifically required by this TCK to be rebuilt (if any), the binary Conformance Tests supplied as part of the Test Suite or as updated by the Maintenance Lead must be used to certify compliance.

EE-WP9 The functional programmatic behavior of any binary class or interface must be that defined by the Specifications.

EE-WP9.1 A Product may contain Operating Modes that meet all of these requirements, except Rule EE9, provided that:

1. At least the default Product Configuration of each Operating Mode must meet these requirements, without invoking this rule; testing may always use such a Product Configuration.
2. The Operating Modes must not violate the Java Platform, Standard Edition Rules.
3. The Product Configurations of Operating Modes of an application and its components are configured at deployment time, or by administrative action, and can not be changed during the runtime of that application.
4. Some Product Configurations of such Operating Modes may provide only a subset of the functional programmatic behavior required by the Specifications. The behavior of applications that use more than the provided subset, when run in such Product Configurations, is unspecified.
5. The functional programmatic behavior of any binary class or interface in the above defined subset must be that defined by the Specifications.
6. Any Product Configuration that invokes this rule must be clearly Documented as not fully meeting the requirements of the Specifications.

EE-WP10 Each Container must make technically accessible all Java SE Runtime interfaces and functionality, as defined by the Specifications, to programs running in the Container, except only as specifically exempted by these Rules.

EE-WP10.1 Containers may impose security constraints, as defined by the Specifications.

EE-WP11 A web Container must report an error, as defined by the Specifications, when processing a JSP Page that does not conform to the Specifications.

EE-WP12 The presence of a Java language comment or Java language directive in a JSP Page that specifies "java" as the scripting language, when processed by a web Container, must not cause the functional programmatic behavior of that JSP Page to vary from the functional programmatic behavior of that JSP Page in the absence of that Java language comment or Java language directive.

EE-WP13 The contents of any fixed template data (defined by the Specifications) in a JSP Page, when processed by a web Container, must not affect the functional programmatic behavior of that JSP Page, except as defined by the Specifications.

EE-WP14 The functional programmatic behavior of a JSP Page that specifies "java" as the scripting language must be equivalent to the functional programmatic behavior of the JSP Page Implementation Class constructed from that JSP Page.

EE-WP15 A Deployment Tool must report an error when processing a Configuration Descriptor that does not conform to the Specifications.

EE-WP16 The presence of an XML comment in a Configuration Descriptor, when processed by a Deployment Tool, must not cause the functional programmatic behavior of the Deployment Tool to vary from the functional programmatic behavior of the Deployment Tool in the absence of that comment.

EE-WP17 A Deployment Tool must report an error when processing an EJB deployment descriptor that includes an EJB QL expression that does not conform to the Specifications.

EE-WP18 The Runtime must report an error when processing a Configuration Descriptor that does not conform to the Specifications.

EE-WP19 An error must be reported when processing a configuration descriptor that includes a Java Persistence QL expression that does not conform to the Specifications.

EE-WP20 The presence of an XML comment in a Configuration Descriptor, when processed by the Runtime, must not cause the functional programmatic behavior of the Runtime to vary from the functional programmatic behavior of the Runtime in the absence of that comment.

EE-WP21 Compliance testing for Java EE 8 consists of running Java EE 8 CTS and the following Technology Compatibility Kits (TCKs):

- Contexts and Dependency Injection for Java 2.0 (JSR 365)
- Dependency Injection for Java 1.0 (JSR 330)
- Bean Validation 2.0(JSR 380)

In addition to the compatibility rules outlined in this CTS User's Guide, Java EE 8 implementations must also adhere to all of the compatibility rules defined in the User's Guides of the aforementioned TCKs.

EE-WP22 Source Code in WSDL-to-Java Output when compiled by a Reference Compiler must execute properly when run on a Reference Runtime.

EE-WP23 Source Code in WSDL-to-Java Output must be in source file format defined by the Java Language Specification (JLS).

EE-WP24 Java-to-WSDL Output must fully meet W3C requirements for the Web Services Description Language (WSDL) 1.1.

EE-WP25 A Java-to-WSDL Tool must not produce Java-to-WSDL Output from source code that does not conform to the Java Language Specification (JLS).

2.3 Java Platform, Enterprise Edition Version 8 Test Appeals Process

Oracle has a well established process for managing challenges to its Java technology Test Suites and plans to continue using a similar process in the future. Oracle, as Java Platform, Enterprise Edition Maintenance Lead, will authorize representatives from the Java Partner Engineering group to be the point of contact for all test challenges. Typically this will be the engineer assigned to a company as part of its Java Platform, Enterprise Edition TCK support.

If a test is determined to be invalid in function or if its basis in the specification is suspect, the test may be challenged by any licensee of the Java Platform, Enterprise Edition TCK. Each test validity issue must be covered by a separate test challenge. Test validity or invalidity will be determined based on its technical correctness such as:

- Test has bugs (i.e., program logic errors).
- Specification item covered by the test is ambiguous.
- Test does not match the specification.
- Test assumes unreasonable hardware and/or software requirements.
- Test is biased to a particular implementation.

Challenges based upon issues unrelated to technical correctness as defined by the specification will normally be rejected.

Test challenges must be made in writing to Java Partner Engineering and include all relevant information as described in [Example 2-1, "Test Challenge Form"](#). The process used to determine the validity or invalidity of a test (or related group of tests) is described in [Section 2.3.1, "Java Platform, Enterprise Edition Version 8 TCK Test Appeals Steps."](#)

All tests found to be invalid will either be placed on the Exclude List for that version of the Java Platform, Enterprise Edition TCK or have an alternate test made available.

- Tests that are placed on the Exclude List will be placed on the Exclude List within one business day after the determination of test validity. The new Exclude List will be made available to all Java Platform, Enterprise Edition TCK licensees on the Java Platform, Enterprise Edition TCK website.
- Oracle, as Maintenance Lead has the option of creating alternative tests to address any challenge. Alternative tests (and criteria for their use) will be made available on the Java Platform, Enterprise Edition TCK website.



Passing an alternative test is deemed equivalent to passing the original test.

2.3.1 Java Platform, Enterprise Edition Version 8 TCK Test Appeals Steps

1. Java Platform, Enterprise Edition TCK licensee writes a test challenge to Java Licensee Engineering contesting the validity of one or a related set of Java Platform, Enterprise Edition tests.
A detailed justification for why each test should be invalidated must be included with the challenge as described in [Example 2-1, "Test Challenge Form"](#).
2. Java Licensee Engineering evaluates the challenge.
If the appeal is incomplete or unclear, it is returned to the submitting licensee for correction. If all is in order, Java Licensee Engineering will check with the responsible test developers to review the purpose and validity of the test before writing a response as described in [Example 2-2, "Test Challenge Response Form"](#). Java Licensee Engineering will attempt to complete the response within 5 business days. If the challenge is similar to a previously rejected test challenge (i.e., same test and justification), Java Licensee Engineering will send the previous response to the licensee.
3. The challenge and any supporting materials from test developers is sent to the specification engineers for evaluation.
A decision of test validity or invalidity is normally made within 15 working days of receipt of the challenge. All decisions will be documented with an explanation of why test validity was maintained or rejected.
4. The licensee is informed of the decision and proceeds accordingly.
If the test challenge is approved and one or more tests are invalidated, Oracle places the tests on the Exclude List for that version of the Java Platform, Enterprise Edition TCK (effectively removing the test(s) from the Test Suite). All tests placed on the Exclude List will have a bug report written to document the decision and made available to all licensees through the bug reporting database. If the test is valid but difficult to pass due to hardware or operating system limitations, Oracle may choose to provide an alternate test to use in place of the original test (all alternate tests are made available to the licensee community).
5. If the test challenge is rejected, the licensee may choose to escalate the decision to the Executive Committee (EC), however, it is expected that the licensee would continue to work with Oracle to resolve the issue and only involve the EC as a last resort.

2.3.2 Test Challenge and Response Forms

[Example 2-1](#) shows the test challenge information you must provide to Java Licensee Engineering to initiate a challenge, and [Example 2-2](#) shows the test challenge response format.

Example 2-1 Test Challenge Form

```
Test Challenger Name and Company:
Specification Name(s) and Version(s):
Test Suite Name and Version:
Exclude List Version:
Test Name:
Complaint (argument for why test is invalid):
.jtr file of the failing test:
Console log of the JavaTest harness and device with all debugging flags turned on (if
applicable):
.jti or .jte file for the test run:
Startup scripts for the JavaTest harness and agent (if applicable):
```

Example 2-2 Test Challenge Response Form

```
Test Defender Name and Company:
Test Defender Role in Defense (e.g., test developer, Maintenance Lead, etc.):
Specification Name(s) and Version(s):
Test Suite Name and Version:
Test Name:
Defense (argument for why test is valid):
[Multiple challenges and corresponding responses may be listed here.]
Implications of test invalidity (e.g., other affected tests and test framework code,
creation or exposure of ambiguities in spec (due to unspecified requirements),
invalidation of the reference implementation, creation of serious holes in test suite):
Alternatives (e.g., are alternate test(s) appropriate?):
```

2.4 Specifications for Java Platform, Enterprise Edition Version 8

The Specifications for Java Platform, Enterprise Edition 8 are found on the JCP web site at <http://jcp.org/en/jsr/detail?id=366>.

2.5 Libraries for Java Platform, Enterprise Edition Version 8

The following location provides the list of packages that constitute the required class libraries for Java Platform, Enterprise Edition 8:

<http://docs.oracle.com/javaee/8/api/>

3 Procedure for Java Platform, Enterprise Edition 8 Web Profile Certification

This chapter describes the compatibility testing procedure and compatibility requirements for Java Platform, Enterprise Edition 8.

This chapter contains the following sections:

- [Certification Overview](#)
- [Compatibility Requirements](#)
- [Java Platform, Enterprise Edition Version 8 Test Appeals Process](#)
- [Specifications for Java Platform, Enterprise Edition Version 8](#)
- [Libraries for Java Platform, Enterprise Edition Version 8](#)

3.1 Certification Overview

The certification process for Java Platform, Enterprise Edition Version 8 consists of the following activities:

- Install the appropriate version of the Technology Compatibility Kit (TCK) and execute it in accordance with the instructions in this User's Guide.
- Ensure that you meet the requirements outlined in "Compatibility Requirements," below.
- Certify to the Java Partner organization that you have finished testing and that you meet all of the compatibility requirements.

3.2 Compatibility Requirements

The compatibility requirements for Java Platform, Enterprise Edition Version 8 consist of meeting the requirements set forth by the rules and associated definitions contained in this section.

3.2.1 Definitions

These definitions are for use only with these compatibility requirements and are not intended for any other purpose.

Table 3-1 Definitions

Term	Definition
API Definition Product	A Product for which the only Java class files contained in the product are those corresponding to the application programming interfaces defined by the Specifications, and which is intended only as a means for formally specifying the application programming interfaces defined by the Specifications.
Application	A collection of components contained in a single application package (such as an EAR file or JAR file) and deployed at the same time using a Deployment Tool.
Computational Resource	<p>A piece of hardware or software that may vary in quantity, existence, or version, which may be required to exist in a minimum quantity and/or at a specific or minimum revision level so as to satisfy the requirements of the Test Suite.</p> <p>Examples of computational resources that may vary in quantity are RAM and file descriptors.</p> <p>Examples of computational resources that may vary in existence (that is, may or may not exist) are graphics cards and device drivers.</p> <p>Examples of computational resources that may vary in version are operating systems and device drivers.</p>
Configuration Descriptor	Any file whose format is well defined by a specification and which contains configuration information for a set of Java classes, archive, or other feature defined in the specification.
Conformance Tests	All tests in the Test Suite for an indicated Technology Under Test, as distributed by the Maintenance Lead, excluding those tests on the Exclude List for the Technology Under Test.
Container	An implementation of the associated Libraries, as specified in the Specifications, and a version of a Java Platform, Standard Edition Runtime Product, as specified in the Specifications, or a later version of a Java Platform, Standard Edition Runtime Product that also meets these compatibility requirements.
Deployment Tool	A tool used to deploy applications or components in a Product, as described in the Specifications.
Documented	Made technically accessible and made known to users, typically by means such as marketing materials, product documentation, usage messages, or developer support programs.
Edition	A Version of the Java Platform. Editions include Java Platform Standard Edition and Java Platform Enterprise Edition.

Term	Definition
Endorsed Standard	A Java API defined through a standards process other than the Java Community Process. The Endorsed Standard packages are listed later in this chapter.
Exclude List	The most current list of tests, distributed by the Maintenance Lead, that are not required to be passed to certify conformance. The Maintenance Lead may add to the Exclude List for that Test Suite as needed at any time, in which case the updated Exclude List supplants any previous Exclude Lists for that Test Suite.
Java-to-WSDL Output	Output of a Java-to-WSDL Tool that is required for Web service deployment and invocation.
Java-to-WSDL Tool	A software development tool that implements or incorporates a function that generates web service endpoint descriptions in WSDL and XML schema format from Source Code as specified by the JAXWS Specification.
JSP Page	A text-based document that uses JavaServer Pages technology.
JSP Page Implementation Class	A program constructed by transforming the JSP Page text into a Java language program using the transformation rules described in the Specifications.
Libraries	<p>The class libraries, as specified through the Java Community Process (JCP), for the Technology Under Test.</p> <p>The Libraries for Java Platform, Enterprise Edition Version 8 are listed at the end of this chapter.</p>
Location Resource	<p>A location of classes or native libraries that are components of the test tools or tests, such that these classes or libraries may be required to exist in a certain location in order to satisfy the requirements of the test suite.</p> <p>For example, classes may be required to exist in directories named in a CLASSPATH variable, or native libraries may be required to exist in directories named in a PATH variable.</p>
Maintenance Lead	The Java Community Process member responsible for maintaining the Specification, reference implementation, and TCK for the Technology. Oracle is the Maintenance Lead for Java Platform, Enterprise Edition Version 8.

Term	Definition
Operating Mode	<p>Any Documented option of a Product that can be changed by a user in order to modify the behavior of the Product.</p> <p>For example, an Operating Mode can be binary (enable/disable optimization), an enumeration (select from a list of protocols), or a range (set the maximum number of active threads).</p> <p>Note that an Operating Mode may be selected by a command line switch, an environment variable, a GUI user interface element, a configuration or control file, etc.</p>
Product	A licensee product in which the Technology Under Test is implemented or incorporated, and that is subject to compatibility testing.
Product Configuration	<p>A specific setting or instantiation of an Operating Mode.</p> <p>For example, a Product supporting an Operating Mode that permits user selection of an external encryption package may have a Product Configuration that links the Product to that encryption package.</p>
Rebuildable Tests	Tests that must be built using an implementation specific mechanism. This mechanism must produce specification-defined artifacts. Rebuilding and running these tests against the Java EE 8 Reference Implementation (RI) verifies that the mechanism generates compatible artifacts.
Reference Implementation (RI)	The prototype or "proof of concept" implementation of a Specification.
Resource	A Computational Resource, a Location Resource, or a Security Resource.
Rules	These definitions and rules in this Compatibility Requirements section of this User's Guide.
Runtime	The Containers specified in the Specifications.
Security Resource	<p>A security privilege or policy necessary for the proper execution of the Test Suite.</p> <p>For example, the user executing the Test Suite will need the privilege to access the files and network resources necessary for use of the Product.</p>
Specifications	<p>The documents produced through the Java Community Process that define a particular Version of a Technology.</p> <p>The Specifications for the Technology Under Test are referenced later in this chapter.</p>

Term	Definition
Technology	Specifications and a reference implementation produced through the Java Community Process.
Technology Under Test	Specifications and the reference implementation for Java Platform, Enterprise Edition Version 8.
Test Suite	The requirements, tests, and testing tools distributed by the Maintenance Lead as applicable to a given Version of the Technology.
Version	A release of the Technology, as produced through the Java Community Process.
WSDL-to-Java Output	Output of a WSDL-to-Java tool that is required for Web service deployment and invocation.
WSDL-to-Java Tool	A software development tool that implements or incorporates a function that generates web service interfaces for clients and endpoints from a WSDL description as specified by the JAXWS Specification.

3.2.2 Rules for Java Platform, Enterprise Edition Version 8 Products

The following rules apply for each version of an operating system, software component, and hardware platform Documented as supporting the Product:

EE-WP1 The Product must be able to satisfy all applicable compatibility requirements, including passing all Conformance Tests, in every Product Configuration and in every combination of Product Configurations, except only as specifically exempted by these Rules.

For example, if a Product provides distinct Operating Modes to optimize performance, then that Product must satisfy all applicable compatibility requirements for a Product in each Product Configuration, and combination of Product Configurations, of those Operating Modes.

EE-WP1.1 If an Operating Mode controls a Resource necessary for the basic execution of the Test Suite, testing may always use a Product Configuration of that Operating Mode providing that Resource, even if other Product Configurations do not provide that Resource. Notwithstanding such exceptions, each Product must have at least one set of Product Configurations of such Operating Modes that is able to pass all the Conformance Tests.

For example, a Product with an Operating Mode that controls a security policy (i.e., Security Resource) which has one or more Product Configurations that cause Conformance Tests to fail may be tested using a Product Configuration that allows all Conformance Tests to pass.

EE-WP1.2 A Product Configuration of an Operating Mode that causes the Product to report only version, usage, or diagnostic information is exempted from these compatibility rules.

EE-WP1.3 A Product may contain an Operating Mode that selects the Edition with which it is compatible. The Product must meet the compatibility requirements for the corresponding Edition for

all Product Configurations of this Operating Mode. This Operating Mode must affect no smaller unit of execution than an entire Application.

EE-WP1.4 An API Definition Product is exempt from all functional testing requirements defined here, except the signature tests.

EE-WP2 Some Conformance Tests may have properties that may be changed. Properties that can be changed are identified in the configuration interview. Properties that can be changed are identified in the JavaTest Environment (.jte) files in the lib directory of the Test Suite installation. Apart from changing such properties and other allowed modifications described in this User's Guide (if any), no source or binary code for a Conformance Test may be altered in any way without prior written permission. Any such allowed alterations to the Conformance Tests would be posted to the [Java Licensee Engineering] web site and apply to all licensees.

EE-WP3 The testing tools supplied as part of the Test Suite or as updated by the Maintenance Lead must be used to certify compliance.

EE-WP4 The Exclude List associated with the Test Suite cannot be modified.

EE-WP5 The Maintenance Lead may define exceptions to these Rules. Such exceptions would be made available to and apply to all licensees.

EE-WP6 All hardware and software component additions, deletions, and modifications to a Documented supporting hardware/software platform, that are not part of the Product but required for the Product to satisfy the compatibility requirements, must be Documented and available to users of the Product.

For example, if a patch to a particular version of a supporting operating system is required for the Product to pass the Conformance Tests, that patch must be Documented and available to users of the Product.

EE-WP7 The Product must contain the full set of public and protected classes and interfaces for all the Libraries. Those classes and interfaces must contain exactly the set of public and protected methods, constructors, and fields defined by the Specifications for those Libraries. No subsetting, supersetting, or modifications of the public and protected API of the Libraries are allowed except only as specifically exempted by these Rules.

EE-WP7.1 If a Product includes Technologies in addition to the Technology Under Test, then it must contain the full set of combined public and protected classes and interfaces. The API of the Product must contain the union of the included Technologies. No further modifications to the APIs of the included Technologies are allowed.

EE-WP7.2 A Product may provide a newer version of an Endorsed Standard. Upon request, the Maintenance Lead will make available alternate Conformance Tests as necessary to conform with such newer version of an Endorsed Standard. Such alternate tests will be made available to and apply to all licensees. If a Product provides a newer version of an Endorsed Standard, the version of the Endorsed Standard supported by the Product must be Documented.

EE-WP7.3 The Maintenance Lead may authorize the use of newer Versions of a Technology included in the Technology Under Test. A Product that provides a newer Version of a Technology must meet the Compatibility Requirements for that newer Version, and must Document that it supports the newer Version.

EE-WP8 Except for tests specifically required by this TCK to be rebuilt (if any), the binary Conformance Tests supplied as part of the Test Suite or as updated by the Maintenance Lead must be used to certify compliance.

EE-WP9 The functional programmatic behavior of any binary class or interface must be that defined by the Specifications.

EE-WP9.1 A Product may contain Operating Modes that meet all of these requirements, except Rule T9, provided that:

1. At least the default Product Configuration of each Operating Mode must meet these requirements, without invoking this rule; testing may always use such a Product Configuration.
2. The Operating Modes must not violate the Java Platform, Standard Edition Rules.
3. The Product Configurations of Operating Modes of an application and its components are configured at deployment time, or by administrative action, and can not be changed during the runtime of that application.
4. Some Product Configurations of such Operating Modes may provide only a subset of the functional programmatic behavior required by the Specifications. The behavior of applications that use more than the provided subset, when run in such Product Configurations, is unspecified.
5. The functional programmatic behavior of any binary class or interface in the above defined subset must be that defined by the Specifications.
6. Any Product Configuration that invokes this rule must be clearly Documented as not fully meeting the requirements of the Specifications.

EE-WP10 Each Container must make technically accessible all Java SE Runtime interfaces and functionality, as defined by the Specifications, to programs running in the Container, except only as specifically exempted by these Rules.

EE-WP10.1 Containers may impose security constraints, as defined by the Specifications.

EE-WP11 A web Container must report an error, as defined by the Specifications, when processing a JSP Page that does not conform to the Specifications.

EE-WP12 The presence of a Java language comment or Java language directive in a JSP Page that specifies "java" as the scripting language, when processed by a web Container, must not cause the functional programmatic behavior of that JSP Page to vary from the functional programmatic behavior of that JSP Page in the absence of that Java language comment or Java language directive.

EE-WP13 The contents of any fixed template data (defined by the Specifications) in a JSP Page, when processed by a web Container, must not affect the functional programmatic behavior of that JSP Page,

except as defined by the Specifications.

EE-WP14 The functional programmatic behavior of a JSP Page that specifies "java" as the scripting language must be equivalent to the functional programmatic behavior of the JSP Page Implementation Class constructed from that JSP Page.

EE-WP15 A Deployment Tool must report an error when processing a Configuration Descriptor that does not conform to the Specifications.

EE-WP16 The presence of an XML comment in a Configuration Descriptor, when processed by a Deployment Tool, must not cause the functional programmatic behavior of the Deployment Tool to vary from the functional programmatic behavior of the Deployment Tool in the absence of that comment.

EE-WP17 A Deployment Tool must report an error when processing an EJB deployment descriptor that includes an EJB QL expression that does not conform to the Specifications.

EE-WP18 The Runtime must report an error when processing a Configuration Descriptor that does not conform to the Specifications.

EE-WP19 The presence of an XML comment in a Configuration Descriptor, when processed by the Runtime, must not cause the functional programmatic behavior of the Runtime to vary from the functional programmatic behavior of the Runtime in the absence of that comment.

EE-WP20 Compatibility testing for the Java EE 8 Web Profile consists of running the tests for the technologies defined in [Section 1.2.2, "Java EE 8 Web Profile Technologies Tested With Java EE 8 CTS."](#) If optional technologies defined in the Java EE 8 Web Profile platform are implemented in addition to the required Java EE 8 Web Profile technologies, corresponding tests within this TCK for those additional technologies must also be run.

EE-WP21 Compliance testing for Java EE 8 Web Profile consists of running the Java EE 8 Web Profile tests and the following Technology Compatibility Kits (TCKs):

- Contexts and Dependency Injection for Java 2.0 (JSR 365)
- Dependency Injection for Java 1.0 (JSR 330)
- Bean Validation 2.0(JSR 380)

In addition to the compatibility rules outlined in this CTS User's Guide, Java EE 8 implementations must also adhere to all of the compatibility rules defined in the User's Guides of the aforementioned TCKs.

EE-WP22 Source Code in WSDL-to-Java Output when compiled by a Reference Compiler must execute properly when run on a Reference Runtime.

EE-WP23 Source Code in WSDL-to-Java Output must be in source file format defined by the Java Language Specification (JLS).

EE-WP24 Java-to-WSDL Output must fully meet W3C requirements for the Web Services Description Language (WSDL) 1.1.

EE-WP25 A Java-to-WSDL Tool must not produce Java-to-WSDL Output from source code that does not conform to the Java Language Specification (JLS).

3.3 Java Platform, Enterprise Edition Version 8 Test Appeals Process

Oracle has a well established process for managing challenges to its Java technology Test Suites and plans to continue using a similar process in the future. Oracle, as Java Platform, Enterprise Edition Maintenance Lead, will authorize representatives from the Java Partner Engineering group to be the point of contact for all test challenges. Typically this will be the engineer assigned to a company as part of its Java Platform, Enterprise Edition TCK support.

If a test is determined to be invalid in function or if its basis in the specification is suspect, the test may be challenged by any licensee of the Java Platform, Enterprise Edition TCK. Each test validity issue must be covered by a separate test challenge. Test validity or invalidity will be determined based on its technical correctness such as:

- Test has bugs (i.e., program logic errors).
- Specification item covered by the test is ambiguous.
- Test does not match the specification.
- Test assumes unreasonable hardware and/or software requirements.
- Test is biased to a particular implementation.

Challenges based upon issues unrelated to technical correctness as defined by the specification will normally be rejected.

Test challenges must be made in writing to Java Partner Engineering and include all relevant information as described in [Example 3-1, "Test Challenge Form"](#). The process used to determine the validity or invalidity of a test (or related group of tests) is described in [Section 3.3.1, "Java Platform, Enterprise Edition Version 8 TCK Test Appeals Steps"](#)

All tests found to be invalid will either be placed on the Exclude List for that version of the Java Platform, Enterprise Edition TCK or have an alternate test made available.

- Tests that are placed on the Exclude List will be placed on the Exclude List within one business day after the determination of test validity. The new Exclude List will be made available to all Java Platform, Enterprise Edition TCK licensees on the Java Platform, Enterprise Edition TCK website.
- Oracle, as Maintenance Lead has the option of creating alternative tests to address any challenge. Alternative tests (and criteria for their use) will be made available on the Java Platform, Enterprise

Edition TCK website.



Passing an alternative test is deemed equivalent to passing the original test.

3.3.1 Java Platform, Enterprise Edition Version 8 TCK Test Appeals Steps

1. Java Platform, Enterprise Edition TCK licensee writes a test challenge to Java Licensee Engineering contesting the validity of one or a related set of Java Platform, Enterprise Edition tests.
A detailed justification for why each test should be invalidated must be included with the challenge as described in [Example 3-1, "Test Challenge Form"](#).
2. Java Licensee Engineering evaluates the challenge.
If the appeal is incomplete or unclear, it is returned to the submitting licensee for correction. If all is in order, Java Licensee Engineering will check with the responsible test developers to review the purpose and validity of the test before writing a response as described in [Example 3-2, "Test Challenge Response Form"](#). Java Licensee Engineering will attempt to complete the response within 5 business days. If the challenge is similar to a previously rejected test challenge (i.e., same test and justification), Java Licensee Engineering will send the previous response to the licensee.
3. The challenge and any supporting materials from test developers is sent to the specification engineers for evaluation.
A decision of test validity or invalidity is normally made within 15 working days of receipt of the challenge. All decisions will be documented with an explanation of why test validity was maintained or rejected.
4. The licensee is informed of the decision and proceeds accordingly.
If the test challenge is approved and one or more tests are invalidated, Oracle places the tests on the Exclude List for that version of the Java Platform, Enterprise Edition TCK (effectively removing the test(s) from the Test Suite). All tests placed on the Exclude List will have a bug report written to document the decision and made available to all licensees through the bug reporting database. If the test is valid but difficult to pass due to hardware or operating system limitations, Oracle may choose to provide an alternate test to use in place of the original test (all alternate tests are made available to the licensee community).
5. If the test challenge is rejected, the licensee may choose to escalate the decision to the Executive Committee (EC), however, it is expected that the licensee would continue to work with Oracle to resolve the issue and only involve the EC as a last resort.

3.3.2 Test Challenge and Response Forms

[Example 3-1](#) shows the test challenge information you must provide to Java Licensee Engineering to initiate a challenge, and [Example 3-2](#) shows the test challenge response format.

Example 3-1 Test Challenge Form

Test Challenger Name and Company:
 Specification Name(s) and Version(s):
 Test Suite Name and Version:
 Exclude List Version:
 Test Name:
 Complaint (argument for why test is invalid):
 .jtr file of the failing test:
 Console log of the JavaTest harness and device with all debugging flags turned on (if applicable):
 .jti or .jte file for the test run:
 Startup scripts for the JavaTest harness and agent (if applicable):

Example 3-2 Test Challenge Response Form

Test Defender Name and Company:
 Test Defender Role in Defense (e.g., test developer, Maintenance Lead, etc.):
 Specification Name(s) and Version(s):
 Test Suite Name and Version:
 Test Name:
 Defense (argument for why test is valid):
 [Multiple challenges and corresponding responses may be listed here.]
 Implications of test invalidity (e.g., other affected tests and test framework code, creation or exposure of ambiguities in spec (due to unspecified requirements), invalidation of the reference implementation, creation of serious holes in test suite):
 Alternatives (e.g., are alternate test(s) appropriate?):

3.4 Specifications for Java Platform, Enterprise Edition Version 8

The Specifications for Java EE 8 Web Profile are found on the JCP web site at <http://jcp.org/en/jsr/detail?id=366>.

3.5 Libraries for Java Platform, Enterprise Edition Version 8

The following location provides a list of packages that constitute the required class libraries for the full Java EE 8 platform:

<http://docs.oracle.com/javaee/8/api/>

The following list constitutes the subset of Java EE 8 packages that are required for the Java EE 8 Web Profile:

- javax.annotation
- javax.annotation.security
- javax.annotation.sql
- javax.decorator
- javax.ejb
- javax.ejb.embeddable
- javax.ejb.spi
- javax.el
- javax.enterprise.context
- javax.enterprise.context.spi
- javax.enterprise.event
- javax.enterprise.inject
- javax.enterprise.inject.spi
- javax.enterprise.util
- javax.faces
- javax.faces.application
- javax.faces.bean
- javax.faces.component
- javax.faces.component.behavior
- javax.faces.component.html
- javax.faces.component.visit
- javax.faces.context
- javax.faces.convert
- javax.faces.el

javax.faces.event

javax.faces.flow

javax.faces.flow.builder

javax.faces.lifecycle

javax.faces.model

javax.faces.render

javax.faces.validator

javax.faces.view

javax.faces.view.facelets

javax.faces.webapp

javax.inject

javax.interceptor

javax.json

javax.json.spi

javax.json.stream

javax.persistence

javax.persistence.criteria

javax.persistence.metamodel

javax.persistence.spi

javax.servlet

javax.servlet.annotation

javax.servlet.descriptor

javax.servlet.http

javax.servlet.jsp

javax.servlet.jsp.el

javax.servlet.jsp.jstl.core
javax.servlet.jsp.jstl.fmt
javax.servlet.jsp.jstl.sql
javax.servlet.jsp.jstl.tlv
javax.servlet.jsp.tagext
javax.transaction
javax.transaction.xa
javax.validation
javax.validation.bootstrap
javax.validation.constraints
javax.validation.constraintvalidation
javax.validation.executable
javax.validation.groups
javax.validation.metadata
javax.validation.spi
javax.websocket
javax.websocket.server
javax.ws.rs
javax.ws.rs.client
javax.ws.rs.container
javax.ws.rs.core
javax.ws.rs.ext
javax.json.bind
javax.json.bind.adapter
javax.json.bind.annotation

`javax.json.bind.config`

`javax.json.bind.serializer`

`javax.json.bind.spi`

`javax.security.enterprise`

`javax.security.enterprise.authentication.mechanism.http`

`javax.security.enterprise.credential`

`javax.security.enterprise.identitystore`

4 Installation

This chapter explains how to install the Java EE 8 CTS software and perform a sample test run to verify your installation and familiarize yourself with the CTS.

After installing the software according to the instructions in this chapter, proceed to [Chapter 5, "Setup and Configuration,"](#) for instructions on configuring your test environment.

This chapter covers the following topics:

- [Installing the Java EE 8 Reference Implementation](#)
- [Installing the Java EE 8 CTS](#)
- [Verifying Your Installation \(Optional\)](#)

4.1 Installing the Java EE 8 Reference Implementation

Before You Begin

If the Java EE 8 Reference Implementation (RI) is already installed, it is recommended that you shut it down and start with a new, clean RI installation.

1. Install the Java SE 8 JDK bundle, if it is not already installed.
Refer to the JDK installation instructions for details. The JDK bundle can be downloaded from <http://www.oracle.com/technetwork/java/javase/downloads/index.html>
2. Create or change to the directory in which you will install the Java EE 8 RI.
3. Copy or download the Java EE 8 RI.
4. Unzip the Java EE 8 RI bundle.
5. Set the following environment variables:
 - `JAVAEE_HOME` to the RI directory you just created
 - `JAVA_HOME` to the JDK you want to use
6. Start the Java EE 8 RI by executing the following command:

```
<JAVAEE_HOME>/bin/asadmin start-domain
```

4.2 Installing the Java EE 8 CTS

Complete the following procedure to install the Java EE 8 CTS on a system running the Solaris, Linux, or Windows operating system.



When installing in the Windows environment, the Java EE 8 RI, Java SE 8 JDK, and CTS should be installed on the same drive. If you must install these components on different drives, be sure to change the `ri.applicationRoot` and `slas.applicationRoot` properties as needed in the `<TS_HOME>/bin/ts.jte` CTS configuration file. See [Section 5.4.2, "Windows-Specific Properties,"](#) for more information.

1. Copy or download the CTS 8 software.
2. Change to the directory in which you want to install the Java EE 8 CTS software and use the `unzip` command to extract the bundle:

```
cd install_directory
unzip javaeetck-nnn.zip
```

This creates the `javaeetck` directory. The `install_directory`/javaeetck`` directory will be `TS_HOME`. 3. Set the `TS_HOME` environment variable to point to the `javaeetck` directory.

After you complete the installation, follow the directions in [Chapter 5, "Setup and Configuration,"](#) to set up and configure the Java EE 8 CTS test suite.

4.3 Verifying Your Installation (Optional)

This procedure is optional. After installing the Java EE 8 RI and Java EE 8 CTS, you may want to verify your installation by running the CTS samples against the Java EE 8 RI. See [Chapter 5, "Setup and Configuration,"](#) for complete configuration instructions.

1. Set the following properties in your `<TS_HOME>/bin/ts.jte` file:

```
javaee.home=<JAVAEE_HOME>
javaee.home.ri=<JAVAEE_HOME>
mailHost=<mail-server-host> // the name of an accessible SMTP server
mailuser1=firstname.lastname@xyz.com // a valid email address
javamail.password=password // password for mailuser1
orb.host=localhost // the name of the machine running the Java EE 8 RI
orb.host.ri=localhost // the name of the machine running the Java EE 8 RI
```

1. Use these commands to run the Java EE 8 CTS sample tests:


```
cd <TS_HOME>/bin
ant start.javadb.asadmin
ant config.vi
cd <TS_HOME>/src/com/sun/ts/tests/samples
ant runclient
```

5 Setup and Configuration

This chapter describes how to set up the Java EE 8 CTS test suite and configure it to work with your test environment. It is recommended that you first set up the testing environment using the Java EE 8 RI and then with your Java EE 8 server.

This chapter includes the following topics:

- [Allowed Modifications](#)
- [Configuring the Test Environment](#)
- [Configuring a Java EE 8 Server](#)
- [Modifying Environment Settings for Specific Technology Tests](#)
- [Using the JavaTest Harness Configuration GUI](#)

5.1 Allowed Modifications

You can modify the following test suite components only:

- Your implementation of the porting package
- `ts.jte` environment file
- The vendor-specific SQL files in `<TS_HOME>/sql`
- Any files in `<TS_HOME>/bin` and `<TS_HOME>/bin/xml` (except for `ts.*` files)

5.2 Configuring the Test Environment

The instructions in this section and in [Section 5.3.3, "Configuring Your Application Server as the VI,"](#) step you through the configuration process for the Solaris, Microsoft Windows, and Linux platforms.

All CTS test configuration procedures are based on running the Ant scripts against a set of build targets. The primary location of any configuration settings you are likely to make is the `<TS_HOME>/bin/ts.jte` environment file. You may also want to modify the `javaee_vi.xml` and `initdb.xml` Ant configuration files and the vendor-specific SQL files. These two files contain predefined Ant targets that are implemented such that they automatically configure the Java EE 8 RI and its associated database in order to pass the CTS. A licensee may choose to implement these targets to work with their server environment to perform the steps described in [Section 5.3.3, "Configuring Your Application Server as the VI."](#)



Ant targets are available at all levels of the CTS source tree that allow you to execute a wide variety of test scenarios and configurations.

Before You Begin

In these instructions, variables in angle brackets need to be expanded for each platform. For example, `<TS_HOME>` becomes `$TS_HOME` on Solaris/Linux and `%TS_HOME%` on Windows. In addition, the forward slashes (/) used in all of the examples need to be replaced with backslashes (\) for Windows.

1. Identify the software pieces and assemble them into the Java EE 8 platform to be tested for certification.
2. Implement the porting package APIs.
Some functionality in the Java EE 8 platform is not completely specified by an API. To handle this situation, the Java EE 8 CTS test suite defines a set of interfaces in the `com.sun.cts.porting` package, which serve to abstract any implementation-specific code. You must create your own implementations of the porting package interfaces to work with your particular Java EE 8 server environment. See [Section 11.2, "Porting Package APIs,"](#) for additional information about the porting APIs. API documentation for the porting package interfaces is available in the `<TS_HOME>/docs/api` directory.
3. Set up the Java Platform, Enterprise Edition Reference Implementation (RI) server.
See [Section 5.3.2, "Configuring the Java EE 8 RI as the VI,"](#) for a list of the modifications that must be made to run CTS against the Java EE 8 RI.
4. Set up the vendor's Java EE 8 server implementation (VI).
See [Section 5.3.3, "Configuring Your Application Server as the VI,"](#) for a list of the modifications that must be made to run CTS against the vendor's Java EE 8 server.
5. Validate your configuration.
Run the sample tests provided. If the tests pass, your basic configuration is valid. See [Section 7.3, "Validating Your Test Configuration,"](#) for information about using JavaTest to run the sample tests.
6. Run the CTS tests.
See [Chapter 7, "Executing Tests,"](#) for information about Starting JavaTest and running tests.

5.3 Configuring a Java EE 8 Server

This section describes how to configure the Java EE 8 server under test. You can run the CTS tests against the Java EE 8 RI or your own Java Platform, Enterprise Edition server. When performing interoperability (interop) tests or web service-based tests, you will be running two Java EE 8 servers, one of which must be the Java EE 8 RI using the bundled Java DB database.

For the purposes of this section, it is useful to clarify three terms as they are used here:

- Reference Implementation (RI): Java EE 8 RI

- Vendor Implementation (VI): Java EE 8 implementation from a vendor other than Oracle; typically, the goal of running the CTS is to certify a Java EE 8 VI; in some cases, for purposes of familiarizing yourself with CTS, you may choose to run the Java EE 8 RI as the VI
- Bundled Derby: Derby database bundled with the Java EE 8 RI

5.3.1 Java Platform, Enterprise Edition Server Configuration Scenarios

There are three general scenarios for configuring Java EE 8 servers for Java EE 8 CTS testing:


- Configure the Java EE 8 RI as the server under test



Use the Java EE 8 RI as the Java EE 8 VI; you may want to do this as a sanity check to make sure you are comfortable with using the Java EE 8 CTS against a known standard RI with certified sample applications before proceeding with tests against your Java EE 8 VI. See [Section 5.3.2, "Configuring the Java EE 8 RI as the VI,"](#) for instructions. * Configure your Java EE 8 VI as Server Under Test



This is the primary goal of using the Java EE 8 CTS; you will eventually need to configure the Java EE 8 implementation you want to certify. See [Section 5.3.3, "Configuring Your Application Server as the VI,"](#) for instructions. * Configure two Java EE 8 servers for the purpose of interop testing



Rebuildable tests and Interop tests require that you configure two Java EE 8 servers on one or two machines. One server will be your Java EE 8 VI running a database of your choice with JDBC 4.1-compliant drivers. The second server must be the Java EE 8 RI using the bundled Java DB database. See [Section 5.3.4, "Configuring a Java Platform, Enterprise Edition RI and VI for Interop/Rebuildable Tests,"](#) for instructions.

In terms of the Java EE 8 CTS, all CTS configuration settings are made in the `<TS_HOME>/bin/ts.jte` file. When configuring a Java EE 8 server, the important thing is to make sure that the settings you use for your server match those in the `ts.jte` file.

These configuration scenarios are described in the following sections.

5.3.2 Configuring the Java EE 8 RI as the VI

To configure the Java EE 8 RI as the server under test (that is, to use the Java EE 8 RI as the VI) follow the steps listed below. In this scenario, the goal is simply to test the Java EE 8 RI against the CTS for the purposes of familiarizing yourself with CTS test procedures. You may also want to refer to the Quick Start guides included with the Java EE 8 CTS for similar instructions.

1. Set server properties in your `<TS_HOME>/bin/ts.jte` file to suit your test environment.
Be sure to set the following properties:
2. Set the `webServerHost` property to the name of the host on which your Web server is running that is configured with the RI.
The default setting is `localhost`.
3. Set the `webServerPort` property to the port number of the host on which the Web server is running and configured with the RI.
The default setting is `8001`.
4. Set the `wsgen.ant.classname` property to the Vendor's implementation class that mimics the RI Ant task that in turn calls the `wsgen` Java-to-WSDL tool.
The default setting is `com.sun.tools.ws.ant.WsGen`.
5. Set the `wsimport.ant.classname` property to the Vendor's implementation class that mimics the RI Ant task that in turn calls the `wsimport` WSDL-to-Java tool.
The default setting is `com.sun.tools.ws.ant.WsImport`.
6. Set the `porting.ts.url.class` property to your porting implementation class that is used for obtaining URLs.
The default setting for the RI porting implementation is `com.sun.ts.lib.implementation.sun.common.SunRIURL`.
7. Set the database-related properties in the `<TS_HOME>/bin/ts.jte` file.
[Section D.3, "Database Properties in ts.jte,"](#) lists the names and descriptions for the database properties you need to set.
8. Add the following JVM option to the `command.testExecuteAppClient` property to enable the Security Manager in the application client container:

```
-Djava.security.manager
```

Add this option to the list of other -D JVM options for this property.

As mentioned previously, these settings can vary, but must match whatever you used when setting up the Java EE 8 RI server. 2. Install the Java EE 8 RI and configure basic settings, as described in [Chapter 4, "Installation."](#) 3. Start the Java EE 8 RI application server.

Refer to the application server documentation for complete instructions. 4. Enable the Security Manager.

If you are using the Java EE 8 RI, execute the following command from the command line:

```
asadmin create-jvm-options -Djava.security.manager
```

1. Stop and restart your application server so it is running with the Security Manager enabled.
2. Change to the `<TS_HOME>/bin` directory.
3. Start your backend database.

If you are using Derby as your backend database, execute the `start.javadb` Ant target:

```
ant -f xml/impl/glassfish/slas.xml start.javadb
```

Otherwise, refer to your backend database administration documentation for information about starting your database server. 8. Initialize your backend database.

If you are using Derby as your backend database, execute the `init.derby` Ant target:

```
ant -f xml/init.xml init.derby
```

If you are not using Derby as your backend database, refer to [Appendix D, "Configuring Your Backend Database."](#)



If you are using MySQL or MS SQL Server as your backend database, see [Section 5.4.25, "Backend Database Setup,"](#) for additional database setup instructions.

1. Run the configuration Ant target.

```
ant config.vi
```



By default, the `config.vi` Ant task configures the entire application server. Sometimes you may not want or need to configure everything, such as connector RAR files. If you are not performing connector-related tests, you can avoid the deployment and configuration of RAR files by using the Ant option `-Dskip.config.connector=true`. This will reduce configuration times, the deployment of unneeded RAR files, and the creation of unnecessary resources on the server under test. For example, the following command will do this.

```
ant -Dskip.config.connector=true config.vi
```

1. Build the special web services clients.

The special webservicess tests under the `webservices12/specialcases` directory have prebuilt endpoints, but the clients are not prebuilt. The clients will be built after the endpoints are first

predeployed to the application server under test.

During the build, the clients import the WSDLs (by means of the Java EE `wsimport` and `wsgen` tools) from the predeployed webservices endpoints. This process verifies that importing a WSDL from a predeployed webservice endpoint works properly.

To build the special webservices clients, the following command must be executed:

```
ant build.special.webservices.clients
```

This predeploys all the special webservices endpoints, builds all the special webservices clients, and then undeploys the special webservices endpoints. See [Section 11.2.2, "Ant-Based Deployment Interface,"](#) for more information about the Ant-based deployment interface, including guidelines for creating your own Ant-based deployment implementation. 11. Continue on to [Chapter 7, "Executing Tests,"](#) for instructions on running tests.

5.3.3 Configuring Your Application Server as the VI

To use a Java EE 8 server other than the Java EE 8 RI, follow the steps below.

1. Set server properties in your `<TS_HOME>/bin/ts.jte` file to suit your test environment.
Be sure to set the following properties:
2. Set the `webServerHost` property to the name of the host on which your Web server is running that is configured with the RI.
The default setting is `localhost`.
3. Set the `webServerPort` property to the port number of the host on which the Web server is running and configured with the RI.
The default setting is `8001`.
4. Set the `wsgen.ant.classname` property to the Vendor's implementation class that mimics the RI Ant task that in turn calls the `wsgen` Java-to-WSDL tool.
The default setting is `com.sun.tools.ws.ant.WsGen`.
5. Set the `wsimport.ant.classname` property to the Vendor's implementation class that mimics the RI Ant task that in turn calls the `wsimport` WSDL-to-Java tool.
The default setting is `com.sun.tools.ws.ant.WsImport`.
6. Set the `porting.ts.url.class` property to your porting implementation class that is used for obtaining URLs.
7. Set the database-related properties in the `<TS_HOME>/bin/ts.jte` file.
[Section D.3, "Database Properties in ts.jte,"](#) lists the names and descriptions for the database properties you need to set.
8. Add the following JVM option to the `command.testExecuteAppClient` property to enable the Security Manager in the application client container:

```
-Djava.security.manager
```

Add this option to the list of other -D JVM options for this property.

These settings can vary, but must match whatever you used when setting up your Java Platform, Enterprise Edition server. 2. Install the Java Platform, Enterprise Edition VI and configure basic settings.

If you want to configure your Java Platform, Enterprise Edition server using Ant configuration target similar to the target for the Java EE 8 RI, as described in [Chapter 4, "Installation,"](#) you will need to modify the `<TS_HOME>/bin/xml/javaee_vi.xml` file to implement the defined Ant targets for your application server. Then run:

```
ant config.vi
```

The Ant configuration targets you implement, if any, may vary. Whichever configuration method you choose, make sure that all configuration steps in this procedure are completed as shown. 3. Enable the Security Manager and then stop and restart your application server so it is running with the Security Manager enabled. 4. Provide alternate endpoint and WSDL URLs, if necessary.

The `<TS_HOME>/bin` directory contains the following `.dat` files: `* jaxrpc-url-props.dat * jaxws-url-props.dat * jws-url-props.dat * webservices12-url-props.dat`

These files contain the webservice endpoint and WSDL URLs that the CTS tests use when running against the RI. In the porting package used by the CTS, the URLs are returned as is since this is the form that the RI expects. You may need an alternate form of these URLs to run the CTS tests in your environment. However, you **MUST NOT** modify the existing `.dat` files, but instead make any necessary changes in your own porting implementation class to transform the URLs appropriately for your environment. 5. Install and configure a database for the server under test. 6. Start your database. 7. Initialize your database for CTS tests. 1. If you choose to not implement the `javaee_vi.xml` targets, execute the following command to specify the appropriate DML file:

(Java DB Example)

```
ant -Dtarget.dml.file=tssql.stmt \
-Ddml.file=javadb/javadb.dml.sql copy.dml.file
```

1. Execute the following command to initialize your particular database:

```
ant -f <TS_HOME>/bin/xml/initdb.xml init.Database
```

For example, to initialize a Java DB database:

```
ant -f <TS_HOME>/bin/xml/initdb.xml init.javadb
```


Refer to [Appendix D, "Configuring Your Backend Database,"](#) for detailed database configuration and initialization instructions and a list of database-specific initialization targets. 8. Start your Java EE 8 server. 9.

Set up required users and passwords. 1. Set up database users and passwords that are used for JDBC connections.

The Java EE 8 CTS requires several user names, passwords, and user-to-role mappings. These need to match those set in your `ts.jte` file. By default, `user1`, `user2`, `user3`, `password1`, `password2`, and `password3` are set to `cts1`. 2.

Set up users and passwords for your Java Platform, Enterprise Edition server.

For the purpose of running the CTS test suite, these should be set as follows:

User	Password	Groups
j2ee_vi	j2ee_vi	staff
javajoe	javajoe	guest
j2ee	j2ee	staff, mgr, asadmin
j2ee_ri	j2ee_ri	staff

Note that adding the `asadmin` group is only necessary when running against the Java EE 8 RI application server. It is required in this case because the management EJB (MEjb) in the Java EE 8 server is protected with the `asadmin` group. Other appservers may or may not choose to protect their MEjb. If necessary for your appserver implementation, you should also add the group name with which your MEjb is protected.

Also make sure the principal to role-mappings that are specified in the runtime XML files (see [Section B.6.1, "The security-role-mapping Element"](#)) are properly mapped in your environment. Note that the principal-to-role mappings may vary for each application. 10. Make sure that the appropriate JDBC 4.1-compliant database driver class, any associated database driver native libraries, and the correct database driver URL are available. 11. Configure your Java Platform, Enterprise Edition server to use the appropriate JDBC logical name (`jdbc/DB1`) when accessing your database server. 12. Configure your Java EE 8 server to use the appropriate logical name (`jdbc/DBTimer`) when accessing your EJB timer. 13. Provide access to a JNDI lookup service. 14. Provide access to a Web server. 15. Provide access to a JavaMail server that supports the SMTP protocol. 16. Execute the `add.interop.certs` Ant target.



This step installs server side certificates for interoperability testing; that is, it installs the RI's server certificate to VI and VI's server certificate into the RI. This step is necessary for mutual authentication tests in which both the server and client authenticate to each other.

1. Install the client-side certificate in the `trustStore` on the Java EE 8 server. See [CSiv2 Test Setup](#) for more information.
Certificates are located `<TS_HOME>/bin/certificates`. Use the certificate that suits your environment.
2. `cts_cert`: For importing the CTS client certificate into a `truststore`
3. `clientcert.jks`: Used by the Java SE 8 runtime to identify the CTS client's identity

4. `clientcert.p12`: Contains CTS client certificate in `p12` format
5. Append the file `<TS_HOME>/bin/server_policy.append` to the Java policy file or files on your Java EE 8 server.
This file contains the grant statements used by the test harness, signature tests, and API tests.
6. Append the file `<TS_HOME>/bin/client_policy.append` to the application client's Java policy file, which is referenced in the `TestExecuteAppClient` section of the `ts.jte` file.
7. Make the appropriate transaction interoperability setting on the Java EE 8 server and the server that is running the Java EE 8 RI.
See [Section 5.4.19, "CSIV2 Test Setup."](#)
8. If necessary, refer to the sections later in this chapter for additional configuration information you may require for your particular test goals.
For example, see [Section 5.4.19, "CSIV2 Test Setup,"](#) for configuration settings required for CSIV2 tests.
9. Restart your Java EE 8 server.
10. Build the special Web services clients.
This step may be bypassed at this time if you are not going to immediately run the tests under `<TS_HOME>/src/com/sun/ts/tests/webservices12`. However, you must return to this configuration section and complete it in order to run these tests.
The special Web services tests under the `webservices12/specialcases` directory have prebuilt endpoints, but the clients are not prebuilt. The clients will be built after the endpoints are first predeployed to the application server under test.
During the build the clients import the WSDLs (by means of the Java EE `wsimport` and `wsgen` tools) from the predeployed Web services endpoints. This process verifies that importing a WSDL from a predeployed Web service endpoint works properly.
11. Install the Java EE 8 RI.
12. Set the following properties in your `<TS_HOME>/bin/ts.jte` file.
The current values should be saved since they will be needed later in this step.
 - Set the `javaee.home.ri` property to the location where the Java EE 8 RI is installed.
 - Set the `wsgen.ant.classname` property to the Java EE 8 application server Ant task that in turn calls the `wsimport` Java-to-WSDL tool. It must be set to:

```
com.sun.tools.ws.ant.WsGen
```

- Set the `wsgen.classpath` property to:

```
${javaee.classes.ri}:${tools.jar}
```

- Set the `wsimport.ant.classname` property to the Java EE 8 application server Ant task that in turn calls the `wsimport` WSDL-to-Java tool.

It must be set to `com.sun.tools.ws.ant.WsImport`

- Set the `wsimport.classpath` property to the following value:

```
${javaee.classes.dir}:${tools.jar}
```

1. Build the special Web services clients by executing the following command:

```
ant build.special.webservices.clients
```

This predeploys all the special Web services endpoints, builds all the special webservices clients, and then undeploys the special webservices endpoints. See [Section 11.2.2, "Ant-Based Deployment Interface,"](#) for more information about the Ant-based deployment interface, including guidelines for creating your own Ant-based deployment implementation. 4. Once this command completes successfully, the following `ts.jte` properties must be set back to their previous values: `* wsgen.ant.classname * wsgen.classpath * wsimport.ant.classname * wsimport.classpath` 5. The following `webservices12-url-props.dat` properties must be set back to their original values: `* specialcases.defaultserviceref.wsdlloc * specialcases.nameattrserviceref.wsdlloc * specialcases.providersserviceref.wsdlloc` 24. Continue on to [Chapter 7, "Executing Tests"](#).

5.3.4 Configuring a Java Platform, Enterprise Edition RI and VI for Interop/Rebuildable Tests ^^^^^^^^^^^^

Use the following procedure to configure the Java EE 8 CTS for interoperability and rebuildable testing. Note that you must complete all of the setup instructions in this section and all of the steps in [Section 5.4.19, "CSIV2 Test Setup,"](#) before you run the CSIV2 tests.

1. Install and configure basic settings for the Java EE 8 VI and the Java EE 8 RI.
These procedures are described earlier in this section. You can run the Java EE 8 servers on separate machines or on the same machine. If running both servers on the same machine, be careful to avoid conflicting properties (for example, port settings).
2. Make sure that the following properties have been set in the `ts.jte` file:
 - `create.cmp.tables=true`
 - ``javaee.home= `` Java EE 8 VI installation directory (JAVAEE_HOME)
 - ``javaee.home.ri= `` Java EE 8 RI installation directory
 - ``mailuser1= `` valid email address
 - ``mailHost= `` valid SMTP server
 - ``orb.host= `` host where the Java EE 8 VI naming server is running
 - ``orb.port= `` port where the Java EE 8 VI naming service is running
 - ``orb.host.ri= `` host where the Java EE 8 RI naming service is running

- ``orb.port.ri=`` port where the Java EE 8 RI naming service is running
- ``webServerHost=`` host where the Java EE 8 VI Web server is running
- ``webServerPort=`` port where the Java EE 8 VI Web server is running
- ``webServerHost.2=`` host where the Java EE 8 RI Web server is running
- ``webServerPort.2=`` port where the Java EE 8 RI Web server is running
- ``securedWebServicePort=`` port where the Java EE 8 secure web service is running
- ``securedWebServicePort.2=`` port where the Java EE 8 RI secure web service is running
- ``porting.ts.deploy2.class.1=`` vendor-provided deployment porting class
- ``porting.ts.login.class.1=`` vendor-provided login porting class
- ``porting.ts.jms.class.1=`` vendor-provided JMS porting class
- ``porting.ts.tsURLConnection.class.1=`` vendor-provided HttpURLConnection-class
- `ri.log.file.location`=location to which RI log files will be written and optionally stored, if the `harness.log.trace` flag is set to `true`



The `create.interop.tables.only=true` property does not exist in the `ts.jte` file by default but can be added if needed for creating interop tables.

For the Java EE 8 RI, you must set `create.cmp.tables=true` when you set `create.interop.tables.only=true`.



As a general rule, `ts.jte` properties ending with the suffix ".ri" are RI server properties that rarely need to be changed. Properties ending with the suffix ".vi" are VI server properties that are more likely to require modifying.

1. Configure both Java EE 8 servers.

Change to the `<TS_HOME>/bin` directory and run the following Ant targets:

```
ant config.ri
ant config.vi
```

If you have not implemented the `config.vi` Ant target for your Java EE 8 server, perform the steps shown in [Section 5.3.3, "Configuring Your Application Server as the VI."](#) 4. Configure rebuildable tests, if applicable at this time.

Java EE 8 CTS Rebuildable Tests are located under `<TS_HOME>/src/com/sun/ts/tests/jaxws` and `<TS_HOME>/src/com/sun/ts/tests/jws`. Run this and then continue on to [Chapter 7, "Executing Tests,"](#) for instructions on executing tests. If you would like to run tests under `<TS_HOME>/src/com/sun/ts/tests/interop`, continue to the next step. 5. Add `<JAVAAEE_HOME>/glassfish/modules/ejb-container.jar` to your application server's `CLASSPATH`.

This JAR file is part of the EJB interoperability architecture. It contains implementations of the

required system value classes. 6. Initialize the databases using the appropriate Ant targets. 1. Log in to the machine running the RI database and execute the following commands:

```
cd <TS_HOME>/bin
ant init.javadb
```

1. Change the `create.interop.tables.only` to false in the `<TS_HOME>/bin/ts.jte` file.
2. Log into the machine running the VI database and execute the following command:

```
ant init.database
```

Refer to [Appendix D, "Configuring Your Backend Database,"](#) for detailed database configuration and initialization instructions and a list of database-specific initialization targets. 7. Start the standalone deployment server in a separate shell on the same host as the CTS harness.

The default deployment porting implementation goes through a standalone deployment server with a dedicated classpath. To start this standalone server, change to the `<TS_HOME>/bin` directory and execute the `start.auto.deployment.server` Ant task.

The standalone server is basically an RMI server used to copy archives to the RI server's `autodeploy` directory. A separate VM is necessary to avoid classloading conflicts that could occur when the VI server is also a version of RI server. 8. If necessary, refer to the sections later in this chapter for additional configuration information you may require for your particular test goals.

For example, see [Section 5.4.19, "CSiv2 Test Setup,"](#) for configuration settings required for CSiv2 tests. 9. Continue on to [Chapter 7, "Executing Tests,"](#) for instructions on running tests.

5.4 Modifying Environment Settings for Specific Technology Tests

Before you can run any of the technology-specific Java EE 8 CTS tests, you must supply certain information that JavaTest needs to run the tests in your particular environment. This information exists in the `<TS_HOME>/bin/ts.jte` environment file. This file contains sets of name/value pairs that are used by the tests. You need to assign a valid value for your environment for all of the properties listed in the sections that follow.



This section only discusses a small subset of the properties you can modify. Refer to the `ts.jte` file for information about the many other properties you may want to modify for your particular test environment.

This section includes the following topics:

- [Test Harness Setup](#)

- [Windows-Specific Properties](#)
- [Test Execution Command Setup](#)
- [Servlet Test Setup](#)
- [WebSocket Test Setup](#)
- [JDBC Test Setup](#)
- [Standalone RMI/IIOP Server Test Setup](#)
- [JavaMail Test Setup](#)
- [JAXR Test Setup](#)
- [JAX-RS Test Setup](#)
- [Deployment Test Setup](#)
- [Connector Test Setup](#)
- [XA Test Setup](#)
- [EJB 3.2 Test Setup](#)
- [EJB Timer Test Setup](#)
- [Entity Bean Container-Managed Persistence Test Setup for EJB V1.1](#)
- [Java Persistence API Test Setup](#)
- [JMS Test Setup](#)
- [JASPIC Test Setup](#)
- [CSIv2 Test Setup](#)
- [JACC Test Setup](#)
- [WSDL: Webservice Test and Runtime Notes](#)
- [Security API Test Setup](#)
- [Signature Test Setup](#)
- [Backend Database Setup](#)

5.4.1 Test Harness Setup

Verify that the following properties, which are used by the test harness, have been set in the `<TS_HOME>/bin/ts.jte` file:

```

harness.temp.directory=<TS_HOME>/tmp
harness.log.port=2000
harness.log.traceflag=[true | false]
deployment_host.1=<hostname>
deployment_host.2=<hostname>
porting.ts.deploy2.class.1=<vendor-deployment-class>
porting.ts.login.class.1=<vendor-login-class>
porting.ts.url.class.1=<vendor-url-class>
porting.ts.jms.class.1=<vendor-jms-class>
porting.ts.tsURLConnection.class.1=<vendor-URLConnection-class>

```

- The `harness.temp.directory` property specifies a temporary directory that the harness creates and to which the CTS harness and tests write temporary files. The default setting should not need to be changed.
- The `harness.log.port` property specifies the port that server components of the tests use to send logging output back to JavaTest. If the default port is not available on the machine running JavaTest, you must edit this property and set it to an available port. The default setting is `2000`.
- The `harness.log.traceflag` property is used to turn on or turn off verbose debugging output for the tests. The value of the property is set to `false` by default. Set the property to `true` to turn debugging on.
- The `deployment_host.1` and `deployment_host.2` properties specify the systems where the vendor's Java Platform, Enterprise Edition server and the Java Platform, Enterprise Edition RI server are running. By default, JavaTest will use the `orb.host` and `orb.host.ri` systems, which are set in the `ts.jte` file.
- The porting class `.1` and `.2` property sets specify the class names of porting class implementations. By default, both property sets point to the Java Platform, Enterprise Edition RI-specific classes. To run the interoperability tests, do not modify the `.2` set. These properties should always point to the Java Platform, Enterprise Edition RI classes. Modify the `.1` set to point to implementations that work in your specific Java Platform, Enterprise Edition environment. See [Configuring a Java Platform, Enterprise Edition RI and VI for Interop/Rebuildable Tests](#) for additional information about setting these properties.
- The `-Dcts.tmp` option for the `testExecute` and `testExecuteAppClient` commands in the `ts.jte` file have been set. This Java option tells the test suite the location to which the test suite will write temporary files.

5.4.2 Windows-Specific Properties

When configuring the Java EE 8 CTS for the Windows environment, set the following properties in `<TS_HOME>/bin/ts.jte`:

- `pathsep` to semicolon (`pathsep=;`)

- `slas.applicationRoot` to the drive on which you have installed CTS (for example, `slas.applicationRoot=C:`)

When installing in the Windows environment, the Java Platform, Enterprise Edition RI, JDK, and CTS should all be installed on the same drive. If you must install these components on different drives, also change the `ri.applicationRoot` property in addition to the `pathsep` and `slas.applicationRoot` properties; for example:

```
ri.applicationRoot=C:
```



When configuring the RI and CTS for the Windows environment, never specify drive letters in any path properties in `ts.jte`.

5.4.3 Test Execution Command Setup

The test execution command properties are used by the test harness. By default, the `ts.jte` file defines a single command line for each of the commands that is used for both UNIX and Windows environments.

- `command.testExecute`
- `command.testExecuteAppClient`
- `command.testExecuteAppClient2`

If these commands do not meet your needs, you can define separate entries for the UNIX and Windows environments. Edit either the `ts_unix` or `ts_win32` test execution properties in the `ts.jte` file. For UNIX, these properties are:

- `env.ts_unix.command.testExecute`
- `env.ts_unix.command.testExecuteAppClient`
- `env.ts_unix.command.testExecuteAppClient2`

For Windows, these properties are:

- `env.ts_win32.command.testExecute`
- `env.ts_win32.command.testExecuteAppClient`
- `env.ts_win32.command.testExecuteAppClient2`

The `testExecute` property specifies the Java command that is used to execute individual tests from a standalone URL client. Tests in which the client directly invokes a web component (servlet or JSP), use this command line since there is no application client container involved.



The default settings are specific to the Java Platform, Enterprise Edition RI. If you are not using the Java Platform, Enterprise Edition RI, adjust these properties accordingly.

5.4.4 Servlet Test Setup

Make sure that the following servlet properties have been set in the `ts.jte` file:

```
ServletClientThreads=[2X size of default servlet instance pool]
servlet_waittime=[number_of_milliseconds]
servlet_async_wait=[number_of_seconds]
logical.hostname.servlet=server
slas.java.endorsed.dirs=${endorsed.dirs}${pathsep}${ts.home}/endorsedlib
```

The `ServletClientThreads` property configures the number of threads used by the client for the `SingleThreadModel` servlet test. If your container implementation supports pooling of `SingleThreadModel` servlets, set the value of the `ServletClientThreads` property to twice the value of the default servlet instance pool size. If your container implementation only maintains a single instance of a `ServletClientThreads` servlet, use the default value of 2.

The `servlet_waittime` property specifies the amount of time, in milliseconds, to wait between the time when the `HttpSession` is set to expire on the server and when the `HttpSession` actually expires on the client. This time is configurable to allow the servlet container enough time to completely invalidate the `HttpSession`. The default value is 10 milliseconds.

The test `serverpush` in servlet 4.0, uses `httpclient`, a new library in JDK9 which is backported to JDK8. There is a restriction on using `httpclient` in JDK8 as the `httpclient` depends on `java.util.concurrent.flow` which is a new class in JDK9. To run the test on JDK8, use Java Endorsed Standards Override Mechanism and append the `flow.jar` into bootstrap classpath. This is done by appending the `<TS_HOME>/endorsedlib` directory to `slas.java.endorsed.dirs` property in `ts.jte`.

The `servlet_async_wait` property sets the duration of time in seconds to wait between sending asynchronous messages. This property is used in place to test non-interrupted IO, where two messages are sent in two different batches and the receiving end will be read in a different read cycle. This property sets the time to wait in seconds on the sending side. The default is 4 seconds.

The `logical.hostname.servlet` property identifies the configuration name of the logical host on which the `ServletContext` is deployed. This is used to identify the name of a logical host that processes Java EE 8 requests. Java EE 8 requests may be directed to a logical host using various physical or virtual host names or addresses, and a message processing runtime may be composed of multiple logical hosts. The `logical.hostname.servlet` property is required to properly identify the Java EE 8 profile's `AppContextId` hostname. This property is used by the Java EE 8 security tests as well as by the `ServletContext.getVirtualServerName()` method. If a `logical.hostname.servlet` does not exist, set this property to the default hostname (for example, `webServerHost`). The default is "server".

5.4.5 WebSocket Test Setup

Make sure that the following WebSocket property has been set in the `ts.jte` file:

```
ws_wait=[number_of_seconds]
```

The `ws_wait` property configures the wait time, in seconds, for the socket to send or receive a message. A multiple of 5 of this time is also used to test socket timeouts.

The WebSocket tests also use the following properties: `webServerHost` and `webServerPort`. See [Section 5.3.2, "Configuring the Java EE 8 RI as the VI,"](#) for more information about setting these properties.



The SSL related tests under `/ts/javaeetck/src/com/sun/ts/tests/websocket/platform/javax/websocket/server/handshake/request/authenticatedssl/` use self signed certificate bundled with the CTS bundle. These certificates are generated with localhost as the hostname and would work only when `orb.host` value is set to localhost in `ts.jte`. If the server's hostname is used instead of the localhost, the tests in this suite might fail with the below exception - `javax.websocket.DeploymentException: SSL handshake has failed.`

5.4.6 JDBC Test Setup

The JDBC tests require you to set the timezone by modifying the `tz` property in the `ts.jte` file. On Solaris systems, you can check the timezone setting by looking in the file `/etc/default/init`. Valid values for the `tz` property are in the directory `/usr/share/lib/zoneinfo`. The default setting is `US/Eastern`. This setting is in `/usr/share/lib/zoneinfo/US`.



The `tz` property is only used for Solaris configurations; it does not apply to Windows XP/2000.

5.4.7 Standalone RMI/IIOP Server Test Setup

The standalone RMI/IIOP server testing verifies that Java Platform, Enterprise Edition application components can access and communicate with an external RMI/IIOP server application.

The `start.rmiiop.server` Ant target uses the `ts.classpath` property setting from the `ts.jte` file when starting the standalone RMI/IIOP server application. The standalone RMI/IIOP server application must start up using the ORB that comes with the Java Platform, Enterprise Edition RI.

Make sure that `ts.classpath` property contains the Java Platform, Enterprise Edition RI JAR files and classes and that the following properties have been set in the `ts.jte` file:

```
rmi.http.server.host=[hostname]
rmi.http.server.port=[port-number]
```

The `rmi.http.server.host` and `rmi.http.server.port` properties must be set to the host and port where the standalone RMI/IIOP http server is running. The default values for these properties are `localhost` and `10000`, respectively.

To start the standalone RMI/IIOP server, execute the following command:

```
ant start.rmiiop.server
```

5.4.8 JavaMail Test Setup

Complete the following tasks before you run the JavaMail tests:

1. Set the following properties in the `ts.jte` file:

```
mailuser1=[user@domain]
mailFrom=[user@domain]
mailHost=mailserver
javamail.password=password
```

- Set the `mailuser1` property to a valid mail address. Mail messages generated by the JavaMail tests are sent to the specified address. This user must be created in the IMAP server.
- Set the `mailFrom` property to a mail address from which mail messages that the JavaMail tests generate will be sent.
- Set the `mailHost` property to the address of a valid mail server where the mail will be sent.
- Set the `javamail.password` property to the password for `mailuser1`.

1. Populate your IMAP server with sample messages.

Change to the `<TS_HOME>/bin` directory and execute the Ant target `populateMailbox` to create the sample messages in your IMAP server.

```
cd <TS_HOME>/bin
ant populateMailbox
```

5.4.9 JAX-RS Test Setup

This section explains how to set up the test environment to run the JAX-RS tests using the Java EE 8 Reference Implementation and/or a Vendor Implementation. This setup also includes steps for packaging/repackaging and publishing the packaged/repackaged WAR files as well.

5.4.9.1 To Configure Your Environment to Run the JAX-RS Tests Against the Java EE 8 RI

Edit your `<TS_HOME>/bin/ts.jte` file and set the following environment variables:

1. Set the `jaxrs_impl_lib` property to point to the JAX-RS RI.
The default setting for this property is `${javaee.home}/modules/jersey-container-servlet-core.jar`.
2. Set the `servlet_adaptor` property to point to the Servlet adaptor class for the JAX-RS implementation.
The default setting for this property is `org/glassfish/jersey/servlet/ServletContainer.class`, the servlet adaptor supplied in Jersey.
3. Set the `jaxrs_impl_name` property to the name of the JAX-RS RI.
The default setting for this property is `jersey`.
An Ant script, `jersey.xml`, in the `<TS_HOME>/bin/xml/impl/glassfish` directory contains packaging instructions.

5.4.9.2 To Package WAR files for Deployment on the Java EE 8 RI

The Java EE 8 CTS test suite does not come with prebuilt test WAR files for deployment on Java EE 8 RI. The test suite includes a command to generate the test WAR files that will be deployed on the Java EE 8 RI. The WAR files are Jersey-specific, with Jersey's servlet class and Jersey's servlet defined in the `web.xml` deployment descriptor.

To package the JAX-RS WAR files for deployment on the Java EE 8 RI, complete the following steps:

1. Change to the `<TS_HOME>/bin` directory.
2. Execute the `update.jaxrs.wars` Ant target.
In a test WAR files that has the `servlet_adaptor` property defined, this target replaces the `servlet_adaptor` value of the servlet class name property in the `web.xml` file of the WAR files to be deployed on the Java EE 8 RI.

5.4.9.3 To Configure Your Environment to Run the JAX-RS Tests Against a Vendor Implementation

Complete the following steps to configure your test environment to run the JAX-RS tests against your vendor implementation. Before you can run the tests, you need to repackage the WAR files that contain

the JAX-RS tests and the VI-specific Servlet class that will be deployed on the vendor's Java EE 8-compliant application server.

Edit your `<TS_HOME>/bin/ts.jte` file and set the following properties:

1. Set the `jaxrs_impl_lib` property to point to the JAR file that contains the vendor's JAX-RS Servlet adaptor implementation.
The default setting for this property is `${javaee.home}/modules/jersey-container-servlet-core.jar`.
2. Set the `servlet_adaptor` property to point to the Servlet adaptor class for the vendor's JAX-RS implementation.
The class must be located in the JAR file defined by the `jaxrs_impl_lib` property. By default, this property is set to `org/glassfish/jersey/servlet/ServletContainer.class`, the servlet adaptor supplied in Jersey.
3. Set the `jaxrs_impl_name` property to the name of the JAX-RS vendor implementation to be tested.
The name of the property must be unique. An Ant file bearing this name, `<jaxrs_impl_name>.xml`, should be created under `<TS_HOME>/bin/xml/impl/${impl.vi}` with packaging and/or deployment instructions as described in [Section 5.4.9.4, "To Repackage WAR files for Deployment on the Vendor Implementation."](#)
The default setting for this property is `jersey`.

5.4.9.4 To Repackage WAR files for Deployment on the Vendor Implementation

To run the JAX-RS tests against a vendor's implementation in a Java EE 8-compliant application server, the tests need to be repackaged to include the VI-specific servlet, and the VI-specific servlet must be defined in the deployment descriptor.

A vendor must create VI-specific Java EE 8-compliant WAR files so the VI-specific Servlet class will be included instead of the Java EE 8 RI-specific Servlet class.

All resource and application class files are already compiled. The Vendor needs to package these files. Java EE 8 CTS makes this task easier by including template WAR files that contain all of the necessary files except for the VI-specific servlet adaptor class. The Java EE 8 CTS also provides a tool to help with the repackaging task.

Each test that has a JAX-RS resource class to publish comes with a template deployment descriptor file. For example, the file `<TS_HOME>/src/com/sun/ts/tests/jaxrs/ee/rs/get/web.xml.template` contains the following elements:

```

<?xml version="1.0" encoding="UTF-8"?>
<web-app version="2.5" xmlns="http://java.sun.com/xml/ns/javaee" \
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" \
xsi:schemaLocation="http://java.sun.com/xml/ns/javaee \
http://java.sun.com/xml/ns/javaee/web-app_2_5.xsd">
  <servlet>
    <servlet-name>CTSJAX-RSGET</servlet-name>
    <servlet-class>servlet_adaptor</servlet-class>
    <init-param>
      <param-name>javax.ws.rs.Application</param-name>
      <param-value>com.sun.ts.tests.jaxrs.ee.rs.get.TSAppConfig</param-value>
    </init-param>
    <load-on-startup>1</load-on-startup>
  </servlet>
  <servlet-mapping>
    <servlet-name>CTSJAX-RSGET</servlet-name>
    <url-pattern>/*</url-pattern>
  </servlet-mapping>
  <session-config>
    <session-timeout>30</session-timeout>
  </session-config>
</web-app>

```

In this example, the `<servlet-class>` element has a value of `servlet_adaptor`, which is a placeholder for the implementation-specific Servlet class. A Jersey-specific deployment descriptor also comes with the Java EE 8, and has the values for the `com.sun.jersey.spi.container.servlet.ServletContainer`:

```
<?xml version="1.0" encoding="UTF-8"?>
<web-app version="2.5" xmlns="http://java.sun.com/xml/ns/javaee" \
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" \
xsi:schemaLocation="http://java.sun.com/xml/ns/javaee \
http://java.sun.com/xml/ns/javaee/web-app_2_5.xsd">
  <servlet>
    <servlet-name>CTSJAX-RSGET</servlet-name>
    <servlet-class>
      org.glassfish.jersey.servlet.ServletContainer
    </servlet-class>
    <init-param>
      <param-name>javax.ws.rs.Application</param-name>
      <param-value>com.sun.ts.tests.jaxrs.ee.rs.get.TSAppConfig</param-value>
    </init-param>
    <load-on-startup>1</load-on-startup>
  </servlet>
  <servlet-mapping>
    <servlet-name>CTSJAX-RSGET</servlet-name>
    <url-pattern>/*</url-pattern>
  </servlet-mapping>
  <session-config>
    <session-timeout>30</session-timeout>
  </session-config>
</web-app>
```

The Java EE 8 CTS test suite provides a tool, `${ts.home}/bin/xml/impl/glassfish/jersey.xml`, for the Java EE 8 RI that you can use as a model to help you create your own VI-specific Web test application.

The following steps explain how to create a VI-specific deployment descriptor.

1. Create a VI handler file.

Create a VI-specific handler file `<TS_HOME>/bin/xml/impl/${impl.vi}/${jaxrs_impl_name}.xml` if one does not already exist.

Ensure that the `jaxrs_impl_name` property is set in the `ts.jte` file and that its name is unique, to prevent another file with the same name from being overwritten.

2. Set the `servlet_adaptor` property in the `ts.jte` file.

This property will be used to set the value of the `<servlet-class>` element in the deployment descriptor.

3. Create VI Ant tasks.

Create a `update.jaxrs.wars` target in the VI handler file. Reference this `update.jaxrs.wars` target in the `jersey.xml` file.

This target will create a `web.xml.${jaxrs_impl_name}` for each test that has a deployment descriptor template. The `web.xml.${jaxrs_impl_name}` will contain the VI-specific Servlet class name. It will also create the test WAR files will be created under the `<TS_HOME>/dist` directory. For example:

```
cd $TS_HOME/dist/com/sun/ts/tests/jaxrs/ee/rs/get/
ls jaxrs_rs_get_web.war.jersey
jaxrs_rs_get_web.war.${jaxrs_impl_name}
```

1. Change to the `<TS_HOME>/bin` directory and execute the `update.jaxrs.wars` Ant target. This creates a `web.xml.${jaxrs_impl_name}` file for each test based on the VI's servlet class name and repackages the tests.

5.4.10 Connector Test Setup

The Connector tests verify that a Java EE 8 server correctly implements the Connector V1.7 specification. The Connector compatibility tests ensure that your Java EE 8 server still supports the Connector V1.0 functionality.

The `config.vi` target is run to configure the Java EE 8 server for running Connector tests. The `config.vi` target calls the `config.connecto`r` target, which is defined in `'TS_HOME/bin/xml/impl/glassfish/slas.xml`, to deploy the RAR files listed in [Section 5.4.10.1, "Extension Libraries."](#) and create the required connection resources and connection pools used for the Connector tests. The `config.vi` target also performs several other tasks, such as creating required users and security mappings, setting appropriate JVM options, etc. that also are needed to run the Connector tests.

5.4.10.1 Extension Libraries

The following Connector files are deployed as part of the `config.vi` Ant target:

- `whitebox-mixedmode.rar`
- `whitebox-tx-param.rar`
- `whitebox-multianno.rar`
- `whitebox-tx.rar`
- `whitebox-anno_no_md.rar`
- `whitebox-notx-param.rar`
- `whitebox-xa-param.rar`
- `whitebox-mdcomplete.rar`
- `whitebox-notx.rar`
- `whitebox-xa.rar`
- `old-dd-whitebox-notx-param.rar`
- `old-dd-whitebox-xa-param.rar`
- `old-dd-whitebox-tx.rar`

- `old-dd-whitebox-notx.rar`
- `old-dd-whitebox-xa.rar`
- `old-dd-whitebox-tx-param.rar`



RAR files with an `old` prefix are used to test the support of RAs that are bundled with an older version of the `ra.xml` files.

The manifest file in each RAR file includes a reference to the whitebox extension library. The `whitebox.jar` file is a Shared Library that must be deployed as a separate entity that all the Connector RAR files access. This extension library is needed to address classloading issues.

The RAR files that are used with Java EE 8 CTS test suite differ from those that were used in earlier test suites. Java EE 8 CTS no longer bundles the same common classes into every RAR file. Duplicate common classes have been removed and now exist in the `whitebox.jar` file, an Installed Library that is deployed and is made available before any other RAR files are deployed.

This was done to address the following compatibility issues:

- Portable use of Installed Libraries for specifying a resource adapter's shared libraries
See section EE.8.2.2 of the Java EE 8 platform specification and section 20.2.0.1 in the JCA 1.7 specification, which explicitly state that the resource adapter server may employ the library mechanisms in Java EE 8.
- Support application-based standalone connector accessibility
Section 20.2.0.4 of the JCA 1.7 Specification uses the classloading requirements that are listed in section 20.3 in the specification.

5.4.10.2 Connector Resource Adapters and Classloading

Java EE 8 CTS has scenarios in which multiple standalone RAR files that use the same shared library (for example, `whitebox.jar`) are referenced from an application component.

Each standalone RAR file gets loaded in its own classloader. Since the application component refers to more than one standalone RAR file, all of the referenced standalone RAR files need to be made available in the classpath of the application component. In versions of the TCK prior to Java EE 5, since each standalone RAR file contained a copy of the `whitebox.jar` file, every time there was a reference to a class in the `whitebox.jar` file from a standalone RAR, the reference was resolved by using the private version of `whitebox.jar` (the `whitebox.jar` file was bundled in each standalone RAR file). This approach can lead to class type inconsistency issues.

5.4.10.3 Use Case Problem Scenario

Assume that RAR1 and RAR2 are standalone RAR files that are referred to by an application, where:

- RAR1's classloader has access to RAR1's classes and its copy of `whitebox.jar`. (RAR1's classloader contains RAR1's classes and `whitebox.jar`)
- RAR2's classloader has access to RAR2's classes and its copy of `whitebox.jar`. (RAR2's classloader contains RAR2's classes and `whitebox.jar`)

When the application refers to both of these RAR files, a classloader that encompasses both of these classloaders (thereby creating a classloader search order) is provided to the application. The classloader search order could have the following sequence: ([RAR1's Classloader: RAR1's classes and `whitebox.jar`], [RAR2's Classloader: RAR2's classes and `whitebox.jar`]).

In this scenario, when an application loads a class (for example, class `Foo`) in `whitebox.jar`, the application gets class `Foo` from RAR1's classloader because that is first in the classloader search order. However, when this is cast to a class (for example, `Foo` or a subclass of `Foo` or even a class that references `Foo`) that is obtained from RAR2's classloader (a sequence that is typically realized in a `ConnectionFactory` lookup), this would result in a class-cast exception.

The portable way of solving the issues raised by this use case problem scenario is to use installed libraries, as described in section EE.8.2.2 in the Java EE 8 platform specification. If both RAR files (RAR1 and RAR2) reference `whitebox.jar` as an installed library and the application server can use a single classloader to load this common dependency, there will be no type-related issues.

In the RI, `domain-dir/lib/applibs` is used as the Installed Library directory and is the location to which the `whitebox.jar` file gets copied.

5.4.10.4 Required Porting Package

The Java EE 8 CTS test suite treats the `whitebox.jar` dependency as an Installed Library dependency instead of bundling the dependency (or dependencies) with every RAR file. Each RAR file now contains a reference to the `whitebox.jar` file through its Manifest files Extension-List attribute.

It is necessary to identify the `whitebox.jar` to the connector server as an installed library. The mechanism used to identify the `whitebox.jar` file to the connector server as an Installed Library must allow the Installed Libraries to have dependencies on Java EE APIs. In other words, because the `whitebox.jar` file depends on Java EE APIs, one cannot simply put the `whitebox.jar` file into a `java.ext.dir` directory, which gets loaded by the VM extension classloader, because that mechanism does not allow the `whitebox.jar` file to support its dependencies on the Java EE APIs. For this reason, the Installed Library must support access to the Java EE APIs.

See section EE.8.2.2 in the Java EE 8 platform specification for information about the reference implementation's support for Installed libraries. However, note that this section does not recommend a mechanism that a deployer can use to provide Installed Libraries in a portable manner.

5.4.10.5 Creating Security Mappings for the Connector RAR Files

The Ant target `create.security.eis.mappings` in the `<TS_HOME>/bin/xml/impl/glassfish/connector.xml` file maps Resource Adapter user information to existing user information in the RI.

For the RI, these mappings add a line to the `domain.xml` file, similar to the one shown below, and should include 6 of these mappings:

```
<jvm-options>-Dwhitebox-tx-map=cts1=j2ee</jvm-options>
<jvm-options>-Dwhitebox-tx-param-map=cts1=j2ee</jvm-options>
<jvm-options>-Dwhitebox-notx-map=cts1=j2ee</jvm-options>
<jvm-options>-Dwhitebox-notx-param-map=cts1=j2ee</jvm-options>
<jvm-options>-Dwhitebox-xa-map=cts1=j2ee</jvm-options>
<jvm-options>-Dwhitebox-xa-param-map=cts1=j2ee</jvm-options>
```

If the `rauser1` property has been set to `cts1` and the `user` property has been set to `j2ee` in the `ts.jte` file, the following mappings would be required in the connector runtime:

- For RA `whitebox-tx`, map `cts1` to `j2ee`
- For RA `whitebox-tx-param`, map `cts1` to `j2ee`
- For RA `whitebox-notx`, map `cts1` to `j2ee`
- For RA `whitebox-notx-param`, map `cts1` to `j2ee`
- For RA `whitebox-xa`, map `cts1` to `j2ee`
- For RA `whitebox-xa-param`, map `cts1` to `j2ee`

5.4.10.6 Creating Required Server-Side JVM Options

Create the required JVM options that enable user information to be set and/or passed from the `ts.jte` file to the server. The RAR files use some of the property settings in the `ts.jte` file.

To see some of the required JVM options for the server under test, see the `s1as.jvm.options` property in the `ts.jte` file. The connector tests require that the following subset of JVM options be set in the server under test:

```
-Dj2eelogin.name=j2ee
-Dj2eelogin.password=j2ee
-Deislogin.name=cts1
-Deislogin.password=cts1
```

5.4.11 XA Test Setup

The XA Test setup requires that the `ejb_Tsr.ear` file be deployed as part of the `config.vi` Ant target. The `ejb_Tsr.ear` file contains an embedded RAR file, which requires the creation of a connection-pool and a connector resource.

For more details about the deployment of `ejb_Tsr.ear` and its corresponding connection pool and connector resource values, see the `setup.tsr.embedded.rar` Ant target in the `<TS_HOME>/bin/xml/impl/glassfish/s1as.xml` file.

The XA tests reference some `JDBCWhitebox` name bindings that are created as part of the `config.vi` target but those name bindings are not tied to any JDBC RAR files. Instead, the following XA-specific connection pool ids are referenced by the XA tests:

- `eis/JDBCwhitebox-xa`
- `eis/JDBCwhitebox-tx`
- `eis/JDBCwhitebox-notx`

For more details on these JDBC resources, examine the `add.jdbc.resources` target in the same file to see the required JDBC resources that are created. Both targets are called as part of the `config.vi` target.

Complete the following steps (create JDBC connection pools and JDBC resource elements, deploy the RAR files) to set up your environment to run the XA tests:

1. Create a JDBC connection pool with the following attributes:

- Set the resource type to `javax.sql.XADataSource`
- Set the datasourceclassname to `org.apache.derby.jdbc.EmbeddedXADataSource`
- Set the property to `DatabaseName=<Derby- location>;user=cts1;password=cts1`
- Set the connection pool name to `cts-derby-XA-pool`

For example, you could use the `asadmin` command line utility in the Java EE 8 RI to create this connection pool:

```
asadmin create-jdbc-connection-pool --restype javax.sql.XADataSource \
--datasourceclassname org.apache.derby.jdbc.EmbeddedXADataSource \
--property 'DatabaseName=/tmp/DerbyDB:user=cts1:password=cts1' \
cts-derby-XA-pool
```

See the `add.jdbc.pools` Ant target in the `s1as.xml` file for additional information. 2. Create three JDBC connection pool elements (more specifically, the JDBC connection pool elements) with the following JNDI names: * For the first connection pool element, set the connection pool id to `cts-derby-XA-pool` and the JNDI name to `eis/JDBCwhitebox-xa` * For the second connection pool element, set the connection pool id to `cts-derby-XA-pool` and the JNDI name to `eis/JDBCwhitebox-tx` * For the third connection pool element, set the connection pool id to `cts-derby-XA-pool` and the JNDI name to `eis/JDBCwhitebox-notx` For example, you could use the `asadmin` command line utility in the Java EE 8 RI to create the three

connection pool elements:

```
asadmin asadmin create-jdbc-resource --connectionpoolid cts-derby-XA-pool \
eis/JDBCwhitebox-xa
asadmin create-jdbc-resource --connectionpoolid cts-derby-XA-pool \
eis/JDBCwhitebox-tx
asadmin create-jdbc-resource --connectionpoolid cts-derby-XA-pool \
eis/JDBCwhitebox-notx
```

If two or more JDBC resource elements point to the same connection pool element, they use the same pool connection at runtime. Java EE 8 CTS does reuse the same connection pool ID for testing the Java EE 8 RI. 3. Make sure that the following EIS and RAR files have been deployed into your environment before you run the XA tests: * For the EIS resource adapter, deploy the following RAR files. Most of these files are standalone RAR files, but there is also an embedded RAR file that is contained in the `ejb_Tsr.ear` file. With the RI, these RAR files are deployed as part of the `config.vi` Ant task. The following RAR files are defined in the `ts.jte` file.

```
whitebox-tx=java:comp/env/eis/whitebox-tx
whitebox-notx=java:comp/env/eis/whitebox-notx
whitebox-xa=java:comp/env/eis/whitebox-xa
whitebox-tx-param=java:comp/env/eis/whitebox-tx-param
whitebox-notx-param=java:comp/env/eis/whitebox-notx-param
whitebox-xa-param=java:comp/env/eis/whitebox-xa-param
whitebox-embed-xa=
"__SYSTEM/resource/ejb_Tsr#whitebox-
xa#com.sun.ts.tests.common.connector.whitebox.TSConnectionFactory"
```

- The embedded RAR files are located in the `<TS_HOME>/src/com/sun/ts/tests/xa/ee/tsr` directory.
- The EIS RAR files are located in the following directory:
`<TS_HOME>/src/com/sun/ts/tests/common/connector/whitebox`
RAR files in the `<TS_HOME>/src/com/sun/ts/tests/common/connector` directory must be built before any dependent tests can pass. Deployment can either be done ahead of time or at runtime, as long as connection pools and resources are established prior to test execution.
The XA tests make use of existing connector RAR files, which typically get deployed when the `config.vi` Ant task is run. Note that there are currently no `JDBCwhitebox` source files and no `JDBCwhitebox` RAR files.

5.4.12 EJB 3.2 Test Setup

This section explains special configuration that needs to be completed before running the EJB 3.2 DataSource and Stateful Timeout tests.

The EJB 3.2 DataSource tests do not test XA capability and XA support in a database product is typically not required for these tests. However, some Java EE products could be implemented in such a way that XA must be supported by the database. For example, when processing the `@DataSourceDefinition` annotation or `<data-source>` descriptor elements in tests, a Java EE product infers the datasource type from the interface implemented by the driver class. When the driver class implements multiple interfaces, such as `javax.sql.DataSource`, `javax.sql.ConnectionPoolDataSource`, or `javax.sql.XADataSource`, the vendor must choose which datasource type to use. If `javax.sql.XADataSource` is chosen, the target datasource system must be configured to support XA. Consult the documentation for your database system and JDBC driver for information that explains how to enable XA support.

5.4.12.1 To Configure the Test Environment to Run the EJB 3.2 DataSource Tests

The EJB 3.2 DataSource tests under the following `tests/ejb30` directories require you to run the Ant task in Step 2.

- `com/sun/ts/tests/ejb30/lite/packaging/war/datasource`
- `com/sun/ts/tests/ejb30/misc/datasource`
- `com/sun/ts/tests/ejb30/assembly/appres`

If your database vendor requires you to set any vendor-specific or less common DataSource properties, complete step 1 and then complete step 2, as explained below.

1. Set any vendor-specific or less common datasource properties with the `jdbc.datasource.props` property in the `ts.jte` file.
The value of the property is a comma-separated array of name-value pairs, in which each property pair uses a `"name=value"` format, including the surrounding double quotes.
The value of the property must not contain any extra spaces.
For example:

```
jdbc.datasource.props="driverType=thin","name2=vale2"
```

1. Run the `configure.datasource.tests` Ant target to rebuild the EJB 3.2 DataSource Definition tests using the new database settings specified in the `ts.jte` file.
This step must be completed for Java EE 8 and Java EE 8 Web Profile testing.

5.4.12.2 To Configure the Test Environment to Run the EJB 3.2 Stateful Timeout Tests

The EJB 3.2 Stateful Timeout Tests in the following test directories require special setup:

- `com/sun/ts/tests/ejb30/lite/stateful/timeout`
 - `com/sun/ts/tests/ejb30/bb/session/stateful/timeout`
1. Set the `javatest.timeout.factor` property in the `ts.jte` file to a value such that the JavaTest harness does not time out before the test completes.
A value of 2.0 or greater should be sufficient.
 2. Set the `test.ejb.stateful.timeout.wait.seconds` property, which specifies the minimum amount of time, in seconds, that the test client waits before verifying the status of the target stateful bean, to a value that is appropriate for your server.
The value of this property must be an integer number. The default value is 480 seconds. This value can be set to a smaller number (for example, 240 seconds) to speed up testing, depending on the stateful timeout implementation strategy in the target server.

5.4.13 EJB Timer Test Setup

Set the following properties in the `ts.jte` file to configure the EJB timer tests:

```
ejb_timeout=[interval_in_milliseconds]
ejb_wait=[interval_in_milliseconds]
```

- The `ejb_timeout` property sets the duration of single-event and interval timers. The default setting and recommended minimum value is `30000` milliseconds.
- The `ejb_wait` property sets the period for the test client to wait for results from the `ejbTimeout()` method. The default setting and recommended minimum value is `60000` milliseconds.

Java EE 8 CTS does not have a property that you can set to configure the date for date timers.

The timer tests use the specific `jndi-name jdbc`/DBTimer`` for the datasource used for container-managed persistence to support the use of an XA datasource in the Java EE 8 timer implementation. For example:

```
<jdbc-resource enabled="true" jndi-name="jdbc/DBTimer"
    object-type="user" pool-name="cts-javadb-XA-pool" />
```

The test directories that use this datasource are:

```
ejb/ee/timer
ejb/ee/bb/entity/bmp/allowedmethostest
ejb/ee/bb/entity/cmp20/allowedmethodstest
```

When testing against the Java Platform, Enterprise Edition RI, you must first start Java DB and

initialize it in addition to any other database you may be using, as explained in [Configuring the Java EE 8 RI as the VI](#).

5.4.14 Entity Bean Container-Managed Persistence Test Setup for EJB V1.1

Your Java Platform, Enterprise Edition implementation should map the following instance variables to a backend datastore. These are needed to run the CTS entity bean container-managed persistence (cmp1.1) tests.

The Java Platform, Enterprise Edition RI creates the table used by container-managed persistence by appending "**Table**" to the bean name. For example, if your bean name is **TestEJB**, the table that will be created will be **TestEJBTable**.

The container-managed fields for most **cmp** tests must have the following names and the following Java types:

Column Name	Java Type
key_id	Integer
brand_name	String
price	Float

These instance variable names correspond to the following database schema:

```
KEY_ID (INTEGER NOT NULL)
BRAND_NAME (VARCHAR(32))
PRICE (FLOAT)
PRIMARY KEY (KEY_ID)
```

These instance variables are used in the transactional entity test bean for the transactional test cases (**tx**) and in the database support utility class for the bean behavior test cases (**bb**). These instance variables, used in the enterprise bean tests, must be accessible at deployment time.

The Java Platform, Enterprise Edition RI provides the container-managed persistence implementation-specific features as part of its runtime XML file. Your Java Platform, Enterprise Edition platform implementation needs to map the container-managed fields to the appropriate backend datastore. The manner in which you do this is implementation-specific. The **DeploymentInfo** class provides all of the runtime XML information as an object that is passed to the **TSDeploymentInterface2** implementation.

For a list of SQL statements used in CMP 1.1 finders, refer to [SQL Statements for CMP 1.1 Finders](#).

5.4.15 Java Persistence API Test Setup

The Java Persistence API tests exercise the requirements as defined in the Java Persistence API Specification. This specification defines a persistence context to be a set of managed entity instances, in which for any persistent identity there is a unique entity instance. Within the persistence context, the entity instances and their life cycles are managed by the entity manager.

Within a Java Platform, Enterprise Edition environment, support for both container-managed and application-managed entity managers is required. Application-managed entity managers can be JTA or resource-local. Refer to Chapter 8 of the Java Persistence API Specification (<http://jcp.org/en/jsr/detail?id=338>) for additional information regarding entity managers.

5.4.15.1 To Configure the Test Environment to Run the JPA Pluggability Tests

The JPA Pluggability tests under the `src/com/sun/ts/tests/jpa/ee/pluggability` directory ensure that a third-party persistence provider is pluggable, in nature.

After Java EE 7 CTS, the pluggability tests were rewritten to use a stubbed-out JPA 2.1 implementation, which is located in the `src/com/sun/ts/jpa/common/pluggability/altprovider` directory.

In Java EE 7 CTS, the Persistence API pluggability tests required special setup to run. This is no longer the case, since Java EE 8 CTS now enables the pluggability tests to be executed automatically along with all the other Persistence tests. The Persistence tests have a new directory structure. In Java EE 7 CTS, the tests were in the `src/com/sun/ts/tests/ejb30/persistence` directory. The tests are now in the `src/com/sun/ts/tests/jpa` directory.

5.4.15.2 Enabling Second Level Caching Support

Java Persistence supports the use of a second-level cache by the persistence provider. The `ts.jte` file provides a property that controls the CTS test suite's use of the second-level cache.

The `persistence.second.level.caching.supported` property is used to determine if the persistence provider supports the use of a second-level cache. The default value is true. If your persistence provider does not support second level caching, set the value to false.

5.4.15.3 Persistence Test Vehicles

The persistence tests are run in a variety of "vehicles" from which the entity manager is obtained and the transaction type is defined for use. There are six vehicles used for these tests:

- `stateless3`: Bean-managed stateless session bean using JNDI to lookup a JTA `EntityManager`; uses `UserTransaction` methods for transaction demarcation

- **stateful3**: Container-managed stateful session bean using `@PersistenceContext` annotation to inject JTA `EntityManager`; uses container-managed transaction demarcation with a transaction attribute (required)
- **appmanaged**: Container-managed stateful session bean using `@PersistenceUnit` annotation to inject an `EntityManagerFactory`; the `EntityManagerFactory` API is used to create an Application-Managed JTA `EntityManager`, and uses the container to demarcate transactions
- **appmanagedNoTx**: Container-managed stateful session bean using `@PersistenceUnit` annotation to inject an `EntityManagerFactory`; the `EntityManagerFactory` API is used to create an Application-Managed Resource Local `EntityManager`, and uses the `EntityTransaction` APIs to control transactions
- **pmservlet**: Servlet that uses the `@PersistenceContext` annotation at the class level and then uses JNDI lookup to obtain the `EntityManager`; alternative to declaring the persistence context dependency via a `persistence-context-ref` in `web.xml` and uses `UserTransaction` methods for transaction demarcation
- **puserervlet**: Servlet that injects an `EntityManagerFactory` using the `@PersistenceUnit` annotation to create a Resource Local `EntityManager`, and uses `EntityTransaction` APIs for transaction demarcation



For vehicles using a `RESOURCE_LOCAL` transaction type, be sure to configure a non-transactional resource with the logical name `jdbc/DB_no_tx`. Refer to the `ts.jte` file for information about the `jdbc.db` property.

5.4.15.4 GeneratedValue Annotation

The Java Persistence API Specification also defines the requirements for the `GeneratedValue` annotation. The default for this annotation is `GenerationType.AUTO`. Per the specification, `AUTO` indicates that the persistence provider should pick an appropriate strategy for the particular database. The `AUTO` generation strategy may expect a database resource to exist, or it may attempt to create one.

The `db.supports.sequence` property is used to determine if a database supports the use of `SEQUENCE`. If it does not, this property should be set to false so the test is not run. The default value is true.

If the database under test is not one of the databases defined and supported by CTS, the user will need to create an entry similar to the one listed in [Example 5-1](#).

Example 5-1 GeneratedValue Annotation Test Table

```
DROP TABLE SEQUENCE;
CREATE TABLE SEQUENCE (SEQ_NAME VARCHAR(10), SEQ_COUNT INT, CONSTRAINT SEQUENCE_PK /
PRIMARY KEY (SEQ_NAME) );
INSERT into SEQUENCE(SEQ_NAME, SEQ_COUNT) values ('SEQ_GEN', 0) ;
```

You should add your own table to your chosen database DDL file provided prior to running these tests. The Data Model used to test the Java Persistence Query Language can be found in [Appendix E, "EJBQL Schema."](#)

The `persistence.xml` file, which defines a persistence unit, contains the `unitName` `CTS-EM` for JTA entity managers. This corresponds to `jta-data-source`, `jdbc/DB1`, and to `CTS-EM-NOTX` for `RESOURCE_LOCAL` entity managers, which correspond to a `non-jta-data-source` `jdbc/DB_no_tx`.

5.4.16 JMS Test Setup

This section explains how to set up and configure the Java EE 8 CTS test suite before running the JMS tests.



The client-specified values for `JMSDeliveryMode`, `JMSExpiration`, and `JMSPriority` must not be overridden when running the CTS JMS tests.

5.4.16.1 To Configure a Slow Running System

Make sure that the following property has been set in the `ts.jte` file:

```
jms_timeout=10000
```

This property specifies the length of time, in milliseconds, that a synchronous receive operation will wait for a message. The default value of the property should be sufficient for most environments. If, however, your system is running slowly and you are not receiving the messages that you should be, you need to increase the value of this parameter.

5.4.16.2 To Test Your JMS Resource Adapter

If your implementation supports JMS as a Resource Adapter, you must set the name of the `jmsra.name` property in the `ts.jte` file to the name of your JMS Resource Adapter. The default value for the property is the name of the JMS Resource Adapter in the Java EE 8 RI.

If you modify the `jmsra.name` property, you must rebuild the JMS tests that use this property. You rebuild the tests by doing the following:

1. Change to the `TS_HOME/bin` directory.
2. Invoke the following Ant task:

```
ant rebuild.jms.rebuildable.tests
```

This rebuilds the tests under `TS_HOME/src/com/sun/ts/tests/jms/ee20/resourcedefs`.

5.4.16.3 To Create JMS Administered Objects

If you do not have an API to create JMS Administered objects, and you cannot create an Ant target equivalent to `config.vi`, you can use the list that follows and manually create the objects. If you decide to create these objects manually, you need to provide a dummy implementation of the JMS porting interface, `TSJMSAdminInterface`.

The list of objects you need to manually create includes the following factories, queues, and topics.

- Factories:

```
jms/TopicConnectionFactory
jms/DURABLE_SUB_CONNECTION_FACTORY, clientId=cts
jms/MDBTACCESSTEST_FACTORY, clientId=cts1
jms/DURABLE_BMT_CONNECTION_FACTORY, clientId=cts2
jms/DURABLE_CMT_CONNECTION_FACTORY, clientId=cts3
jms/DURABLE_BMT_XCONNECTION_FACTORY, clientId=cts4
jms/DURABLE_CMT_XCONNECTION_FACTORY, clientId=cts5
jms/DURABLE_CMT_TXNS_XCONNECTION_FACTORY, clientId=cts6
jms/QueueConnectionFactory
jms/ConnectionFactory
```

- Queues:

```
MDB_QUEUE
MDB_QUEUE_REPLY
MY_QUEUE
MY_QUEUE2
Q2
QUEUE_BMT
ejb_ee_bb_localaccess_mdbqaccesstest_MDB_QUEUE
ejb_ee_deploy_mdb_ejblink_casesensT_ReplyQueue
ejb_ee_deploy_mdb_ejblink_casesens_ReplyQueue
ejb_ee_deploy_mdb_ejblink_casesens_TestBean
ejb_ee_deploy_mdb_ejblink_scopeT_ReplyQueue
ejb_ee_deploy_mdb_ejblink_scope_ReplyQueue
ejb_ee_deploy_mdb_ejblink_scope_TestBean
ejb_ee_deploy_mdb_ejblink_singleT_ReplyQueue
ejb_ee_deploy_mdb_ejblink_single_ReplyQueue
```

```

ejb_ee_deploy_mdb_ejblink_single_TestBean
ejb_ee_deploy_mdb_ejblink_single_TestBeanBMT
ejb_ee_deploy_mdb_ejbref_casesensT_ReplyQueue
ejb_ee_deploy_mdb_ejbref_casesens_ReplyQueue
ejb_ee_deploy_mdb_ejbref_casesens_TestBean
ejb_ee_deploy_mdb_ejbref_scopeT_ReplyQueue
ejb_ee_deploy_mdb_ejbref_scope_Cyrano
ejb_ee_deploy_mdb_ejbref_scope_ReplyQueue
ejb_ee_deploy_mdb_ejbref_scope_Romeo
ejb_ee_deploy_mdb_ejbref_scope_Tristan
ejb_ee_deploy_mdb_ejbref_singleT_ReplyQueue
ejb_ee_deploy_mdb_ejbref_single_ReplyQueue
ejb_ee_deploy_mdb_ejbref_single_TestBean
ejb_ee_deploy_mdb_ejbref_single_TestBeanBMT
ejb_ee_deploy_mdb_enventry_casesensT_ReplyQueue
ejb_ee_deploy_mdb_enventry_casesens_CaseBean
ejb_ee_deploy_mdb_enventry_casesens_CaseBeanBMT
ejb_ee_deploy_mdb_enventry_casesens_ReplyQueue
ejb_ee_deploy_mdb_enventry_scopeT_ReplyQueue
ejb_ee_deploy_mdb_enventry_scope_Bean1_MultiJar
ejb_ee_deploy_mdb_enventry_scope_Bean1_SameJar
ejb_ee_deploy_mdb_enventry_scope_Bean2_MultiJar
ejb_ee_deploy_mdb_enventry_scope_Bean2_SameJar
ejb_ee_deploy_mdb_enventry_scope_ReplyQueue
ejb_ee_deploy_mdb_enventry_singleT_ReplyQueue
ejb_ee_deploy_mdb_enventry_single_AllBean
ejb_ee_deploy_mdb_enventry_single_AllBeanBMT
ejb_ee_deploy_mdb_enventry_single_BooleanBean
ejb_ee_deploy_mdb_enventry_single_ByteBean
ejb_ee_deploy_mdb_enventry_single_DoubleBean
ejb_ee_deploy_mdb_enventry_single_FloatBean
ejb_ee_deploy_mdb_enventry_single_IntegerBean
ejb_ee_deploy_mdb_enventry_single_LongBean
ejb_ee_deploy_mdb_enventry_single_ReplyQueue
ejb_ee_deploy_mdb_enventry_single_ShortBean
ejb_ee_deploy_mdb_enventry_single_StringBean
ejb_ee_deploy_mdb_resref_singleT_ReplyQueue
ejb_ee_deploy_mdb_resref_single_ReplyQueue
ejb_ee_deploy_mdb_resref_single_TestBean
ejb_ee_sec_stateful_mdb_MDB_QUEUE
ejb_sec_mdb_MDB_QUEUE_BMT
ejb_sec_mdb_MDB_QUEUE_CMT
jms_ee_mdb_mdb_exceptQ_MDB_QUEUE_TXNS_CMT
jms_ee_mdb_mdb_exceptQ_MDB_QUEUE_BMT
jms_ee_mdb_mdb_exceptQ_MDB_QUEUE_CMT
jms_ee_mdb_mdb_exceptT_MDB_QUEUE_TXNS_CMT
jms_ee_mdb_mdb_exceptT_MDB_QUEUE_BMT
jms_ee_mdb_mdb_exceptT_MDB_QUEUE_CMT

```

```
jms_ee_mdb_mdb_msgHdrQ_MDB_QUEUE  
jms_ee_mdb_mdb_msgPropsQ_MDB_QUEUE  
jms_ee_mdb_mdb_msgTypesQ1_MDB_QUEUE  
jms_ee_mdb_mdb_msgTypesQ2_MDB_QUEUE  
jms_ee_mdb_mdb_msgTypesQ3_MDB_QUEUE  
jms_ee_mdb_mdb_rec_MDB_QUEUE  
jms_ee_mdb_sndQ_MDB_QUEUE  
jms_ee_mdb_sndToQueue_MDB_QUEUE  
jms_ee_mdb_mdb_synchrec_MDB_QUEUE  
jms_ee_mdb_xa_MDB_QUEUE_BMT  
jms_ee_mdb_xa_MDB_QUEUE_CMT  
testQ0  
testQ1  
testQ2  
testQueue2  
fooQ
```

- Topics:

```

MY_TOPIC
MY_TOPIC2
TOPIC_BMT
ejb_ee_bb_localaccess_mdbtaccessstest_MDB_TOPIC
ejb_ee_deploy_mdb_ejblink_casesensT_TestBean
ejb_ee_deploy_mdb_ejblink_scopeT_TestBean
ejb_ee_deploy_mdb_ejblink_singleT_TestBean
ejb_ee_deploy_mdb_ejblink_singleT_TestBeanBMT
ejb_ee_deploy_mdb_ejbref_casesensT_TestBean
ejb_ee_deploy_mdb_ejbref_scopeT_Cyrano
ejb_ee_deploy_mdb_ejbref_scopeT_Romeo
ejb_ee_deploy_mdb_ejbref_scopeT_Tristan
ejb_ee_deploy_mdb_ejbref_singleT_TestBean
ejb_ee_deploy_mdb_ejbref_singleT_TestBeanBMT
ejb_ee_deploy_mdb_enventry_casesensT_CaseBean
ejb_ee_deploy_mdb_enventry_casesensT_CaseBeanBMT
ejb_ee_deploy_mdb_enventry_scopeT_Bean1_MultiJar
ejb_ee_deploy_mdb_enventry_scopeT_Bean1_SameJar
ejb_ee_deploy_mdb_enventry_scopeT_Bean2_MultiJar
ejb_ee_deploy_mdb_enventry_scopeT_Bean2_SameJar
ejb_ee_deploy_mdb_enventry_singleT_AllBean
ejb_ee_deploy_mdb_enventry_singleT_AllBeanBMT
ejb_ee_deploy_mdb_enventry_singleT_BooleanBean
ejb_ee_deploy_mdb_enventry_singleT_ByteBean
ejb_ee_deploy_mdb_enventry_singleT_DoubleBean
ejb_ee_deploy_mdb_enventry_singleT_FloatBean
ejb_ee_deploy_mdb_enventry_singleT_IntegerBean
ejb_ee_deploy_mdb_enventry_singleT_LongBean
ejb_ee_deploy_mdb_enventry_singleT_ShortBean
ejb_ee_deploy_mdb_enventry_singleT_StringBean
ejb_ee_deploy_mdb_resref_singleT_TestBean
jms_ee_mdb_mdb_exceptT_MDB_DURABLETXNS_CMT
jms_ee_mdb_mdb_exceptT_MDB_DURABLE_BMT
jms_ee_mdb_mdb_exceptT_MDB_DURABLE_CMT
jms_ee_mdb_mdb_msgHdrT_MDB_TOPIC
jms_ee_mdb_mdb_msgPropsT_MDB_TOPIC
jms_ee_mdb_mdb_msgTypesT1_MDB_TOPIC
jms_ee_mdb_mdb_msgTypesT2_MDB_TOPIC
jms_ee_mdb_mdb_msgTypesT3_MDB_TOPIC
jms_ee_mdb_mdb_rec_MDB_TOPIC
jms_ee_mdb_mdb_sndToTopic_MDB_TOPIC
jms_ee_mdb_mdb_sndToTopic_MDB_TOPIC_REPLY
jms_ee_mdb_xa_MDB_DURABLE_BMT
jms_ee_mdb_xa_MDB_DURABLE_CMT
testT0
testT1
testT2

```



Implementations of `TSJMSAdminInterface` are called inside the JavaTest VM. The `com.sun.ts.lib.deliverable.cts.CTSPROPERTYManager` class, which is available to these implementations, provides access to any property in the `ts.jte` file.

5.4.17 Transaction Interoperability Testing

Using two Java Platform, Enterprise Edition server implementations, you can test up to four transaction interoperability configurations. However, note that you only need to test and pass configurations that your Java Platform, Enterprise Edition server supports. [Table 5-1](#) shows these configurations.

Table 5-1 Transaction Interoperability Testing Configurations

Configuration	Transaction Interoperability Setting for a Java Platform, Enterprise Edition Vendor Implementation	Transaction Interoperability Setting for the Java Platform, Enterprise Edition RI
1	ON	OFF
2	ON	ON
3	OFF	OFF
4	OFF	ON

Modify the interoperability settings for transaction interoperability according to what you need to test:

- If your implementation supports transaction interoperability, you must test configurations #1 and #2.
- If your implementation does not support transaction interoperability, you must test configurations #3 and #4.

The `ts.jte` file has the following transaction interoperability properties:

```
EJBServer1TxInteropEnabled=[false | true]
EJBServer2TxInteropEnabled=[false | true]
```

To run the required test configurations described in [Table 5-1](#), use the following commands to change the Java Platform, Enterprise Edition SDK settings as necessary.

- To set the Java Platform, Enterprise Edition RI Transaction Interoperability setting to **False**:


```
cd <TS_HOME>/bin
ant disable.ri.tx.interop
```

- To set the Java Platform, Enterprise Edition RI Transaction Interoperability setting to **True**:

```
ant enable.ri.tx.interop
```

The default Java Platform, Enterprise Edition RI Transaction Interoperability setting is **True**.

5.4.18 JASPIC Test Setup

Java Authentication Service Provider Interface for Containers (JASPIC) 1.1 tests are security tests. The JASPIC Servlet profile is the only required profile for Java EE 8 CTS. There are other optional profile tests, such as SOAP, but you are not required to run these for certification.

The test suite includes the following Ant targets that configure the test environment for the JASPIC tests

- **config_vi** target in **<TS_HOME>/bin/build.xml**
- **enable.jaspic**, also in **<TS_HOME>/bin/build.xml**

Both targets call **<TS_HOME>/bin/xml/impl/glassfish/javaee_vi.xml**, which then makes calls into **<TS_HOME>/bin/xml/impl/glassfish/s1as.xml**. You may want to examine these targets to see what is done in greater detail.

Complete the following steps before you run the JASPIC tests:

1. Configure the JASPIC-required properties in the **ts.jte** file:
2. Set the **provider.configuration.file** property to the location of your implementation's instance **lib** directory, where it can be loaded when your implementation runtime is started.
This file typically coexists with the **tssv.jar** file and the **provider-configuration.dtd** file.
3. Set the **vendor.authconfig.factory** property to specify your **AuthConfigFactory** class.
This property setting will be used by the JASPIC tests to register the test suite's provider in your **AuthConfigFactory**.
4. Set the **logical.hostname.servlet** property to the logical host that will process Servlet requests.
Servlet requests may be directed to a logical host using various physical or virtual host names or addresses. A message processing runtime may be composed of multiple logical hosts. This setting is required to properly identify the Servlet profile's application context identifier hostname. If the logical host that will process Servlet requests does not exist, you can set this to the default hostname of your implementation's Web server.

5. Set the `servlet.is.jsr115.compatible` property based on whether or not you are running the Servlet profile in a JSR 115-compatible container.
6. Ensure that the `config.vi` Ant task has been run before running the `enable.jaspic` Ant task. These Ant tasks perform the following JASPIC-required steps:
 - Set up users and passwords for your implementation.
See Step 9b in [Configuring Your Application Server as the VI](#) for more information.
 - Install the client-side certificate in the `trustStore` in your implementation.
See Step 17 in [Configuring Your Application Server as the VI](#) for more information.
 - Append the file `<TS_HOME>/bin/server_policy.append` to the Java policy file or files on your implementation.
See Step 17 in [Configuring Your Application Server as the VI](#) for more information.
 - Appends the file `<TS_HOME>/bin/client_policy.append` to the application client's Java policy file, which is referenced in the `TestExecuteAppClient` section of the `ts.jte` file.
See Step 18 in [Configuring Your Application Server as the VI](#) for more information.
 - Copies the `<TS_HOME>/lib/tssv.jar` file to your implementation instance library directory.
The `tssv.jar` file includes the class files necessary to load `TSAuthConfigFactory` and related classes.
 - Copies the TSSV configuration files (`ProviderConfiguration.xml`, `configuration.dtd`) to your implementation instance library directory.
The `provider-configuration.dtd` file is a DTD file that resides in the same directory as the `ProviderConfiguration.xml` file and describes the `ProviderConfiguration.xml` file. This file should not be edited.
 - Copies `<TS_HOME>/bin/ts.java.security` to `<JAVAEE_HOME>/domains/domain1/config/ts.java.security`, where `<JAVAEE_HOME>` is the location of your Java EE 8 RI installation.
 - Sets the following JVM options:
 - `-Djava.security.properties=<JAVAEE_HOME>/domains/domain1/config/ts.java.security`
 - `-Dlog.file.location=${log.file.location}`
 - `-Dprovider.configuration.file=${provider.configuration.file}`
7. Deploy the JASPIC log file processor, `<TS_HOME>/dist/com/sun/ts/tests/jaspic/util/jaspic_util_web.war`, to the implementation under test.



It may be necessary to restart your implementation after completing this step.

1. Run the tests for the profiles with which you are trying to certify.
2. After running the JASPIC tests, change back to the `<TS_HOME>/bin` directory and execute the following command:

```
cd <TS_HOME>/bin
ant disable.jaspic
```

This Ant task undoes the changes that were made to your implementation by the `enable.jaspic` target. If these changes are not reversed, your implementation may be left in an uncertain state.

5.4.19 CSiv2 Test Setup

Common Secure Interoperability Version 2 (CSiv2) is security-related interoperability testing. You must complete all of the setup instructions in [Configuring a Java Platform, Enterprise Edition RI and VI for Interop/Rebuildable Tests](#) and the steps provided in this section before you run the CSiv2 tests.

The following sections describe how to set up two Java Platform, Enterprise Edition servers, one running the vendor's Java Platform, Enterprise Edition server and the other running the Java Platform, Enterprise Edition RI. Be sure to complete the steps in [Section 5.3, "Configuring a Java EE 8 Server,"](#) before proceeding with the instructions below.

Reference information on the CSiv2 tests, security elements, and analyzing test logs can be found in [Appendix B, "CSiv2 Test Reference."](#)

5.4.19.1 To Configure the Vendor's Java EE 8 Server

Generate the required IORs, based on the values of the fields that are described in [Section 5.4.19.3, "Generating IORs Based on Runtime XML Information."](#)

[Section B.10, "IORs and Associated CSiv2 Tests,"](#) provides additional information about IOR definitions.

To configure the vendor's Java EE 8 server, you need to perform steps similar to those in the `config.vi` task. You do not need to install the Connector RAR files for the CSiv2/interop tests, so you could run the following command to configure the vendor's Java EE 8 server:

```
cd <TS_HOME>/bin
ant -Dskip.config.connector=true config.vi
```

5.4.19.2 To Configure the Java EE 8 RI Server

1. Run the CSiv2 Ant target.

```
cd <TS_HOME>/bin
ant enable.csiv2
```

1. Run the CSiv2 tests.

See [Chapter 7, "Executing Tests,"](#) for instructions on executing tests. After the test run concludes, you need to analyze the results. See [Appendix B, "CSiv2 Test Reference,"](#) for information about analyzing the test logs.

2. Disable CSiv2.

```
ant disable.csiv2
```

5.4.19.3 Generating IORs Based on Runtime XML Information

The `DeploymentInfo` class contains public accessor methods that correspond to XML elements within the `<ior-security-config>` element in the EJB jar runtime XML that is packaged with the test beans. Java Platform, Enterprise Edition vendor implementations are required to generate IORs that are based on the values pulled from this XML document as described in this section. Failure to do so will result in test failures.

The fields are divided into three categories:

- Fields that deal with client authentication at the client authentication layer of the CSiv2 protocol:
 - `asAuthMethod`
 - `asRequired`
 - `asRealmName`
- Fields that deal with the secure transport layer (SSL):
 - `transportIntegrity`
 - `transportConfidentiality`
 - `EstablishTrustInTarget`
 - `EstablishTrustInClient`
- Fields that deal with caller propagation:
 - `sasCallerPropagation`

The values of these fields must be used to construct the `CompoundSecMec` structure within an IOR. The construction of the IORs is briefly described in this class. [IORs and Associated CSiv2 Tests](#) lists all the IORS that are expected to be generated. For more detailed information about IORS, refer to the CSiv2 specification.

Not all possible combinations of fields are used by CSiv2 tests. For example, the following fields are used to indicate that client authentication is required at the client authentication layer of the CSiv2

protocol:

```
asAuthMethod = "username_password"
asRealmName  = "default"
asRequired   = "true"
```

The following fields are used to indicate that client authentication is not required at the client authentication layer of the CSIV2 protocol:

```
asAuthMethod = "username_password"
asRealmName  = "default"
asRequired   = "false"
```

The Java example listed below demonstrates how users can extract the required information from the `DeploymentInfo` object:

```
DeploymentInfo info;
List ejbs = info.getEnterpriseBeans().getEjb();
foreach ejb in ejbs {
    ejb.getIorSecurityConfig().getAsContext().getAuthMethod().getContent();
    ejb.getIorSecurityConfig().getAsContext().getRequired().getContent();
    ejb.getIorSecurityConfig().getAsContext().getRealm().getContent();
    ejb.getIorSecurityConfig().getTransportConfig().getIntegrity().getContent();
    ejb.getIorSecurityConfig().getTransportConfig().getConfidentiality().getContent();

    ejb.getIorSecurityConfig().getTransportConfig().getEstablishTrustInClient().getContent();

    ejb.getIorSecurityConfig().getTransportConfig().getEstablishTrustInTarget().getContent();
} // end loop
```

For more information about the `<security-role-mapping>` and `<ior-security-config>` elements, see [Security Elements Associated With CSIV2 Tests](#).

5.4.20 JACC Test Setup

To comply with Java EE 8 requirements, JACC must be supported in both the Web and EJB environments. The tests for each environment are divided into two directories:

- `src/com/sun/ts/tests/jacc/web`
- `src/com/sun/ts/tests/jacc/ejb`

When deploying the archives that contain JACC tests, don't deploy all the JACC test archives at the same

time. While this may work, there have been times when it has caused problems. The recommended course of action is to deploy the test archive for the directory under test. Once done, remove that archive and move onto another directory.

The JACC-CTS provider acts as a delegating security provider sitting between the appserver and vendor provider. The Java Platform, Enterprise Edition appserver comes with a default security provider that is defined by two system properties; for the purposes of this discussion, these are referred to as `A=DefaultProviderFactory` and `B=DefaultPolicyModule`.

CTS moves the values from A and B to two new variables: `C=DefaultProviderFactory` and `D=DefaultPolicyModule`, replacing the CTS provider classes to the variables A and B (`A=TSPProviderFactory` and `B=TSPolicyModule`). This modification allows the server to call the CTS provider for all its functions, and the CTS provider in turn uses these new variables to invoke the real provider.

The property names A, B, C, and D are used for convenience here. The real property names are as follows:

- `A=javax.security.jacc.PolicyConfigurationFactory.provider`
- `B=javax.security.jacc.policy.provider`
- `C=vendor.javax.security.jacc.PolicyConfigurationFactory.provider`
- `D=vendor.javax.security.jacc.policy.provider`

To configure the JACC provider for the Java Platform, Enterprise Edition RI, execute the JACC Ant target from:

```
<TS_HOME>/bin
```

This command does the following:

- Switches the system properties.
- Adds `tsprovider.jar` to Java Platform, Enterprise Edition application server's classpath.
- Adds `log.file.location` system property to the Java Platform, Enterprise Edition application server's system properties. This is used for generating log files, which is used for verifying JSR 115 contracts.



When running JACC tests against the Java EE 8 RI, if you need to restart the RI, be sure to first remove all JACC log files (`jacc_log.*`) from the `JAVAAE_HOME/domains/domain1/logs` directory before running the JACC tests again.

5.4.21 Java Batch Test Setup

The Java Batch tests, which are located under the `<TS_HOME>/src/com/ibm/jbatch/tck` directory, don't

require extra setup for most implementations. However, there may be a few cases where some customization is needed.

If you are using an injection technology other than CDI, complete the following steps before running the Java Batch tests:

1. Remove the `<TS_HOME>/src/com/ibm/jbatch/tck/testJobXml/beans.xml` and `<TS_HOME>/src/com/ibm/jbatch/tck/tests/ee/beans.xml` files.
2. Change to the `<TS_HOME>/src/com/ibm/jbatch/tck` directory.
3. Execute the `ant build` command to rebuild the archives.

If you are using a different implementation of the porting interface `<TS_HOME>/src/com/ibm/jbatch/tck/testJobXml/META-INF/services/com.ibm.jbatch.tck.spi.JobExecutionWaiterFactory`, complete the following steps before running the Java Batch tests:

1. Change the entry in `<TS_HOME>/src/com/ibm/jbatch/tck/testJobXml/META-INF/services/com.ibm.jbatch.tck.spi.JobExecutionWaiterFactory` to specify the new porting implementation class.
2. Change to the `<TS_HOME>/src/com/ibm/jbatch/tck` directory.
3. Execute the `ant build` command to rebuild the archives.

For information about the Java Batch tests themselves, see the Technology Compatibility Kit Reference Guide for JSR-352: Batch Applications for the Java Platform at the following location:

<https://github.com/WASdev/standards.jsr352.tck>

5.4.22 WSDL: Webservice Test and Runtime Notes

In addition to the WSDL elements described later in this section, the Java Platform, Enterprise Edition RI webservice runtime DTDs contain two new optional elements for publishing and lookup of final WSDLs for a deployed webservice endpoint. These new tags are `<wsdl-publish-location>` and `<wsdl-override>`, and are used by the CTS to automate all CTS webservices tests, regardless of the host or port used to run the tests.

These WSDL tags are also used when performing file URL publishing, as required by JSR109. JSR109 states that http URL and file URL publishing must be supported on a Java Platform, Enterprise Edition platform. In addition, the `<wsdl-override>` is used as a mechanism for satisfying the partial WSDL requirement in the JSR109 specification. This mechanism enables the specification of the location of the final full published WSDL of a deployed webservice endpoint within the client EAR when only a partial WSDL is packaged, which enables client access to the full WSDL and correct SOAP address to communicate with the webservice.

The `<wsdl-publish-location>` tag tells the Java Platform, Enterprise Edition RI where to publish the final WSDL for the deployed webservice endpoint. As stated above, the final WSDL can be published to a file URL or http URL, although the tag is really only necessary for file URL publishing, and is ignored if http URL publishing is specified (http is the default publishing used by the Java Platform, Enterprise Edition RI). This tag is included in all CTS tests for consistency and to aid as a mechanism in automation.

By default, the Java Platform, Enterprise Edition RI publishes the final WSDL during deployment to a http URL following a standard URL naming scheme. See below for details about the Java Platform, Enterprise Edition RI runtime. This default can be overridden to explicitly do file URL publishing.

The `<wsdl-override>` tag tells the client application EAR where to lookup the final published WSDL for the deployed webservice endpoint. This will be either a `file` URL or an `http` URL to match what is specified in the `<wsdl-publish-location>` tag.

5.4.22.1 WSDL ts.jte Properties

For file URL publishing, the CTS defines two properties in the `ts.jte` file, named `wsdlRepository1` and `wsdlRepository2`, which specify the file system directory location to use for publishing final WSDLs that use file URL publishing.

The `wsdlRepository1` is used for the Vendor Java Platform, Enterprise Edition Implementation. The `wsdlRepository2` is used for the RI Java Platform, Enterprise Edition Implementation, and is only used for CTS webservices interoperability testing. These directories get created by the CTS harness at runtime. The default settings in the `ts.jte` file will create these directories under:

```
wsdlRepository1=<TS_HOME>/tmp/wsdlRepository1
wsdlRepository2=<TS_HOME>/tmp/wsdlRepository2
```

For file URL publishing, the WSDL tag settings could be as follows:

```
$TS_HOME/src/com/sun/ts/tests/webservices/wsdlImport/file/Simple1
Webservice Endpoint
<wsdl-publish-location>
file:wsdlRepository1/Simple1File
</wsdl-publish-location>

Webservice Client Application
<wsdl-override>
file:wsdlRepository1/Simple1File/Simple1FileSvc.wsdl
</wsdl-override>
```

In this case, the CTS harness substitutes `wsdlRepository1` with the setting in the `<TS_HOME>/bin/ts.jte` file.

For **http** URL publishing, the tag settings might be:

```
$TS_HOME/src/com/sun/ts/tests/webservices/wsdImport/http/Simple1
Webservice Endpoint
<wsdl-publish-location>
http://webServerHost.1:webServerPort.1/Simple1Http/ws4ee?WSDL
</wsdl-publish-location>

Webservice Client Application
<wsdl-override>
http://webServerHost.1:webServerPort.1/Simple1Http/ws4ee?WSDL
</wsdl-override>
```

In this case, the CTS harness substitutes the `webServerHost.1:webServerPort.1` with the settings in the `<TS_HOME>/bin/ts.jte` file.



In the case of interop webservices tests, the CTS harness substitutes the `webServerHost.2:webServerPort.2` with the settings in the `ts.jte` file. This host and port defines the RI Java Platform, Enterprise Edition implementation used as the interop test machine. See `tests/interop/webservices` for these tests.

5.4.22.2 Webservice Endpoint WSDL Elements

The following are the webservice endpoint WSDL elements:

5.4.22.2.1 Setting Endpoint Address

```
element : endpoint-address-uri
```

The endpoint address URI is used to compose the endpoint address URL through which the endpoint can be accessed. It is required for EJB endpoints and optional for servlet endpoints.

The `endpoint-address-uri` can have an optional leading forward slash (/). It must be a fixed pattern (no asterisk (*) wildcards).

- EJB Example:

For EJB endpoints, the URI is relative to root of the web server; for example, if the web server is listening at `http://localhost:8000`, an endpoint address URI of `google/GoogleSearch` would result in an endpoint address of:

```
http://localhost:8000/google/GoogleSearch
```

Note that the first portion of the URI (**google**) should not conflict with the context root of any deployed web application.

```
<enterprise-beans>
  <module-name>ejb.jar</module-name>
  <ejb>
    <ejb-name>GoogleEjb</ejb-name>
    <webservice-endpoint>
      <port-component-name>GoogleSearchPort</port-component-name>
      <endpoint-address-uri>google/GoogleSearch</endpoint-address-uri>
    </webservice-endpoint>
  </ejb>
</enterprise-beans>
```

- Servlet Example:

For servlet endpoints, the **endpoint-address-uri** is only needed if the servlet does not have a servlet-mapping **url-pattern** in its **web.xml**. Its value is relative to the context root of the servlet's web application.

```
<web>
  <module-name>web.war</module-name>
  <context-root>GoogleServletContext</context-root>
  <servlet>
    <servlet-name>MyGoogleServlet</servlet-name>
    <webservice-endpoint>
      <port-component-name>GoogleSearchPort</port-component-name>
      <endpoint-address-uri>/GoogleSearch</endpoint-address-uri>
    </webservice-endpoint>
  </servlet>
</web>
```

In this case, the target endpoint address would be:

```
http://localhost:8000/GoogleServletContext/GoogleSearch
```

5.4.22.2.2 EJB Endpoint Security

```
element : login-config
```

This only applies to EJB endpoints and is optional. It is used to specify how authentication is performed for EJB endpoint invocations. It consists of a single subelement named `auth-method`. `auth-method` is set to `BASIC` or `CLIENT_CERT`. The equivalent security for servlet endpoints is set through the standard web-application security elements. For example:

```
<ejb>
  <ejb-name>GoogleEjb</ejb-name>
  <webservice-endpoint>
    <port-component-name>GoogleSearchPort</port-component-name>
    <endpoint-address-uri>google/GoogleSearch</endpoint-address-uri>

    <login-config>
      <auth-method>BASIC</auth-method>
    </login-config>
  </webservice-endpoint>
</ejb>
```

5.4.22.2.3 Transport Guarantee

```
element : transport-guarantee
```

This is an optional setting on `webservice-endpoint`. The allowable values are `NONE`, `INTEGRAL`, and `CONFIDENTIAL`. If not specified, the behavior is equivalent to `NONE`. The meaning of each option is the same as is defined in the Security chapter of the Servlet Specification (<http://jcp.org/en/jsr/detail?id=369>). This setting will determine the scheme and port used to generate the final endpoint address for a web service endpoint. For `NONE`, the scheme will be `HTTP` and port will be the default HTTP port. For `INTEGRAL/CONFIDENTIAL`, the scheme will be `HTTPS` and the port will be the default HTTPS port.

5.4.22.2.4 Publishing Final WSDL During Deployment

- URL publishing: no extra information required.
The final WSDL document for each webservice endpoint is always published to a URL having the following syntax:
 - EJB endpoints:

```
<scheme>://<hostname>:<port>/<endpoint_address_uri>?WSDL
```

- Servlet endpoints:

```
<scheme>://<hostname>:<port>/<context-root><url-pattern>?WSDL
```

or

```
<scheme>://<hostname>:<port>/<context-root><endpoint_address_uri>?WSDL
```

Note that the final WSDL document returned from this URL will contain port entries for all ports within the same service. * File publishing:

```
element : wsdl-publish-location
```

To have a copy of the final WSDL written to a file, set this element to a file URL; for example:

```
<enterprise-beans>
  <module-name>ejb.jar</module-name>
  <webservice-description>
    <webservice-description-name>GoogleSearchService
    </webservice-description-name>
    <wsdl-publish-location>file:/home/user1/GoogleSearch_final.wsdl
    </wsdl-publish-location>
  </webservice-description>
</enterprise-beans>
```

5.4.22.3 Webservice Client WSDL Elements

In the CTS for file publishing, the directory in which to publish the file WSDL is specified in the `<wsdl-publish-location>` tag for the webservice, and the full path of the WSDL file is specified in the `<wsdl-override>` tag in the client; for example:

```
<wsdl-publish-location>file:/files/wsdl/FileNameNested1</wsdl-publish-location>
<wsdl-override>file:/files/wsdl/FileNameNested1/nestedimportwsdl.wsdl</wsdl-override>
```

The Java Platform, Enterprise Edition implementation defines the behavior this way because, for `wsdl-publish-location`, the App Server is potentially publishing many documents, not just one. This is

because the main WSDL could have dependencies on relative imports. There is no requirement that the initial WSDL be located at the top of the hierarchy, even though that is commonly the case.

For example, in an ejb-jar with a Main.wsdl that imports a relative WSDL at `../../Relative.wsdl`, the packaging would look like:

```
META-INF/wsdl/a/b/Main.wsdl
META-INF/wsdl/Relative.wsdl
```

The `wSDL-publish-location` tells the CTS where to locate the topmost part of the WSDL content hierarchy. So, given a `wSDL-publish-location` of `/home/foo/wsdlpublishdir`, this location would look like:

```
/home/foo/wsdlpublishdir/Relative.wsdl
/home/foo/wsdlpublishdir/a/b/Main.wsdl
```

The `wSDL-override` property still always points to a specific WSDL document, which in this case would be `/home/foo/wsdlpublishdir/a/b/Main.wsdl`.

5.4.22.3.1 Resolving Container-Managed Ports

```
element : wsdL-port
```

Used to resolve the port to which a `service-ref` Service Endpoint Interface is mapped. Only required for each `port-component-ref` in the `service-ref` that does not have a `port-component-link`. For example:

```
<service-ref>
  <service-ref-name>service/GoogleSearchProxy</service-ref-name>
  <port-info>
    <service-endpoint-interface>googleclient.GoogleSearchPort
    </service-endpoint-interface>
    <wsdl-port>
      <namespaceURI>urn:GoogleSearch</namespaceURI>
      <localpart>GoogleSearchPort</localpart>
    </wsdl-port>
  </port-info>
</service-ref>
```

5.4.22.3.2 Setting Stub Properties

```
element : stub-property
```

These are used to have the container set any of the properties defined in `javax.xml.rpc.Stub` on the stub/dynamic proxy object returned to the application from the Service instance. The property name must match the **value** of the `javax.xml.rpc.Stub` property constants. The stub properties are set per Port within the `service-ref`. Examples are shown below.

- Setting endpoint address:

```
<service-ref>
  <service-ref-name>service/GoogleSearchProxy</service-ref-name>
  <port-info>
    <service-endpoint-interface>googleclient.GoogleSearchPort
    </service-endpoint-interface>
    <wsdl-port>
      <namespaceURI>urn:GoogleSearch</namespaceURI>
      <localpart>GoogleSearchPort</localpart>
    </wsdl-port>
    <stub-property>
      <name>javax.xml.rpc.service.endpoint.address</name>
      <value>http://localhost:8000/google/GoogleSearch</value>
    </stub-property>
  </port-info>
</service-ref>
```

- Setting Basic Auth properties:

```

<service-ref>
  <service-ref-name>service/GoogleSearchProxy</service-ref-name>
  <port-info>
    <service-endpoint-interface>googleclient.GoogleSearchPort
    </service-endpoint-interface>
    <wsdl-port>
      <namespaceURI>urn:GoogleSearch</namespaceURI>
      <localpart>GoogleSearchPort</localpart>
    </wsdl-port>
    <stub-property>
      <name>javax.xml.rpc.security.auth.username</name>
      <value>javaee</value>
    </stub-property>
    <stub-property>
      <name>javax.xml.rpc.security.auth.password</name>
      <value>javaee</value>
    </stub-property>
  </port-info>
</service-ref>

```

- Setting Logging property (Implementation-specific):

Name: `com.sun.enterprise.webservice.client.transport.log`

Value: a **file** URL

This is useful for debugging. When set, all soap/http requests and responses made through the associated stub will be logged to a file.

```

<module-name>appclient.jar</module-name>
<service-ref>
  <service-ref-name>service/GoogleSearch</service-ref-name>
  <port-info>
    <service-endpoint-interface>google.GoogleSearchPort
    </service-endpoint-interface>
    <wsdl-port>
      <namespaceURI>urn:GoogleSearch</namespaceURI>
      <localpart>GoogleSearchPort</localpart>
    </wsdl-port>
    <stub-property>
      <name>com.sun.enterprise.webservice.client.transport.log</name>
      <value>file:/tmp/jaxrpc.log</value>
    </stub-property>
  </port-info>
</service-ref>

```

5.4.22.3.3 Setting Call Properties

```
element : call-property
```

Call properties are set on `service-ref` for `Call` objects returned from `javax.xml.rpc.Service.createCall()`. This is the only kind of `Call` object that is not tied to a port.

```
<service-ref>
  <service-ref-name>service/GoogleSearch</service-ref-name>
  <call-property>
    <name>javax.xml.rpc.security.auth.username</name>
    <value>javaee</value>
  </call-property>
  <call-property>
    <name>javax.xml.rpc.security.auth.password</name>
    <value>javaee</value>
  </call-property>
</service-ref>
```

Call properties are set within `port-info` for all other `javax.xml.rpc.Service` methods that return `Call` objects.

```
<module-name>appclient.jar</module-name>
  <service-ref>
    <service-ref-name>service/GoogleSearch</service-ref-name>
    <port-info>
      <wsdl-port>
        <namespaceURI>urn:GoogleSearch</namespaceURI>
        <localpart>GoogleSearchPort</localpart>
      </wsdl-port>
      <call-property>
        <name>javax.xml.rpc.security.auth.username</name>
        <value>javaee</value>
      </call-property>
      <call-property>
        <name>javax.xml.rpc.security.auth.password</name>
        <value>javaee</value>
      </call-property>
    </port-info>
  </service-ref>
```

The allowable properties are defined in the javadoc for `javax.xml.rpc.Call`.

5.4.22.3.4 Overriding WSDL

element : `wSDL-override`

The `wSDL-override` element forces the deployment process to use a different WSDL than the one associated with a `service-ref` in the standard deployment module. This element is optional if the `service-ref` WSDL is full WSDL, and is required if partial WSDL. In all cases, it must point to a valid URL of a full WSDL document. Some examples are shown below.

- To use the final WSDL generated upon deployment of the EJB endpoint shown above:

```
<service-ref>
  <service-ref-name>service/GoogleSearch</service-ref-name>
  <wSDL-override>http://localhost:8000/google/GoogleSearch?WSDL
</wSDL-override>
</service-ref>
```

- An alternate way to do the same thing by means of a file URL that matches a webservice's `wSDL-publish-location` could be:

```
<service-ref>
  <service-ref-name>service/GoogleSearch</service-ref-name>
  <wSDL-override>file:/home/user1/GoogleSearch_final.wSDL
</wSDL-override>
</service-ref>
```

5.4.23 Security API Test Setup

Complete the following steps before you run the Security API tests:

1. Set the following properties in the `ts.jte` file:



An LDAP server is required in Security API testing. You could either use an already existing external LDAP server or use CTS script to install an internal LDAP server.

Choose one of these two options to make an LDAP server ready for testing: 1. Use internal LDAP server - Unbounded (Recommended, and would be installed by default.)



1. Ensure the `ldap.server` property is unbounded.
2. Ensure the path of `ldap.ldif.file` is correct.
3. Ensure the port 11389 is not occupied. Kill any related process using port 11389.

Parts of `ts.jte`:



- `ldap.server=unboundid`
- `ldap.install.server=true`
- `ldap.ldif.file=${ts.home}/bin/ldap.ldif`

1. Use external LDAP server.



1. Ensure the port of LDAP server is 11389.
2. Update `ldap.install.server` property as false since CTS script need not install LDAP server.
3. Import `ldap.ldif` file into Ldap server. You can get `ldap.ldif` from `<TS_HOME>/install/jakartaee/bin/ldap.ldif`.



Part of `ts.jte` - `ldap.install.server=false`

1. Configure the VI environment using these commands to run the Security API test (including Derby, internal Ldap server which are required by JSR375):
2. `cd <TS_HOME>/bin`
3. `ant config.vi`
4. Start your database.
5. `ant init.ldap`



If you use the external LDAP server, do not run the command `ant init.ldap`.

5.4.24 Signature Test Setup

The signature test setup includes the following:

5.4.24.1 sigTestClasspath Property

Set the `sigTestClasspath` property in the `<TS_HOME>/bin/ts.jte` file to include a `CLASSPATH` containing the following:

```
sigTestClasspath=jar_to_test:jars_used_by_yours
```

where:

- `jar_to_test`: The JAR file you are validating when running the signature tests; when running against the Java Platform, Enterprise Edition RI, set to `javaee.jar`
- `jars_used_by_yours`: The JAR file or files that are used or referenced by your JAR file; must include any classes that might be extended or implemented by the classes in your `jar_to_test`; include `rt.jar` when running against the Java Platform, Enterprise Edition RI

5.4.24.2 Additional Signature Test Information

The Java EE 8 CTS signature tests perform verifications in two different modes: static and reflection. The test results list which signature tests pass or fail, and the mode (static or reflection) for that test. As a troubleshooting aid when failures occur, consider the following:

- All static mode tests fail:
The likely cause is that the `sigTestClasspath` needs modification. When running on Windows, be sure to use semicolons (`;`) for `CLASSPATH` separators.
- For all other signature test failures:
Check the report output from the test to determine which tests failed and why.



Refer to [Chapter 8, "Debugging Test Problems"](#) for additional debugging information.

5.4.25 Backend Database Setup

The following sections address special backend database setup considerations:

- [Setup Considerations for MySQL](#)
- [Setup Considerations for MS SQL Server](#)

5.4.25.1 Setup Considerations for MySQL

The Java Persistence API (JPA) tests require delimited identifiers for the native query tests. If you are using delimited identifiers on MySQL, modify the `sql-mode` setting in the `my.cnf` file to set the `ANSI_QUOTES` option. After setting this option, reboot the MySQL server. Set the option as shown in this example:

```
sql-mode="STRICT_TRANS_TABLES,NO_AUTO_CREATE_USER,NO_ENGINE_SUBSTITUTION,ANSI_QUOTES"
```

5.4.25.2 Setup Considerations for MS SQL Server

If your database already exists and if you use a case-sensitive collation on MS SQL Server, execute the following command to modify the database and avert errors caused by case-sensitive collation:

```
ALTER DATABASE ctsdb
COLLATE Latin1_General_CS_AS ;
```

5.4.26 Deployment Test Setup

Ensure that the following properties in the `ts.jte` file have been set:

- `deployManagerJarFile.1` property to a JAR file that contains manifest entries according to the Java Platform, Enterprise Edition Deploy API 1.0 Specification
- `deployManageruri.1` property to a URI to connect to
- `deployManageruname.1` and `deployManagerpasswd.1` properties to the user name and password that are used when connecting to a deployment manager, if needed



You need to generate your own deployment plan for each module type, using the deployment tool that comes with your Java Platform, Enterprise Edition server.

5.4.27 JAXR Test Setup

You will need a Registry to run the JAXR tests. The Java Web Services Developers Pack 1.3 contains an implementation of a UDDI version 2 business registry. You can find the Java Web Services Developers Pack at <http://www.oracle.com/technetwork/java/javasebusiness/downloads/java-archive-downloads-jwsdp-419428.html>. Refer to the installation instructions that accompany the webservices software for additional information.

The JAXR test suite assumes you are using an internal registry (inside a firewall). If you want to use a public registry outside a firewall, you will need to make some updates to the `ts.jte` file in the `testExecuteAppClient` section to set up proxy information.

5.4.27.1 Example JAXR ts.jte Property Settings

```

http.proxyHost=myProxy.myCompany.com
http.proxyPort=8080
https.proxyHost=myProxy.myCompany.com
https.proxyPort=8080
command.testExecuteAppClient= \
com.sun.ts.lib.harness.ExecTSTestCmd DISPLAY=${ts.display} HOME="${user.home}" \
LD_LIBRARY_PATH=${javaee.home}/lib \
windir=${windir} \
SYSTEMROOT=${SYSTEMROOT} \
PATH="${javaee.home}/native/lib" \
TZ=${tz} \
${JAVA_HOME}/bin/java \
-Dorg.omg.CORBA.ORBInitialHost=${orb.host} \
-Djava.security.policy=${javaee.home}/lib/appclient/client.policy \
-Dcts.tmp=${harness.temp.directory} \
-Dorg.omg.CORBA.ORBInitialPort=${orb.port} \
-Djava.security.auth.login.config=${javaee.home}/lib/appclient/appclientlogin.conf \
-Djava.protocol.handler.pkgs=javax.net.ssl \
-Dcom.sun.enterprise.home=${javaee.home} \
-Djavax.net.ssl.keyStore=${ts.home}/bin/certificates/clientcert.jks \
-Djavax.net.ssl.keyStorePassword=changeit \
-Dcom.sun.aas.installRoot=${javaee.home} \
-Dcom.sun.aas.imqLib=${javaee.home}/imq/lib \
-Djava.util.logging.manager=com.sun.enterprise.server.logging.ACCLogManager \
-Djavax.net.ssl.trustStore=${s1as.domain}/config/cacerts.jks \
-Djava.endorsed.dirs=${s1as.java.endorsed.dirs} \
-Dstartup.login=false \
-Dhttp.proxyHost=${http.proxyHost} \
-Dhttp.proxyPort=${http.proxyPort} \
-Dhttps.proxyHost=${https.proxyHost} \
-Dhttps.proxyPort=${https.proxyPort} \
-Ddeliverable.class=${deliverable.class} -classpath ${ts.run.classpath} \
com.sun.enterprise.appclient.Main $testExecuteArgs -configxml ${s1as.domain}/config/sun-
acc.xml

```

The above settings cover the appclient portion of the testing. You will also need to update the proxy information for the server. For the RI, you will need to add this to the `jvm-options` in the `domain.xml` file. You can also use the CTS `config.vi` script to update `domain.xml` instead of directly editing it. To use the `config.vi` script, add the proxy to `s1as.jvm.options` in the `ts.jte` file:

```
s1as.jvm.options=-Dhttp.proxyHost=${http.proxyHost}:
-Dhttp.proxyPort=${http.proxyPort}:
-Dhttps.proxyHost=${https.proxyHost}:
-Dhttps.proxyPort=${https.proxyPort}
```

Note that this is only needed for JAXR when using an external registry. You should not add proxy info when running the rest of the CTS test suite.

5.4.27.2 JAXR ts.jte Properties

For JAXR testing, make sure the following properties have been set in the `<TS_HOME>/bin/ts.jte` file:

- **authenticationMethod**: Authentication method for the JAXR provider; UDDI_GET_AUTHTOKEN is the AuthToken protocol defined by [UDDI_API2]
- **registryURL**: Standard connection property for publishing. for the RegistryServer, the UDDI Registry that comes with the Java Web Services Developers Pack: **registryURL** = `http://localhost:8080/RegistryServer/`
- **queryManagerURL**: Standard connection property for querying. for the RegistryServer, the UDDI Registry that comes with the Java Web Services Developers Pack: **queryManagerURL** = `http://localhost:8080/RegistryServer/`
- **jaxrPassword**: Used for setting connection credentials; this must be set up in the UDDI registry
- **jaxrUser**: Used for setting connection credentials; this must be set up in the UDDI registry
- **jaxrUser2, jaxrPassword2**: Second account for Association tests

For the **RegistryServer** you can use the predefined username and passwords. These would be set as follows:

- **jaxrUser**=testuser
- **jaxrPassword**=testuser
- **jaxrUser2**=jaxr-sqe
- **jaxrPassword2**=jaxrsqe

If using digital certificates set to = "" instead.

- **jaxrSecurityCredentialType**: Tells CTS whether to use username/password or digital certificates for JAXR credentials:
 - **0**: Username/password
 - **1**: Digital certificates
- **jaxrAlias**: Identifies the entry in the keystore for this user.
- **jaxrAlias2**: Identifies the entry in the keystore for the second user
- **jaxrAliasPassword**: Identifies the password in the keystore for this user.
- **jaxrAlias2Password**: Identifies the password in the keystore for the second user

- **jaxrWebContext**: Context root for jaxr html tests pages
- **jaxrConnectionFactoryLookup**: Preferred way for a client to lookup a JAXR ConnectionFactory is to use JNDI; an alternate method is to use the **newInstance** static method on the **ConnectionFactory**
 - **0** = use JNDI lookup
 - **1** = use **newInstance** method.
- **jaxrJNDIResource**: JAXR **ConnectionFactoryReference** if JNDI lookup is being used; for example **java:comp/env/eis/JAXR**; if not using JNDI lookup set to **"**".
- **providerCapabilityLevel**: Provider must set this to the supported capability level **0** or **1**

5.5 Using the JavaTest Harness Configuration GUI

You can use the JavaTest harness GUI to modify general test settings and to quickly get started with the default CTS test environment. After familiarizing yourself with these basic configuration settings, you will probably want to continue with the instructions in [Modifying Environment Settings for Specific Technology Tests](#).

5.5.1 Basic Configuration Overview

In order for the JavaTest harness to execute the test suite, it requires information about how your computing environment is configured.

The JavaTest harness requires two types of configuration information:

- **Test environment**: This is data used by the tests. For example, the path to the Java runtime, how to start the product being tested, network resources, and other information required by the tests in order to run. This information does not change frequently and usually stays constant from test run to test run.
- **Test parameters**: This is information used by the JavaTest harness to run the tests. Test parameters are values used by the JavaTest harness that determine which tests in the test suite are run, how the tests should be run, and where the test reports are stored. This information often changes from test run to test run.

When you execute the JavaTest harness software for the first time, the JavaTest harness displays a Welcome dialog box that guides you through the initial startup configuration.

- If it is able to open a test suite, the JavaTest harness displays a Welcome to JavaTest dialog box that guides you through the process of either opening an existing work directory or creating a new work directory as described in the JavaTest online help.
- If the JavaTest harness is unable to open a test suite, it displays a Welcome to JavaTest dialog box

that guides you through the process of opening both a test suite and a work directory as described in the JavaTest documentation.

Once the JavaTest harness GUI is displayed, whenever you choose Run Tests and then Start to begin a test run, the JavaTest harness determines whether all of the required configuration information has been supplied:

- If the test environment and parameters have been completely configured, the test run starts immediately.
- If any required configuration information is missing, the configuration editor displays a series of questions asking you the necessary information. This is called the configuration interview. When you have entered the configuration data, you are asked if you wish to proceed with running the test.

5.5.2 The Configuration Interview

To configure the JavaTest harness to run the Java EE 8 CTS tests, complete the following steps. Note that you only need to complete these steps the first time you start the JavaTest harness. After you complete these steps, you can either run all or a subset of the tests, as described in [Chapter 7, "Executing Tests"](#).

1. Change to the `<TS_HOME>/bin` directory and start the JavaTest test harness:

```
cd <TS_HOME>/bin
ant gui
```

The Welcome screen displays. 2. Click File, then click Create Work Directory to create a new work directory.

If you already have a working directory you want to use, click File, then click Open Work Directory instead.

At this point, the JavaTest harness is preconfigured to run the basic CTS tests. 3. If you want to run the test suite at this time using your current configuration settings, select Run Tests from the main menu, then select Start.

The default tests are executed with the default configuration settings.

If you do not want to run the test suite at this time, continue with the steps below to modify your test configuration. 4. Select Configure from the main menu, then select Edit Configuration.

The Configuration Welcome screen displays. 5. Click Next (right arrow).

You are prompted to specify one or more configuration files that contain information about your test environment. By default, this file is `<TS_HOME>/bin/ts.jte`. 6. Accept the default configuration file and click Next.

You are prompted to specify a test environment. 7. Select either `ts_unix` or `ts_win32`, and then click Next.

Choose `ts_unix` if you are running the tests in a Unix or Linux environment; choose `ts_win32` if you are

running the tests under Windows.

After making your selection and clicking Next, you are prompted to specify whether you want to run all or a subset of the test suite. 8. Specify whether you want to run all or a subset of the tests, and then click Next.

Select Yes to run a subset of the tests; select No to run all tests.

If you select Yes, proceed to the next step. If you select No, skip to Step 10. 9. Select the tests you want to run from the displayed test tree, and then click Next.

You can select entire branches of the test tree, or use Ctrl+Click or Shift+Click to select multiple tests or ranges of tests, respectively. 10. Specify whether you want to use an exclude list, and then click Next.

Select Yes to use an exclude list; select No to not use an exclude list.

If you select Yes, proceed to the next step. If you select No, skip to Step 13. 11. Specify the exclude list you want to use, and then click Next.

Select **initial** to use the default list; select **custom** to use a custom list.

If you select **custom**, proceed to the next step. If you select **initial**, skip to Step 13. 12. Specify the custom exclude list file to use, and then click Next. 13. Click Done to accept and save your configuration settings.

You are prompted to specify the location in which you want to save your configuration settings. 14. Specify the file in which you want to save your configuration settings, and then click Save File.

You are returned to the JavaTest main window. 15. If you want to run the test suite at this time using your current configuration settings, select Run Tests from the main menu, then select Start.

The default tests are executed with the settings you specified.

6 Setup and Configuration for Testing with the Java EE 8 Web Profile

This chapter describes how to configure the Java EE 8 CTS test suite to work with your Java EE 8 Web Profile test environment. It is recommended that you first set up the testing environment using the Java EE 8 Web Profile RI and then with your Java EE 8 Web Profile server.

6.1 Configuring the Java EE 8 Web Profile Test Environment

The instructions in this section and in [Configuring Your Application Server as the VI](#) step you through the configuration process for the Solaris, Microsoft Windows, and Linux platforms.

6.1.1 To Run Tests Against a Java EE 8 Web Profile Implementation

The Java EE 8 CTS is the Technology Compatibility Kit (TCK) for the Java Platform, Enterprise Edition as well as the Java EE 8 Web Profile. Implementations of the full Java Platform, Enterprise Edition must pass all of the tests as defined by Java EE 8 CTS Rules in [Chapter 2, "Procedure for Java Platform, Enterprise Edition 8 Certification"](#).

Implementations of the Java EE 8 Web Profile must run the tests that verify requirements defined by the Java EE 8 Web Profile Specification. These tests are defined by the Rules in [Chapter 3, "Procedure for Java Platform, Enterprise Edition 8 Web Profile Certification"](#). These requirements are a subset of the tests contained in the Java EE 8 CTS test suite. The test suite provides a mechanism whereby only those tests for the Java EE 8 Web Profile will be run. The following steps explain how to use this mechanism.

1. Set the `javaee.level` property to `web` in the `<TS_HOME>/bin/ts.jte` file.

```
javaee.level= web
```

This setting will only allow WAR files (that is, no EAR files) to be passed to the Deployment Porting Package. This is the minimal set of signature requirements that vendors must support for Web Profile. Specifying a `javaee.level` of "web" with nothing else implies there are NO additional technologies existing within the vendors implementation. Again, "web" only covers REQUIRED technologies for the Java EE 8 Web Profile. 2. Set the `javaee_web_profile` keyword in one of the following ways: * In batch mode, change to a test directory and execute the following command:

```
ant -Dkeywords=javaee_web_profile runclient
```

Only tests that are required by the Java EE 8 Web Profile will be run.



If you start a test run in a test directory that contains no Java EE 8 Web Profile tests, the test run will be aborted and the test harness will report that no tests were found.

- In the JavaTest GUI, open the test suite and perform the following steps:
 1. Select View, then select Filters, then select CurrentConfiguration.
 2. Select Configure, then select ChangeConfiguration, then select Keywords.
 3. In the Keywords dialog, select the Select Tests that Match check box, specify the `javaee_web_profile` keyword in the field, then click Done.Only those tests that are valid in the Java EE 8 Web Profile will be enabled in the test tree.

7 Executing Tests

The Java EE 8 CTS uses the JavaTest harness to execute the tests in the test suite. For detailed instructions that explain how to run and use JavaTest, see the JavaTest User's Guide and Reference.

This chapter includes the following topics:

- [Java EE 8 CTS Operating Assumptions](#)
- [Starting JavaTest](#)
- [Validating Your Test Configuration](#)
- [Running a Subset of the Tests](#)
- [Test Reports](#)



The instructions in this chapter assume that you have installed and configured your test environment as described in [Chapter 4, "Installation,"](#) and [Chapter 5, "Setup and Configuration,"](#) respectively.

7.1 Java EE 8 CTS Operating Assumptions

The following are assumed in this chapter:

- Java EE 8 RI is installed and configured as described in this guide.
- Java SE 8 software is correctly installed and configured on the host machine.
- Java EE 8 CTS is installed and configured as described in this guide.
- Implementations of the technologies to be tested are properly installed and configured.

7.2 Starting JavaTest

There are two general ways to run Java EE 8 CTS using the JavaTest harness software:

- Through the JavaTest GUI
- From the command line in your shell environment

Running the JavaTest harness from JavaTest GUI is recommended for initial configuration procedures, for validating your configuration, for selecting tests to run, and for general ease-of-use when running tests and viewing test reports.

Running the JavaTest harness from the command line is useful in headless server configurations, and

for running tests in batch mode.



The `build.xml` file in `<TS_HOME>/bin` contains the various Ant targets for the Java EE 8 CTS test suite

7.2.1 To Start JavaTest in GUI Mode

1. Set the `TS_HOME` environment variable to the directory in which the Java EE 8 CTS is installed.
2. Change to the `<TS_HOME>/bin` directory.
3. Ensure that the `ts.jte` file contains information relevant to your setup.
Refer to [Chapter 5, "Setup and Configuration,"](#) for detailed configuration instructions.
4. Execute the `ant gui` target to start the JavaTest GUI:

```
ant gui
```

Using the JavaTest GUI to run CTS tests is described later in this guide. For detailed information about using the JavaTest interface, see the JavaTest User's Guide.

The forward and reverse keywords are available to filter the interop and/or rebuildable tests during a selected test run when running tests in the following directory only:

```
<TS_HOME>/src/com/sun/ts/tests/interop
```



Forward tests are interop tests that run from the Vendor Implementation to the Reference Implementation, as well as rebuildable tests that run only against the Vendor Implementation. Reverse tests (with test names ending in `_reverse`) are interop tests that run from the Reference Implementation to the Vendor Implementation, as well as rebuildable tests that run only against the Reference Implementation.

To set one of these keywords in the Javatest GUI, select the Configure menu item, then select Change Configuration, then select Keywords, and set the appropriate keyword.

When one of these keywords has been set, executing tests in the directories above causes only those tests that match the keyword to be run. This can be useful when trying to debug failures with a particular test configuration. Note, however, for certification all tests in both directions must pass.

7.2.2 To Start JavaTest in Command-Line Mode

1. Set the `TS_HOME` environment variable to the directory in which Java EE 8 CTS was installed.
2. Change to any subdirectory under `<TS_HOME>/src/com/sun/ts/tests`.
3. Ensure that the `ts.jte` file contains information relevant to your setup.
Refer to [Chapter 5, "Setup and Configuration,"](#) for detailed configuration instructions.
4. Execute the `runcli` Ant target to start the JavaTest:

```
ant runcli
```

This runs all tests in the current directory and any subdirectories.

Example 7-1 Running the Java EE 8 CTS Signature Tests

To run the Java EE 8 CTS signature tests, enter the following commands:

```
cd <TS_HOME>/src/com/sun/ts/tests/signaturetest/javaee  
ant runcli
```

Example 7-2 Running a Single Test Directory

To run a single test directory in the `forward` direction, enter the following commands:

```
cd <TS_HOME>/src/com/sun/ts/tests/jaxws/api/javax_xml_ws/Dispatch  
ant -Dkeywords=forward runcli
```

Example 7-3 Running a Subset of Test Directories

To run a subset of test directories in the `reverse` direction, enter the following commands:

```
cd <TS_HOME>/src/com/sun/ts/tests/jaxws/api  
ant -Dkeywords=reverse runcli
```

7.3 Validating Your Test Configuration

7.3.1 To Validate Your Configuration in GUI Mode

1. Start the JavaTest GUI and step through the basic configuration steps, if required, as described in [Section 5.5.2, "The Configuration Interview."](#)
2. In the JavaTest GUI tree view, expand the following directories: `com`, `sun`, `ts`, `tests`, `samples`.
3. Highlight the `samples` directory, right-click, and choose Execute These Tests.
If a work directory has not been specified, you are prompted to specify or create a new one.
4. From the JavaTest main menu, select File, then select Create Work Directory. The Create Work Directory dialog is displayed.
5. Locate or enter the name of the directory to which the test harness will write temporary files (for example, `/tmp/JTWork`), and click Create.
6. From the JavaTest main menu, select Run Tests, then select Start to run the default tests.
If your configuration information is incomplete, you are prompted to supply the missing parameters.
The JavaTest status bar grows while JavaTest tracks statistics relative to the files done, tests found, and tests done.
7. Check the results.
Test progress and results are displayed by the JavaTest harness.

7.3.2 To Validate Your Configuration in Command-Line Mode

1. Go to the `<TS_HOME>/src/com/sun/ts/tests/samples` directory.
2. Start the test run by executing the following command:

```
ant runclient
```

All sample tests will be run, and should pass. 3. Generate test reports by executing the following commands: 1. Change to the `<TS_HOME>/bin` directory:

```
cd <TS_HOME>/bin
```

1. Run the `report` Ant target:

```
ant report
```

Reports are written to the report directory you specified in `<TS_HOME>/bin/ts.jte`. If no report directory is specified, reports are written to the `/tmp/JTreport` directory (Solaris/Linux) or `C:\temp\JTreport` (Windows).

7.4 Running a Subset of the Tests

7.4.1 To Run a Subset of Tests in GUI Mode

1. From the JavaTest main menu, select Configure, then select Edit Configuration.
2. In the Configuration Editor, select Specify Tests to Run? from the option list on the left.
You are asked whether you want to run all or a subset of the test suite.
3. Click Yes, and then Next to run a subset of tests.
4. Select the tests you want to run from the displayed test tree, and then click Done.
You can select entire branches of the test tree, or use Ctrl+Click or Shift+Click to select multiple tests or ranges of tests, respectively.
After clicking Done, you are returned to the JavaTest main window.
5. Select Run Tests, then select Start to run the tests you selected.

7.4.2 To Run a Subset of Tests in Command-Line Mode

1. Change to the directory containing the tests you want to run.
For example, `<TS_HOME>/src/com/sun/ts/tests/samples`.
2. Start the test run by executing the following command:

```
ant runclient
```

The tests in `<TS_HOME>/src/com/sun/ts/tests/samples` and its subdirectories are run.

7.4.3 To Run a Subset of Tests in Batch Mode Based on Prior Result Status ^{^^^} ^

You can run certain tests in batch mode based on the test's prior run status by specifying the `priorStatus` system property when invoking Ant.

Invoke `ant` with the `priorStatus` property.

The accepted values for the `priorStatus` property are any combination of the following:

- `fail`
- `pass`

- `error`
- `notRun`

For example, you could run all Java EE 8 tests with a status of failed and error by invoking the following commands:

```
cd <TS_HOME>/src/com/sun/ts/tests/ejb  
ant -DpriorStatus="fail,error" runclient
```

Note that multiple `priorStatus` values must be separated by commas.

7.5 Using Keywords to Test Required and Optional Technologies

The Java EE CTS includes some tests that may be optional depending on your implementation. For example, certain technologies are now optional for implementations of the full Java EE Platform. There are other technologies which are optional for Web Profile implementations, but may be implemented. If implemented, optional tests must be run and pass. There are two mechanisms in place in the CTS which control whether or not a given set of tests is run - the `javaee.level` property in the `ts.jte` file (see [Section 7.5.1, "Setting the javaee.level Property"](#)) and keywords (see [Section 7.5.2, "Using Keywords to Create Groups and Subsets of Tests"](#)).

7.5.1 Setting the javaee.level Property

The `ts.jte` file includes the `javaee.level` property. This property serves two purposes. First, it is used to determine whether the implementation under test is a Java EE Full profile (full) or Java EE Web profile (web). Either "full" or "web" must be specified in the list values. A setting of "full" instructs the test harness to deploy EAR files. A setting of "web" instructs the test harness to deploy WAR files. The `javaee.level` property is also used to help determine which APIs in the signature tests are to be tested. The comments that precede the property setting in the `ts.jte` file provide additional information about setting this property.

The default setting is as follows:

```
javaee.level=full jaxr jaxrpc javaedeploy
```

7.5.2 Using Keywords to Create Groups and Subsets of Tests

Each test in CTS has keywords associated with it. The keywords are used to create groups and subsets of tests. At test execution time, a user can tell the test harness to only run tests with or without certain keywords. This mechanism is used to select or omit testing on selected optional technologies. The "keywords" property can be set to a set of available keywords joined by "&" and/or "|".

To set the keywords system property at runtime, you must either pass it on the command line via `-Dkeywords=""` or in the JavaTest GUI, by opening the test suite and performing the following steps:

1. Select View, then select Filters, then select CurrentConfiguration.
2. Select Configure, then select ChangeConfiguration, then select Keywords.
3. In the Keywords dialog, select the Select Tests that Match check box, specify the desired keyword in the field, then click Done.

Only tests that have been tagged with that keyword will be enabled in the test tree.

The examples in the sections that follow show how to use keywords to run required technologies in both the Full and Web profile, run/omit running optional sets of tests in CTS, and run the Interoperability and Rebuildable tests in forward and reverse directions.

7.5.2.1 To Use Keywords to Run Required Technologies

Example 7-4 Running Tests for Required Technologies in the Full Profile

```
cd <TS_HOME>/src/com/sun/ts/tests
ant -Dkeywords=javaee runclient
```

Only tests that are required by the Full Profile will be run.

Example 7-5 Running Tests for All Required Technologies in the Web Profile

```
cd <TS_HOME>/src/com/sun/ts/tests
ant -Dkeywords=javaee_web_profile runclient
```

Only tests that are required by the Web Profile will be run.

Example 7-6 Running All Required Tests Except Connector Tests in the Full Profile

```
cd <TS_HOME>/src/com/sun/ts/tests
ant -Dkeywords="javaee & !connector" runclient
```

Example 7-7 Running All EJB Tests in the Full Profile

```
cd <TS_HOME>/src/com/sun/ts/tests
ant -Dkeywords=ejb runclient
```

Example 7-8 Running All EJB 3.2 Tests in the Full Profile

```
cd <TS_HOME>/src/com/sun/ts/tests
ant -Dkeywords=ejb32 runclient
```

Example 7-9 Running All EJB Tests in the Web Profile

```
cd <TS_HOME>/src/com/sun/ts/tests
ant -Dkeywords=ejb_web_profile runclient
```

7.5.2.2 To Use Keywords to Run Optional Technologies With the Full Profile

Keywords can be used to run subsets of tests from areas that are not required by the Java EE 8 platform specification. [Table 7-1](#) lists optional subsets of tests that can be run for the Full Profile and provides the technology-to-keyword mappings for each of the optional areas.

Table 7-1 Keyword to Technology Mappings for Full Profile Optional Subsets

Technology	Keyword
EJB 1.x, CMP, BMP, entity beans	<code>ejb_1x_optional</code> or <code>javaee_optional</code>
EJB 2.x, CMP, BMP, entity beans	<code>ejb_2x_optional</code> or <code>javaee_optional</code>
EJBQL	<code>javaee_optional</code>
Java EE Deployment	<code>javaeedevelop_optional</code> or <code>javaee_optional</code>
JAXR	<code>javaee_optional</code>
JAX-RPC	<code>javaee_optional</code>

Example 7-10 Running Tests for All Optional Technologies in the Full Profile

```
cd <TS_HOME>/src/com/sun/ts/tests
ant -Dkeywords=javaee_optional runclient
```

Example 7-11 Running the Optional JAXR and JAX-RPC Tests With the Required Full Profile Tests

```
cd <TS_HOME>/src/com/sun/ts/tests
ant -Dkeywords="javaee | jaxr | jaxrpc" runclient
```

The optional JAXR and JAX-RPC tests and the tests that are required by the Full Profile will be run.

7.5.2.3 To Use Keywords to Run Optional Subsets of Tests With the Web Profile

Keywords can be used to run subsets of tests from additional areas that are not required by the Java EE 8 Web Profile specification. For example, if your server implements the Java EE 8 Web Profile and the Java Connector Architecture 1.7 technology, set the keywords to `javaee_web_profile|connector_web_profile` to enable running tests for both areas. The command below shows how to specify these keywords to run the tests in both areas.

```
ant -Dkeywords="(javaee_web_profile|connector_web_profile) runclient
```

[Table 7-2](#) lists optional subsets of tests that can be run for the Web Profile and provides the technology-to-keyword mappings for each of the optional areas.

Table 7-2 Keyword to Technology Mappings for Web Profile Optional Subsets

Technology	Keyword
Connector	<code>connector_web_profile</code>
JACC	<code>jacc_web_profile</code>
JASPIC	<code>jaspic_web_profile</code>
JavaMail	<code>javamail_web_profile</code>
JAXR	<code>jaxr_web_profile</code>
JAX-RPC	<code>jaxrpc_web_profile</code>
JMS	<code>jms_web_profile</code>
XA	<code>xa_web_profile</code>

To add tests for other technologies, select the appropriate keyword from [Table 7-2](#). This table provides a mapping of keywords to optional technologies (test directories) in the test suite and indicates optional test areas for the Java EE 8 Web Profile.

Example 7-12 Running Tests for All Optional Technologies in the Web Profile

```
cd <TS_HOME>/src/com/sun/ts/tests
ant -Dkeywords=javaee_web_profile_optional runclient
```

Example 7-13 Running the Optional JACC and JASPIC Tests With All Required Web Profile Tests

```
cd <TS_HOME>/src/com/sun/ts/tests
ant -Dkeywords="javaee_web_profile | jacc_web_profile | jaspic_web_profile" runclient
```

7.5.2.4 To Use Keywords to Run Optional Subsets for EJB Lite

Table 1-1 shows the CTS keywords you can use to test optional EJB Lite components. Components denoted with an asterisk (*) are pruned components; components without an asterisk are not required by EJB Lite.

Table 7-3 CTS Keywords for Optional EJB Lite Components

Component	CTS Keyword
Message-Driven Beans	<code>ejb_mdb_optional</code>
1x CMP/BMP Entity Beans *	<code>ejb_1x_optional</code>
2x CMP/BMP Entity Beans, Remote/Home Component, Local/Home Component *	<code>ejb_2x_optional</code>
3x Remote	<code>ejb_3x_remote_optional</code>
JAX-RPC Web Service Endpoint *	<code>ejb_jaxrpc_optional</code>
EJB QL *	<code>ejb_ql_optional</code>
Persistent Timer Service	<code>ejb_persistent_timer_optional</code>
Remote asynchronous session bean	<code>ejb_remote_async_optional</code>
RMI-IIOP Interoperability	<code>ejb_rmi_interop_optional</code>
EJB Embeddable Container	<code>ejb_embeddable_optional</code>

Support for the following features has been made optional in this release:

- EJB 2.1 and earlier Entity Bean Component Contract for Container-Managed Persistence and Bean-Managed Persistence
- Client View of an EJB 2.1 and earlier Entity Bean
- EJB QL: Query Language for Container-Managed Persistence Query Methods
- JAX-RPC Based Web Service Endpoints

- JAX-RPC Web Service Client View
- JAXR 1.0
- Java EE Deployment 1.2 are also optional

7.5.2.5 To Use Keywords to Run Tests in Selected Vehicles

The following vehicle keywords can be used to select or exclude the vehicles in which tests are run:

- connectorservlet_vehicle
- ejblitesecuredjsp_vehicle
- ejbliteservlet_vehicle
- ejbliteservlet2_vehicle
- jaspicservlet_vehicle
- pmservlet_vehicle
- puservlet_vehicle
- wsservlet_vehicle
- servlet_vehicle
- jsp_vehicle
- web_vehicle
- appclient_vehicle
- wsappclient_vehicle
- ejb_vehicle
- wsejb_vehicle

These vehicles are defined in the `<TS_HOME>/src/com/sun/ts/tests/common/vehicle` subdirectory structures.

Example 7-14 Running Tests in the EJB Vehicle Only

```
ant -Dkeywords="ejb_vehicle" runclient
```

Example 7-15 Running Tests in Vehicles Other Than the EJB Vehicle

```
ant -Dkeywords="!ejb_vehicle" runclient
```

7.5.2.6 To Use Keywords to Run Tests in Forward and Reverse Directions

The **forward** and **reverse** keywords can be used to filter the interop and/or rebuildable tests during a selected test run when running tests in one of the following directories only:

```
<TS_HOME>/src/com/sun/ts/tests/jaxws
<TS_HOME>/src/com/sun/ts/tests/jws
<TS_HOME>/src/com/sun/ts/tests/interop
```

Forward tests are interop tests that run from the Vendor Implementation to the Reference Implementation, as well as rebuildable tests that run only against the Vendor Implementation. Reverse tests (with test names ending in **_reverse**) are interop tests that run from the Reference Implementation to the Vendor Implementation, as well as rebuildable tests that run only against the Reference Implementation.

To set one of these keywords when running in command-line mode, set the appropriate keyword using the keyword system property.

Example 7-16 Running Tests in the Forward Direction

```
ant -Dkeywords=forward runclient
```

Example 7-17 Running Tests in the Reverse Direction

```
ant -Dkeywords=reverse runclient
```

To set one of these keywords in the Javatest GUI, select the Configure menu item, then select Change Configuration, then select Keywords, and set the appropriate keyword.

When one of these keywords has been set, executing tests in the directories above causes only those tests that match the keyword to be run. This can be useful when trying to debug failures with a particular test configuration. Note, however, for certification all tests in both directions must pass.

7.6 Running Interop or JWS Reverse Tests ~~~~~~

If you are running Interop or JWS reverse tests, which run against the Java EE 8 RI, you must start the standalone deployment server in a separate shell on the same host as the CTS harness. The default deployment porting implementation goes through a standalone deployment server with a dedicated classpath. To start the standalone deployment server, change to the **<TS_HOME>/bin** directory and execute the **start.auto.deployment.server** Ant task.

7.7 Rebuilding Test Directories

The following directories require rebuilding, which is done by running the `configure.datasource.tests` Ant target:

- `com/sun/ts/tests/ejb30/lite/packaging/war/datasource`
- `com/sun/ts/tests/ejb30/assembly/appres`
- `com/sun/ts/tests/ejb30/misc/datasource`

When the `configure.datasource.tests` Ant target is run from any directory, it rebuilds these directories and any required subdirectories.

The `com/sun/ts/tests/jms/ee20/resourcedefs` directory must also be rebuilt. Run the `build.special.webservices.clients` Ant target to rebuild the tests in this directory.

The database properties in the CTS bundle are set to Derby database. If any other database is used, the `update.metadata.token.values` ant target needs to be executed for metadata-complete tests.

The following directories require rebuilding:
`src\com\sun\ts\tests\appclient\deploy\metadatacomplete\testapp.`

This can be done by running the `update.metadata.token.values` Ant target.

7.8 Test Reports

A set of report files is created for every test run. These report files can be found in the report directory you specify. After a test run is completed, the JavaTest harness writes HTML reports for the test run. You can view these files in the JavaTest ReportBrowser when running in GUI mode, or in the web browser of your choice outside the JavaTest interface.

To see all of the HTML report files, enter the URL of the `report.html` file. This file is the root file that links to all of the other HTML reports.

The JavaTest harness also creates a `summary.txt` file in the report directory that you can open in any text editor. The `summary.txt` file contains a list of all tests that were run, their test results, and their status messages.

Although you can run the Ant report target from any test directory, its support is not guaranteed in the lower level directories. It is recommended that you always run the report target from `<TS_HOME>/bin`, from which reports are generated containing information about which tests were or were not run.

7.8.1 Creating Test Reports

7.8.1.1 To Create a Test Report in GUI Mode

1. From the JavaTest main menu, select Report, then select Create Report.
You are prompted to specify a directory to use for your test reports.
2. Specify the directory you want to use for your reports, and then click OK.
Use the Filter list to specify whether you want to generate reports for the current configuration, all tests, or a custom set of tests.
You are asked whether you want to view report now.
3. Click Yes to display the new report in the JavaTest ReportBrowser.

7.8.1.2 To Create a Test Report in Command-Line Mode

Specify where you want to create the test report.

1. To specify the report directory from the command line at runtime, use:

```
ant report -Dreport.dir="report_dir"
```

Reports are written for the last test run to the directory you specify. 2. To specify the default report directory, set the `report.dir` property in `<TS_HOME>/bin/ts.jte`.

For example, `report.dir="/home/josephine/reports"`. 3. To disable reporting, set the `report.dir` property to `"none"`, either on the command line or in `ts.jte`.

For example:

```
ant -Dreport.dir="none"
```

Troubleshooting

Although you can run the `report` Ant target from any test directory, its support is not guaranteed in the lower level directories. It is recommended that you always run the `report` target from `<TS_HOME>/bin`, from which reports are generated containing information about which tests were or were not run.

7.8.2 Viewing an Existing Test Report

7.8.2.1 To View an Existing Report in the JavaTest Report Browser

1. From the JavaTest main menu, select Report, then select Open Report.
You are prompted to specify the directory containing the report you want to open.
2. Select the report directory you want to open, and then click Open.
The selected report set is opened in the JavaTest Report Browser.

7.8.2.2 To View an Existing Report in a Web Browser

Use the Web browser of your choice to view the `report.html` file in the report directory you specified from the command line or in `ts.jte`.

The current report directory is displayed when you run the `report` target.

8 Debugging Test Problems

There are a number of reasons that tests can fail to execute properly. This chapter provides some approaches for dealing with these failures. Note that most of these suggestions are only relevant when running the test harness in GUI mode. This is a dummy change and will be reverted.

This chapter includes the following topics:

- [Overview](#)
- [Test Tree](#)
- [Folder Information](#)
- [Test Information](#)
- [Report Files](#)
- [Configuration Failures](#)

8.1 Overview

The goal of a test run is for all tests in the test suite that are not filtered out to have passing results. If the root test suite folder contains tests with errors or failing results, you must troubleshoot and correct the cause to satisfactorily complete the test run.

- **Errors:** Tests with errors could not be executed by the JavaTest harness. These errors usually occur because the test environment is not properly configured.
- **Failures:** Tests that fail were executed but had failing results.

The Test Manager GUI provides you with a number of tools for effectively troubleshooting a test run. See the JavaTest User's Guide and JavaTest online help for detailed descriptions of the tools described in this chapter.

8.2 Test Tree

Use the test tree in the JavaTest GUI to identify specific folders and tests that had errors or failing results. Color codes are used to indicate status as follows:

- **Green:** Passed
- **Blue:** Test Error
- **Red:** Failed to pass test

- White: Test not run
- Gray: Test filtered out (not run)

8.3 Folder Information

Click a folder in the test tree in the JavaTest GUI to display its tabs.

Choose the Error and the Failed tabs to view the lists of all tests in and under a folder that were not successfully run. You can double-click a test in the lists to view its test information.

8.4 Test Information

To display information about a test in the JavaTest GUI, click its icon in the test tree or double-click its name in a folder status tab. The tab contains detailed information about the test run and, at the bottom of the window, a brief status message identifying the type of failure or error. This message may be sufficient for you to identify the cause of the error or failure.

If you need more information to identify the cause of the error or failure, use the following tabs listed in order of importance:

- Test Run Messages contains a Message list and a Message section that display the messages produced during the test run.
- Test Run Details contains a two-column table of name/value pairs recorded when the test was run.
- Configuration contains a two-column table of the test environment name/value pairs derived from the configuration data actually used to run the test.



You can set `harness.log.traceflag=true` in `<TS_HOME>/bin/ts.jte` to get more debugging information. In a terminal window, you can also set an environment variable `HARNESS_DEBUG=true` to display more debugging information.

8.5 Report Files

Report files are another good source of troubleshooting information. You may view the individual test results of a batch run in the JavaTest Summary window, but there are also a wide range of HTML report files that you can view in the JavaTest ReportBrowser or in the external browser or your choice following a test run. See [Test Reports](#) for more information.

8.6 Configuration Failures

Configuration failures are easily recognized because many tests fail the same way. When all your tests begin to fail, you may want to stop the run immediately and start viewing individual test output. However, in the case of full-scale launching problems where no tests are actually processed, report files are usually not created (though sometimes a small `harness.trace` file in the report directory is written).

When aborting a test run, consider the following:

- If you abort a test run when running the JavaTest harness in GUI mode, the GUI tools automatically cleans up your environment for the next test run. This cleanup includes undeploying any components or applications that may be deployed or registered with the Application Server.
- If you abort a test run in command-line mode (by pressing Ctrl+C), your environment might not be left in a clean state, causing potential failures in subsequent test runs. In such cases, you may need to perform the following procedure to restore your environment to a clean state.

To restore your environment after aborting a test run in command-line mode, perform these steps.

1. Log in to the Application Server with the `asadmin` command.
2. List all registered components with the `asadmin list-components` command.
3. Undeploy any listed components related to your test run with the `asadmin undeploy listed_component` command.

9 Troubleshooting

This chapter explains how to debug test failures that you could encounter as you run the Java Platform, Enterprise Edition Compatibility Test Suite.

9.1 Common CTS Problems and Resolutions

This section lists common problems that you may encounter as you run the Java Platform, Enterprise Edition Compatibility Test Suite software on the Java Platform, Enterprise Edition RI. It also proposes resolutions for the problems, where applicable.

- Problem:

The following exception may occur when a Java EE 8 CTS test tries to write a very long tracelog:

```
java.lang.StringIndexOutOfBoundsException: String
index out of range:
-13493
at java.lang.String.substring(String.java:1525)
at java.lang.String.substring(String.java:1492)
at javasoft.sqe.javatest.TestResult$Section
$WritableOutputBuffer.write(TestResult.java:650)
at java.io.Writer.write(Writer.java:153)
at java.io.PrintWriter.write(PrintWriter.java: 213)
at java.io.PrintWriter.write(PrintWriter.java: 229)
at java.io.PrintWriter.print(PrintWriter.java: 360)
at java.io.PrintWriter.println(PrintWriter.java:497)
at javasoft.sqe.javatest.lib.ProcessCommand
$StreamCopier.run(ProcessCommand.java:331)
```

The execution of the test will either fail or hang.

Resolution:

Set the `-Djavatest.maxOutputSize='nnn system parameter in the 'runclient and/or gui targets in the <TS_HOME>/bin/build.xml` file to a value that is higher than the default setting of `100,000` on the JavaTest VM. * Problem:

When you start the Java Platform, Enterprise Edition RI on Windows XP/2000 by using the `javaee -verbose` command, the system may not find the specified path and could display one of the following errors:

```
"Verify that JAVA_HOME is set correctly"
"Verify that JAVAEE_HOME is set correctly"
```

Resolution:

Set `JAVA_HOME` to the path where the version of Java being used was installed and set `JAVAEE_HOME` to the location of the Java Platform, Enterprise Edition installation directory. * Problem:

If the `cts.jar` and the `tsharness.jar` files are not loadable by the extension classloader of your Java Platform, Enterprise Edition server, the following exception will be displayed in the window where the server was started when you attempt to run the tests:

```
java.lang.NoClassDefFoundError: com/sun/cts/util  
RemoteLoggingInitException
```

Resolution:

Ensure that the `cts.jar` and `tsharness.jar` files can be loaded by the extension class loader of your Java Platform, Enterprise Edition server.

9.2 Support

After completing the troubleshooting process explained in this chapter, if you still cannot resolve your test problems, please contact the Java Licensee Engineering representative assigned to your account.

10 Building and Debugging Tests

For final certification and branding, all tests must be run through the JavaTest test harness. However, you can execute different Ant targets during your build and debug cycle. The following sections describe how to use Ant with the following targets to rebuild, list, and run tests:

- `runclient`
- `clean`
- `build`
- `ld, lld, lc, llc, pd, pc`

Licensees can only run the version of the tests provided with the CTS for certification, except in the case of rebuildable tests.

This chapter includes the following topics:

- [Configuring Your Build Environment](#)
- [Building the Tests](#)
- [Running the Tests](#)
- [Listing the Contents of dist/classes Directories](#)
- [Debugging Service Tests](#)

10.1 Configuring Your Build Environment

Complete the following steps to set up your environment to build, deploy, and run the CTS tests using Ant. The following example is for the Solaris platform:

1. Set the following environment variables in your shell environment to use the build infrastructure that comes with the TCK:
 - `TS_HOME` to the directory in which the Java EE 8 CTS software is installed.
 - `TS_HOME/bin` to your `PATH` in your command shell.
 - C Shell:

```
setenv PATH ${TS_HOME}/bin:${PATH}
```

Bourne Shell:


```
PATH=${TS_HOME}/bin:${PATH}
export PATH
```

- **JAVA_HOME** to the directory in which the Java SE 8 software is installed.
- **JAVAAE_HOME** to the directory in which the Java Platform, Enterprise Edition RI is installed.
 1. Unset **ANT_HOME**, if it is currently set in your environment.
 2. Change to the **<TS_HOME>/bin** directory and verify that the **ts.jte** file has the following properties set:
 - **webserver.home**: the directory in which the Java Web Server is installed
 - **webserver.host**: the host on which the Web server is running
 - **webserver.port**: the port on which the Web server is running
 - **javaee.home.ri**: the directory in which the Java Platform, Enterprise Edition RI is installed for reference to the packager tool used by the build infrastructure
 - **ts.classpath**: required classes needed for building/running the TCK

10.2 Building the Tests

To build the Java EE 8 CTS tests using Ant, complete the following steps:

1. To build a single test directory, type the following:

```
cd <TS_HOME>/src/com/sun/ts/tests/test_dir
ant clean build
```

This cleans and builds the tests in the directory specified for **test_dir**. 2. To list the classes directory for this test that was built, type the following:

```
ant lc
```

or

```
ant llc
```

1. To list the distribution directory of archives for this test that was built, type the following:

```
ant pd
```

or

```
ant pc
```

10.3 Running the Tests

To run the Java EE 8 CTS tests using Ant, use one of the following procedures.

10.3.1 To Run a Single Test Directory

To run a single test directory, type the following:

```
cd <TS_HOME>/src/com/sun/ts/tests/test_dir  
ant runclient
```

This runs all tests in test_dir.

10.3.2 To Run a Single Test Within a Test Directory

To run a single test within a test directory, type the following:

```
cd <TS_HOME>/src/com/sun/ts/tests/test_dir  
ant runclient -Dtest=test_name
```

This runs only the test_name in the test_dir test directory. To show all the tests that can be run from a particular test directory, change to the directory and execute the `list.tests` Ant task. The actual test name displays to the right of the pound sign (#), which follows the fully qualified name of the client class.

10.4 Listing the Contents of dist/classes Directories

You can use various Ant targets to list the contents of corresponding `dist/classes` directories from the `src` directory without leaving the `src` directory. All listings are sorted by modification time, with the most recent modification listed first. Output is redirected to `more`. The format may vary on Windows and Unix. Ant does not support changing directory into the `dist/classes` directories, but you can copy and paste the first line of the output, which is the target path.

The Ant list targets are as follows:

- `ld`: Lists the contents of the current test's dist directory
- `lld`: Provides a long listing of the contents of the current test's dist directory
- `lc`: Lists the contents of the current test's classes directory
- `llc`: Provides a long listing of the contents of the current test's classes directory
- `pd`: Starts a new shell placed into the current test's dist directory
- `pc`: Starts a new shell placed into the current test's classes directory

If you run these targets in a directory that is not under the `src` directory, they will list the contents of the current directory.



`pc`, `lc`, and `llc` also support the `-Dbuild.vi` property for listing the rebuildable tests. The rebuildable tests are located under `<TS_HOME>/classes_vi_built` instead of `<TS_HOME>/classes`.

The following listing shows sample output for the Ant `lc` target.

```
cd $TS_HOME/src/com/sun/ts/tests/samples/ejb/ee/simpleHello
ant lc
<TS_HOME>/classes/com/sun/ts/tests/samples/ejb/ee/simpleHello
-----
Hello.class
HelloClient.class
HelloEJB.class
HelloHome.class

ant -Dbuild.vi=true lc
<TS_HOME>/classes_vi_built/com/sun/ts/tests/samples/ejb/ee/simpleHello
-----
Hello.class
HelloClient.class
HelloEJB.class
HelloHome.class
```

10.5 Debugging Service Tests

The Java EE 8 CTS service tests test the compatibility of the Java Platform, Enterprise Edition Service APIs: JavaMail, JDBC, JMS, JTA, JAX-WS, JWS, CAJ, and RMI over IIOP. The test suite contains sets of tests that the JavaTest harness, in conjunction with the Java EE 8 CTS harness extensions, runs from different Java Platform, Enterprise Edition containers (enterprise bean, JSP, Servlet, and application client). The test suite wraps each of these tests inside generic components, called vehicles. Each Java EE 8 CTS service test has been set up to run in a default set of vehicles. Each technology's specification determines this set. When run as part of the certification process, all service API tests must pass in their default vehicle set.

Refer to the `<TS_HOME>/src/vehicle.properties` file to for a list the default vehicle sets for the Java EE 8 CTS service API tests.

To help you debug service API tests, the test suite provides a mechanism that allows for fine-grained control over which tests you can run in specific vehicles. When you override the default vehicle set for a particular set of service tests, the new set of vehicles must be a subset of the valid vehicle set for that set of tests. If the new set is not a subset of the default set, the test suite will use the default set.

[Example 10-1](#) illustrates this mechanism.



You can only use this mechanism for debugging purposes. For certification, you must run using the default set of vehicles.

10.5.1 Examples

Example 10-1 Running RMI/IIOP Enterprise Edition Tests

To run the RMI/IIOP enterprise edition tests in the application client vehicle only, set the following system property in the `<TS_HOME>/bin/build.xml` file for the Ant `gui` or `runclient` targets:

```
<sysproperty key="tests_rmiiop_ee.service_eetest.vehicles"
  value="appclient"/>
```

This property overrides the default vehicle set for all tests under the specified directory (and in every subdirectory of that directory). Note that the first part of the property name matches the tests directory structure as it appears under `<TS_HOME>` (with the underscore character (`_`) replacing any file separator, such as the slash character (`/`) or the backslash character (`\`)).

Before you run the test or tests, you should temporarily rename the file `<TS_HOME>/src/testsuite.jtd`.

Example 10-2 Restricting the JDBC Test Run

To restrict the JDBC test run to the servlet and JSP vehicles only, set the following system property in the `<TS_HOME>/bin/build.xml` file for the Ant `gui` or `runclient` targets:

```
<sysproperty key="tests_jdbc_ee.service_eetest.vehicles"
  value="servlet jsp"/>
```

Before you run the test or tests, you should temporarily rename the file `<TS_HOME>/src/testsuite.jtd`.

Note that you must remove these properties before you run the Java EE 8 CTS test suite for certification.

10.5.2 Obtaining Additional Debugging Information

When running the JavaTest harness in command-line mode, you can obtain additional debugging information by setting the `HARNESS_DEBUG` environment variable, as follows:

```
setenv HARNESS_DEBUG=true
```

Subsequent runs with the Ant `runclient` command generate additional debugging information.

You can also generate additional test run information by setting the `<TS_HOME>/bin/ts.jte harness.log.traceflag` property as follows:

```
harness.log.traceflag=true
```

11 Implementing the Porting Package

Some functionality in the Java Platform, Enterprise Edition platform is not completely specified by an API. To handle this situation, the Java EE 8 CTS test suite defines a set of interfaces in the `com.sun.cts.porting` package, which serve to abstract any implementation-specific code. The CTS also provides implementations of these interfaces to work with the Java Platform, Enterprise Edition RI.

You must create your own implementations of the porting package interfaces to work with your particular Java Platform, Enterprise Edition server environment. You also need to create a deployment plan for each deployable component (EAR, EJB JAR, WAR, and RAR files) in the test suite as defined by the Java Platform, Enterprise Edition platform and JSR-88. There is a new `getDeploymentPlan()` method on the `TSDeploymentInterface2` interface, which returns an input stream to your deployment plan.



Vendors are required to interpret the `ior-security-config` specified in the EJB runtime XML file and configure the EJB according to the specified values. For more information, see [The security-role-mapping Element](#).

11.1 Overview

The Java Platform, Enterprise Edition RI uses a set of module-name-with-extension `.sun-standard-deployment-desc-component-prefix.xml` files that are associated with each deployable component. A CTS `DeploymentInfo` object parses the contents of several runtime XML files: `sun-application_1_4-0.xml`, `sun-application-client_1_4-0.xml`, `sun-ejb-jar_2_1-0.xml`, and `sun-web-app_2_4-0.xml`, and makes their content available to create deployment plans by means of the `getDeploymentPlan()` method.

To use specific implementations of these classes, you simply modify the following entries in the `porting class .1` section of the `ts.jte` environment file to identify the fully-qualified class names:

```
porting.ts.deploy2.class.1=[vendor-deployment-class]
porting.ts.login.class.1=[vendor-login-class]
porting.ts.url.class.1=[vendor-url-class]
porting.ts.jaxrpc.class.1=[vendor-jaxrpc-class]
porting.ts.jms.class.1=[vendor-jms-class]
porting.ts.HttpURLConnection.class.1=[vendor-HttpURLConnection-class]
```

The `<TS_HOME>/src/com/sun/ts/lib/porting` directory contains the interfaces and `Factory` classes for the porting package.



You must not modify any of the CTS VRelease 8 source code. Create your own implementations of these interfaces and point to them in the appropriate section of the `ts.jte` file.

Note the change to the deployment porting property above. It has changed to be `deploy2`. This is because there is a new deployment porting interface because of the standardization of a deployment API in Java Platform, Enterprise Edition. Any functionality that is still not addressed by this API is part of the new interface `com.sun.ts.lib.porting.TSDeploymentInterface2`.

Make sure your porting class implementations meet the following requirements:

- Implement the following porting interfaces:
 - `TSDeploymentInterface2`
 - `TSLoginContextInterface`
 - `TSURLInterface`
 - `TSJMSAdminInterface`
 - `TSURLConnectionInterface`
 - `TSJAXRPCInterface`
- Include the implementation of the previous interfaces in the classpaths of JavaTest, the test clients, and the test server components:
 - In the `ts.harness.classpath` property in the `<TS_HOME>/bin/ts.jte` file
 - In the `CLASSPATH` variable of the `command.testExecute` and `command.testExecuteAppClient` properties in the `ts.jte` file
 - In the classpath of your Java Platform, Enterprise Edition server

Note that because the JavaTest VM calls certain classes in the CTS porting package directly, porting class implementations are not permitted to exit the VM (for example, by using the `System.exit` call).

11.2 Porting Package APIs

The following sections describe the API in the Java EE 8 CTS porting package. The implementation classes used with the Java Platform, Enterprise Edition RI are located in the `<TS_HOME>/src/com/sun/ts/lib/implementation/sun/javaee` directory. You are encouraged to examine these implementations before you create your own.

Detailed API documentation for the porting package interfaces is available in the `<TS_HOME>/docs/api` directory. The API included in this section are:

- [TSDeploymentInterface2](#)
- [Ant-Based Deployment Interface](#)
- [TSJMSAdminInterface](#)
- [TSLoginContextInterface](#)
- [TSURLInterface](#)

- [TSURLConnectionInterface](#)
- [TSJAXRPCInterface](#)

11.2.1 TSDeploymentInterface2

The Java EE 8 CTS test suite provides a new version of the Deployment porting interface. With the introduction of a standard deployment API in the J2EE 1.4 platform (via JSR-88), many of the porting methods in the original interface `TSDeploymentInterface` no longer require implementation-specific functionality. The Java EE 8 CTS test suite provides an implementation of the interface `TSDeploymentInterface`, which uses only the standard Deployment APIs defined by the Java Platform, Enterprise Edition platform. The following properties are still in the `ts.jte` file to reflect this and should not be changed:

- `porting.ts.deploy2.class.1=com.sun.ts.lib.deliverable.cts.deploy.StandardDeployment14`
- `porting.ts.deploy2.class.2=com.sun.ts.lib.deliverable.cts.deploy.StandardDeployment14`

The class `StandardDeployment14` also requires the following properties to be set in the `ts.jte` file:

- `deployManagerJarFile.1=${JAVAE_HOME}/lib/deployment/sun-deploy.jar`
- `deployManageruri.1=deployer:Sun:AppServer:RI::localhost`
- `deployManageruname.1=foo`
- `deployManagerpasswd.1=bar`

These properties are necessary in order to get an instance of and interact with the `DeploymentManager` for your Java Platform, Enterprise Edition implementation.

The `deployManagerJarFile` property must point to the JAR file that contains the manifest entries necessary to get your `DeploymentManager` instance. The `deployManageruri` property represents the URI that is used to locate your `DeploymentManager`.

The `deployManageruname` and `deployManagerpasswd` properties are used when calling `DeploymentFactoryManager.getDeploymentManager`.

`StandardDeployment14` calls into the new deployment porting interface (`TSDeploymentInterface2`). Licensees must implement this new interface and set the following property in the `ts.jte` file to point to their implementation:

```
porting.ts.deploy2.class.1=com.sun.ts.lib.implementation.sun.JavaEE.SunRIDeployment2
```

The `TSDeployment2` class acts as a `Factory` object for creating concrete implementations of `TSDeploymentInterface2`. The concrete implementations are specified by the `porting.ts.deploy2.class.1` and `porting.ts.deploy2.class.2` properties in the `ts.jte` file. Each Java Platform, Enterprise Edition implementation must provide an implementation of the interface `TSDeploymentInterface2` to support

the automatic deployment and undeployment of test applications by the JavaTest test harness. Providing this functionality enables the entire test suite to be run without having to manually deploy/undeploy the Java Platform, Enterprise Edition test applications prior to running the tests. The implementation provided with this release uses the semantics of the Java Platform, Enterprise Edition RI.

11.2.2 Ant-Based Deployment Interface

In addition to the Java-based deployment porting interfaces, Java EE 8 CTS introduces an Ant-based porting interface as well. The Java-based interface is still used for deployment/undeployment during test runs. The Ant-based interface is used when you want to only deploy/undeploy archives associated with a subdirectory of tests. The Ant-based deployment interface is used by the following:

- The `build.special.webservices.clients` target in the `${ts.home}/bin/build.xml` file
This target deploys archives to your server implementation and then builds the client classes that use those archives. You must run this target before you run the tests under the `${ts.home}/src/com/sun/ts/tests/webservices12/specialcases` directory.
- The `deploy` and `undeploy` targets in each test subdirectory under the `${ts.home}/src/com/sun/ts/tests` directory
To use these targets, which are useful for debugging, you must provide an Ant-based deployment implementation.

11.2.2.1 Creating Your Own Ant-based Deployment Implementation

The Ant-based deployment implementation for the Java EE 8 RI is under `${ts.home}/bin/xml/impl/glassfish` directory. To create your own implementation, create a `deploy.xml` file under the `${ts.home}/bin/xml/impl/<vendor-name>` directory. Within the file, create and implement the `-deploy` and `-undeploy` targets.

See `${ts.home}/bin/xml/impl/glassfish/deploy.xml` to see how these targets are implemented for the Java EE 8 RI .



There is also a Java-based implementation of `TSDeploymentInterface` (`com.sun.ts.lib.implementation.sun.javaee.glassfish.AutoDeployment`). This implementation, which leverages the Java EE 8 RI implementation of the Ant-based deployment interface, calls the Ant targets programmatically.

11.2.3 TSJMSAdminInterface

JMS-administered objects are implementation-specific. For this reason, the creation of connection factories and destination objects have been set up as part of the porting package. Each Java Platform, Enterprise Edition implementation must provide an implementation of the `TSJMSAdminInterface` to support their own connection factory, topic/queue creation/deletion semantics.

The `TSJMSAdmin` class acts as a `Factory` object for creating concrete implementations of `TSJMSAdminInterface`. The concrete implementations are specified by the `porting.ts.jms.class.1` and `porting.ts.jms.class.2` properties in the `ts.jte` file.

If you wish to create the JMS-administered objects prior to executing any tests, you may use the default implementation of `TSJMSAdminInterface`, `SunRIJMSAdmin.java`, which provides a null implementation. In the case of the Java Platform, Enterprise Edition RI, the JMS administered objects are created during the execution of the `config.vi` Ant target.

There are two types of JMS-administered objects:

- A `ConnectionFactory`, which a client uses to create a connection with a JMS provider
- A `Destination`, which a client uses to specify the destination of messages it sends and the source of messages it receives

11.2.4 TSLoginContextInterface

The `TSLoginContext` class acts as a `Factory` object for creating concrete implementations of `TSLoginContextInterface`. The concrete implementations are specified by the `porting.ts.login.class.1` property in the `ts.jte` file. This class is used to enable a program to login as a specific user, using the semantics of the Java Platform, Enterprise Edition RI. The certificate necessary for certificate-based login is retrieved. The keystore file and keystore password from the properties that are specified in the `ts.jte` file are used.

11.2.5 TSURLInterface

The `TSURL` class acts as a `Factory` object for creating concrete implementations of `TSURLInterface`. The concrete implementations are specified by the `porting.ts.url.class.1` property in the `ts.jte` file. Each Java Platform, Enterprise Edition implementation must provide an implementation of the `TSURLInterface` to support obtaining URL strings that are used to access a selected Web component. This implementation can be replaced if a Java Platform, Enterprise Edition server implementation requires URLs to be created in a different manner. In most Java Platform, Enterprise Edition environments, the default implementation of this class can be used.

11.2.6 TSHttpsURLConnectionInterface

The `TSHttpsURLConnection` class acts as a `Factory` object for creating concrete implementations of `TSHttpsURLConnectionInterface`. The concrete implementations are specified by the `porting.ts.HttpsURLConnection.class.1` and `.2` properties in the `ts.jte` file.

You must provide an implementation of `TSHttpsURLConnectionInterface` to support the class `HttpsURLConnection`.



The `SunRIHttpsURLConnection` implementation class uses `HttpsURLConnection` from Java SE 8.

11.2.7 TSJAXRPCInterface

The `TSJAXRPC` class acts as a `Factory` object for creating concrete implementations of `TSJAXRPCInterface`. The concrete implementations are specified by the `porting.ts.jaxrpc.class.1` and `.2` properties in the `ts.jte` file.

You must provide an implementation of `TSJAXRPCInterface` to support the class `TSJAXRPC`. This class is used to provide as name/value pairs the URL value of the deployed webservice endpoints for those sets of tests which use DII, direct HTTP, or direct SAAJ to communicate to the endpoints.

A Common Applications Deployment

Some tests in the test suite require the deployment of additional applications, components, or resource archives that are located in directories other than the test's directory. When the test harness encounters a test that requires these additional applications, components, or resource archives, they are passed to the `TSDeploymentInterface2` implementation to be deployed. Because these applications can be shared by tests in different test directories, they are called common applications.

[Table A-1](#) lists the test directories and the directories that contain the common applications that are required by the test directories.

Table A-1 Required Common Applications

Directory Under <code>com/sun/ts/tests</code>	Directory Under <code>com/sun/ts/tests</code> With Associated Common Applications
<code>ejb/ee/tx/session</code>	<code>ejb/ee/tx/txbean</code>
<code>ejb/ee/tx/entity/bmp</code>	<code>ejb/ee/tx/txEbean</code>
<code>ejb/ee/tx/entity/cmp</code>	<code>ejb/ee/tx/txECMPbean</code>
<code>ejb/ee/tx/entity/pm</code>	<code>ejb/ee/tx/txEPMbean</code>
<code>connector/ee/localTx/msginflow</code>	<code>common/connector/whitebox</code>
<code>connector/ee/mdb</code>	<code>connector/ee/localTx</code>
<code>common/connector/whitebox</code>	<code>connector/ee/noTx</code>
<code>common/connector/whitebox</code>	<code>connector/ee/xa</code>
<code>common/connector/whitebox</code>	<code>connector/ee/connManager</code>
<code>common/connector/whitebox</code>	<code>xa/ee</code>
<code>compat13/connector/localTx</code>	<code>compat13/connector/whitebox</code>
<code>compat13/connector/noTx</code>	<code>compat13/connector/whitebox</code>
<code>compat13/connector/xa</code>	<code>compat13/connector/whitebox</code>
<code>interop/tx/session</code>	<code>interop/tx/txbean</code>
<code>interop/tx/entity</code>	<code>interop/tx/txEbean</code>
<code>interop/tx/webclient</code>	<code>interop/tx/txbean</code>
<code>tests/interop/csiv2</code>	<code>interop/csiv2/rionly</code>
<code>ejb/ee/pm/ejbql</code>	<code>ejb/ee/pm/ejbql/schema</code>
<code>ejb/ee/tx/session/stateful/bm/TxMDBMS_Direct</code>	<code>ejb/ee/tx/session/stateful/bm/TxMDBMSBeans/BeanA</code>
<code>ejb/ee/tx/session/stateful/bm/TxMDBMSBeans/BeanB</code>	<code>ejb/ee/tx/session/stateful/bm/TxMDBMSBeans/BeanC</code>
<code>tests/ejb/ee/tx/session/stateful/bm/TxMDBMS_Indirect</code>	<code>ejb/ee/tx/session/stateful/bm/TxMDBMSBeans/BeanA</code>
<code>ejb/ee/tx/session/stateful/bm/TxMDBMSBeans/BeanB</code>	<code>ejb/ee/tx/session/stateful/bm/TxMDBMSBeans/BeanC</code>
<code>ejb/ee/tx/session/stateful/bm/TxMDBSS_Direct</code>	<code>ejb/ee/tx/session/stateful/bm/TxMDBSSBeans/BeanA</code>
<code>ejb/ee/tx/session/stateful/bm/TxMDBSSBeans/BeanB</code>	<code>tests/ejb/ee/tx/session/stateful/bm/TxMDBSSBeans/BeanC</code>

Directory Under <code>com/sun/ts/tests</code>	Directory Under <code>com/sun/ts/tests</code> With Associated Common Applications
<code>ejb/ee/tx/session/stateful/bm/TxMDBSS_Indirect</code>	<code>ejb/ee/tx/session/stateful/bm/TxMDBSSBeans/BeanA</code>
<code>ejb/ee/tx/session/stateful/bm/TxMDBSSBeans/BeanB</code>	<code>ejb/ee/tx/session/stateful/bm/TxMDBSSBeans/BeanC</code>

B CSiv2 Test Reference

This appendix provides information about the following topics:

- [Overview](#)
- [CSiv2 Logging Servlet](#)
- [Naming Conventions for CSiv2 Test Directories](#)
- [CSiv2 Test Directory Structure](#)
- [Naming Conventions for CSiv2 Test Names](#)
- [Debugging CSiv2 Test Failures](#)
- [Examining Test Logs](#)
- [CSiv2 Log Elements](#)
- [IORs and Associated CSiv2 Tests](#)

B.1 Overview

This section describes the deployment scenarios under which the CSiv2 interoperability tests are executed. Each scenario uses two servers. The label "Licensee Java Platform, Enterprise Edition Server" refers to the server under test. The label "Java EE 8 RI Server" refers to the reference server against which compatibility will be verified.

There are three primary deployment scenarios, each of which is described in greater detail in sections that follow:

- [Application Client-to-EJB Scenarios](#)
- [EJB-to-EJB Test Scenarios](#)
- [Web Client-to-EJB Scenarios](#)

Although these scenarios often involve more than one invocation, the invocation of primary interest is the final invocation, which is always between servers.

A new logging mechanism was introduced with Java EE 8 CTS. Logging now occurs as follows:

- From the VI, logging operations are done through a servlet request.
- From the RI (in the Interceptor), logging operations skip the servlet request and write directly to the log file, since the interceptor resides on the same machine as the log files.
- From RI (not interceptor), logging operations are done through a servlet request.

The log files are created and sent back to the client-side tests, where they are validated as having the

correct data in them. These log files are typically removed between test runs, but can be kept around for assisting with debugging and troubleshooting. Setting the `ts.jte "traceflag"` property to `true` will keep these files.



The `LoggingServlet` must be have permission to write to the log file directory. If it does not have this permission, the logging will fail, which will cause all the CSiv2 tests to fail as well.

When the server that is running the Java EE 8 RI is started, a set of logging interceptors are registered, allowing the test code to collect protocol-level information. Note that this interceptor is only installed on the server that is running the Java EE 8 RI. The Java EE 8 CTS does not require the Licensee Java Platform, Enterprise Edition Server to support CORBA Portable Interceptors.

Each scenario is executed in both a "`forward`" and a "`reverse`" direction:

- In the `forward` direction, the client component of the invocation of primary interest is on the Licensee Java Platform, Enterprise Edition Server, and the server component is on the server that is running the Java EE 8 RI. In this direction, information about the CSiv2 request message is collected and analyzed.
- In the `reverse` direction, the client component of the invocation of primary interest is on the server that is running the Java EE 8 RI, and the server component is on the Java Platform, Enterprise Edition Licensee server. In this direction, information about the published IOR and the CSiv2 response message is collected and analyzed.


[Application Client-to-EJB Scenarios](#), [EJB-to-EJB Test Scenarios](#), and [Web Client-to-EJB Scenarios](#) show the components that are present in both the `forward` and `reverse` directions.

By understanding these deployment scenarios, you can have a deeper understanding of how the tests work, which will make it easier to determine why a particular test is not passing.

B.1.1 Application Client-to-EJB Scenarios

Each application client-to-EJB scenario includes an application client and an EJB, as shown in [Figure B-1](#). In the `forward` direction, the application client is deployed on the Licensee Java Platform, Enterprise Edition server and the EJB is deployed on the server that is running the Java EE 8 RI. In the `reverse` direction, the application client is deployed on the server that is running the Java EE 8 RI, and the EJB is deployed on the Licensee Java Platform, Enterprise Edition Server. The Logging Interceptor (LI) is deployed on the server that is running the Java EE 8 RI.


Figure B-1 Application Client-to-EJB Test Scenario



B.1.2 EJB-to-EJB Test Scenarios

Each of the EJB-to-EJB scenarios includes an application client and two enterprise beans, as shown in [Figure B-2](#). In the **forward** direction, the application client and EJB1 are deployed on the Licensee Java Platform, Enterprise Edition Server. EJB2 is deployed on the server that is running the Java EE 8 RI. In the **reverse** direction, the Application Client and EJB3 are deployed on the server that is running the Java EE 8 RI. EJB4 is deployed on the Licensee Java Platform, Enterprise Edition Server. The Logging Interceptor (LI) is deployed on the server that is running the Java EE 8 RI.


Figure B-2 EJB-to-EJB Test Scenario



B.1.3 Web Client-to-EJB Scenarios

Each Web client-to-EJB scenarios includes an application client, a servlet, and an EJB, as shown in [Figure B-3](#). In the forward direction, the application client and the Web client are deployed on the Licensee Java Platform, Enterprise Edition Server. The EJB is deployed on the server that is running the Java EE 8 RI. In the reverse direction, the application client and the Web client are deployed on the server that is running the Java EE 8 RI. The EJB is deployed on the Licensee Java Platform, Enterprise Edition Server.

Figure B-3 Web-to-EJB Test Scenario



B.2 CSiv2 Logging Servlet

Along with any EAR files for the directory under test, the Logging Servlet should get copied over to the Java EE 8 RI as part of the autodeployment process. The Logging Servlet is needed on the Java EE 8 RI. After the Logging Servlet has been deployed, verify that it is working properly by accessing the following URL:

```
http://localhost:8002/logger_servlet_web/LoggerServlet?log.file.location=USE_DEFAULT&ping
=
```

where **localhost** is the Java EE 8 RI host represented as **ts.jte** values **orb.host.ri** and **remote.orb.host** and **8002** is the port represented as **ts.jte** values **webServerPort.2** and **remote.orb.port**.

If you can not access the page at URL on your Java EE 8 RI, all CSiv2 tests will fail. Ensure that you can access the URL. Accessing this page displays the following text:

```
in LoggerServlet.ping()
```

Failure to access the page could be caused by one or more of the following:

- One or more of the `ts.jte` properties (hostnames, ports, log dirs, etc.) have been set incorrectly
- The logging servlet does not have the necessary permissions to write to the file system
- The logging servlet does not have permissions to write to the file system log directory

Several properties and JVM options that control logging need to be set in the `ts.jte` file:

- `ri.log.file.location` to the location to which the Java EE 8 RI log files will be written and optionally stored if the `harness.log.traceflag` property is set to `true`. The setting for this property should not have to be changed.
- `ri.jvm.options` to the following for the Java EE 8 RI:
 - `-Dremote.orb.port=${webServerPort.2}`
 - `-Dremote.orb.host=${orb.host.ri}`
 - `-Dri.log.file.location=${ri.log.file.location}`
 - `-Dcsiv2.save.log.file=${harness.log.traceflag}`
 The settings for this property should not have to be changed.
- `command.testExecuteAppClient` and `command.testExecuteAppClient2` to the following JVM properties:
 - `-Dri.log.file.location=${ri.log.file.location} \`
 - `-Dremote.orb.host=${orb.host.ri} \`
 - `-Dremote.orb.port=${webServerPort.2} \`
- `s1as.jvm.options` to the following JVM options in your VI:
 - `-Dremote.orb.port=${webServerPort.2}`
 - `-Dremote.orb.host=${orb.host.ri}`
 - `-Dri.log.file.location=${ri.log.file.location}`

B.3 Naming Conventions for CSiv2 Test Directories

The CSiv2 test directories are named according to the configuration that they represent. All tests are located in subdirectories of the `<TS_HOME>/src/com/sun/ts/tests/interop/csiv2` directory.

The CSiv2 test directories use the following naming conventions:

```
orig_prot_auth_assertion
```

where:

- **orig** is the origin of the invocations:
 - **ac**: Application client
 - **ew**: EJB or Web client
- **prot** is the transport protection for the invocation:
 - **ssl_n**: No SSL transport protection
 - **ssl**: SSL transport protection
- **auth** is the authentication settings for the deployed beans:
 - **sslr_upn**: SSL authentication Required, No Username/Password authentication
 - **ssl_n_upr**: No SSL authentication, Username/Password authentication required
 - **ssl_n_upn**: Neither SSL authentication nor Username/Password authentication
- **assertion** is the type of identity assertion:
 - **no_id**: No identity assertion
 - **no_id_a**: Negative test case for no identity assertion
 - **cc_id**: Certificate chain assertion
 - **up_id**: Username/Password assertion
 - **anon_id**: Assertion of anonymous identity

B.4 CSiv2 Test Directory Structure

The directory structure for the CSiv2 tests begins at the **tests/interop/cziv2** directory. The **/common** subdirectory contains code that is common to all CSiv2 tests. The other subdirectories each indicate different deployment settings. Each subdirectory has a **/forward** and a **/reverse** subdirectory.

Tests in the **/forward** subdirectory are run in the forward direction only (for example, the application client runs in the Licensee Java Platform, Enterprise Edition server, and a call is made to the Java EE 8 RI server). Tests in the **/reverse** subdirectory are run in the reverse direction only (for example, the application client runs in the server that is running the Java EE 8 RI, and a call is made to the Licensee Java Platform, Enterprise Edition server); for example:

```

/testes
  /interop
    /csiv2
      /common
      /ac_ssl_sslr_upn_noid
        /forward
        /reverse
      /ac_ssl_ssln_upr_noid
        /forward
        /reverse
      ...

```

B.5 Naming Conventions for CSiv2 Test Names

The CSiv2 test names are structured as follows:

```
dirname_client-component_server-component_testid[_direction ]
```

where:

- `dirname` is the directory name of the test, under `/tests/interop/csiv2`; for example:

```
ew_ssl_ssln_upn_anonid
```

- `client-component` is the type of client component:
 - `sb`: session bean
 - `wb`: servlet
- `server-component` is the type of server component:
 - `sb`: session bean
- `testid` is the test ID; for example, `testid3`.
- `direction` is the direction of the test. The direction is omitted if forward, or reverse if in the reverse direction. For these tests, forward means from licensee server to the Java EE 8 RI server, and reverse means from the Java EE 8 RI server to the licensee server. In other words, the application client runs in the licensee's container in the forward direction.

Sample test application names for EJB-to-EJB tests include the following:

- `ew_ssl_ssln_upn_anonid_sb_sb_testid3`

B.6 Security Elements Associated With CSIV2 Tests

This section includes the following topics:

- [The security-role-mapping Element](#)
- [The ior-security-config Element](#)

B.6.1 The security-role-mapping Element

The `security-role-mapping` element defines role-to-principal, role-to-group, and role-to-user-to-group mappings.

- A role is a logical grouping of users that is defined by an application component provider or assembler.
- A group is a set of users, classified by common traits, defined in the Java Platform, Enterprise Edition Application Server.
Note that a Java Platform, Enterprise Edition group is designated for the entire Java Platform, Enterprise Edition server, whereas a role is associated with a specific application in a Java Platform, Enterprise Edition server only.
- A principal is an individual (or application program) identity that has been defined in the Java Platform, Enterprise Edition Application Server. Principals can be associated with a group.

The `security-role-mapping` elements are defined in the following files:

- `applicationName`.ear.sun-application.xml``
- `applicationName`.jar.sun-ejb-jar.xml``
- `applicationName`.war.sun-web.xml``

However, the definitions in the file `applicationName`.ear.sun-application.xml`` take precedence over the definitions in the other files.

The examples that follow show how `role-name`, `principal-name`, and `group-names` are used for `security-role-mapping`.

Example B-1 role-name Administrator

The following example shows how `role-name` Administrator is mapped to `principal-name` `javaee` and `principal-name` `javajoe`.

```
<security-role-mapping>
  <role-name>Administrator</role-name>
  <principal-name>javaee</principal-name>
  <principal-name>javajoe</principal-name>
</security-role-mapping>
```

Example B-2 role-name Manager

The following example shows how **role-name** Manager is mapped to **principal-name** javajoe and **group-name** MGR.

```
<security-role-mapping>
  <role-name>Manager</role-name>
  <principal-name>javajoe</principal-name>
  <group-name>MGR</group-name>
</security-role-mapping>
```

B.6.2 The **ior-security-config** Element

The **ior-security-config** element, which describes the security configuration information for the IOR, consists of three components:

- [The transport-config Element](#)
- [The as-context Element](#)
- [The sas-context Element](#)

For the Java Platform, Enterprise Edition Application Server, the **ior-security-config** element is defined in the applicationName`.jar.sun-ejb-jar.xml` file. The element looks like this:

```

<ior-security-config>
  <transport-config>
    <integrity>supported</integrity>
    <confidentiality>supported</confidentiality>
    <establish-trust-in-target>supported</establish-trust-in-target>
    <establish-trust-in-client>supported</establish-trust-in-client>
  </transport-config>
  <as-context>
    <auth-method>username_password</auth-method>
    <realm>default</realm>
    <required>false</required>
  </as-context>
  <sas-context>
    <caller-propagation>supported</caller-propagation>
  </sas-context>
</ior-security-config>

```

B.6.2.1 The transport-config Element

The **transport-config** element contains the following sub-elements:

- **integrity**: The **integrity** field is used to indicate the integrity requirements that a target places on the client at the SSL level.

Valid values are:

- **none**: Indicates that the target does not support integrity at the SSL level
- **required**: Indicates that the target supports, but does not require, integrity at the SSL level
- **supported**: Indicates that the target requires the client to establish a secure connection with integrity at the SSL level

- **confidentiality**: The **confidentiality** field is used to indicate the confidentiality requirements that a target places on the client at the SSL level.

Valid values are:

- **none**: Indicates that the target does not support confidentiality at the SSL level
- **required**: Indicates that the target requires the client to establish a secure connection with confidentiality at the SSL level
- **supported**: Indicates that the target supports, but does not require, confidentiality at the SSL level

An IOR must be generated as shown below. Although confidentiality is used as an example, the principles of IOR generation apply to all other fields related to security requirements at the SSL level, including **establish-trust-in-client**, **establish-trust-in-target**, and **integrity**.

- If the value for a field is **none**:

- The bit that corresponds to the field in `transport_mech.target_requires` must be set to 0.
- The bit that corresponds to the field in `transport_mech.target_supports` must be set to 0.
- If the value for a field is **supported**:
 - The bit that corresponds to the field in `transport_mech.target_supports` must be set to 1.
 - The bit that corresponds to the field in `transport_mech.target_requires` must be set to 0.

For example, if the value of the confidentiality field is true, the following setting is necessary:

```
transport_mech.target_supports = {Confidentiality}
```

- If the value for a field is **required**:
 - The bit that corresponds to the field in `transport_mech.target_requires` must be set to 1.
 - The bit that corresponds to the field in `transport_mech.target_supports` must also be set to 1.
 - The bit that corresponds to the field must also be set in `CompoundSecMec.target_requires`.

For example, if the value of confidentiality is **required**, the following settings are necessary:

```
transport_mech.target_requires={Confidentiality}
transport_mech.target_supports={Confidentiality}
CompoundSecMec.target_requires={Confidentiality}
```

- **establish-trust-in-target**: The **establish-trust-in-target** field is used to indicate whether a target can authenticate itself to a client at the SSL level.
Valid values are:
 - **none**: Indicates that the target cannot authenticate itself to the client
 - **supported**: Indicates that the target can authenticate itself to a client
- **establish-trust-in-client**: The **establish-trust-in-client** field is used to indicate the authentication requirements that a target places on the client at the SSL level.
Valid values are:
 - **none**: Indicates that the target does not support client authentication at the SSL level
 - **required**: Indicates the client must authenticate itself to the target at the SSL level
 - **supported**: Indicates that the target supports, but does not require, client authentication at the SSL level

B.6.2.2 The as-context Element

The **as-context** element (CSIV2 authentication service) describes the authentication mechanism that

will be used to authenticate the client. If specified, it will be the username-password mechanism. **as-context** contains the following sub-elements:

- **auth-method**: The **auth-method** field indicates the authentication mechanism that may be used to authenticate the client to the target at the client authentication layer.

Valid values are:

- **none**: Indicates that the target does not support client authentication at the client authentication layer. The IOR must be generated as follows:

```
as_context_mech.target_supports = {}
```

If the value is **none**, the **realm** and **required** field values are irrelevant.

- **username_password**: Indicates that the authentication mechanism is the **GSSUP** mechanism. This value is relevant and should only be used when **asRequired** is **true**. When set to **true**, the IOR must be generated as described in the **required** field summary.

- **realm**: The **realm** field contains the name of the realm in which the user is to be authenticated.

Valid values are:

- **none**
- **default**

This field is relevant and should only be used when the **required** field is set to **true**, in which case the IOR must be generated as described in the **required** field summary.

- **required**: The **required** field specifies whether or not a client is required to authenticate at the client authentication layer.

Valid values are:

- **true**: Indicates that the client is required to authenticate at the client authentication layer.

If the value is **true**, an IOR must be generated as follows:

- The **as_context_mech** must contain a client authentication mechanism derived from the value of the **auth-method** field. If the value of the **auth-method** field is **username_password**, the client authentication mechanism must be set to **GSSUP_OID**; for example:

```
as_context_mech.client_authentication_mech = GSSUP_OID
```

- The target name must match the value of the **realm** field:

```
as_context_mech.target_name = {realm}
```

- The **establish-trust-in-client** bit must be set in the following fields:

- **as_context_mech.target_supports={EstablishTrustInClient}**

- `as_context_mech.target_requires={EstablishTrustInClient}`
- `CompoundSecMec.target_requires={EstablishTrustInClient}`
- **false**: Indicates that client authentication at the client authentication layer is not required. The value of the `required` field can be **false**. However, in the CSIV2 tests, whenever the required field is **false**, the `auth-method` field must always be set to **none**. In this case, the IOR must be generated as described in the `auth-method` field summary.

B.6.2.3 The sas-context Element

The `sas-context` element describes caller propagation. The `caller-propagation` field indicates whether the target will accept propagated caller identities. Valid values are:

- **none**

If the value of the `sas-context` element is **none**, the IOR must be generated as follows:

- The bit that corresponds to the field in `sas_context_mech.target_supports` must be set to zero, as shown:

```
sas_context_mech.target_supports={}
```

- The value in the field `sas_context_mech.supported_naming_mechanisms` must be set to zero, as shown:

```
supported_naming_mechanisms={}
```

- The bit that corresponds to `ITTPrincipalName`, `ITTDistinguishedName`, `ITTX509CertChain`, and `ITTAonymous` in the `sas_context_mech.supported_identity_types` field must be set to zero.

- **supported**

If the value of the `sas-context` element is **supported**, the IOR must be generated as follows:

- The bit that corresponds to the field in `sas_context_mech.target_supports` must be set as follows:

```
sas_context_mech.target_supports={IdentityAssertion}
```

- The `sas_context_mech.supported_naming_mechanisms` field must contain at least `GSSUPMechOID`, as follows:

```
supported_naming_mechanisms={GSSUPMechOID}
```

- The `ITTPrincipalName` bit must be set in the `sas_context_mech.supported_identity_types`, as shown:

```
sas_context_mech.supported_identity_types= \
{ITTPrincipalName, ITTDistinguishedName, \
ITTX509CertChain, ITTAnonymous}
```

B.7 Debugging CSiv2 Test Failures

The CSiv2 test infrastructure provides two areas from which to obtain debugging output:

- Java EE 8 CTS clients, beans, and servlets
- Java EE 8 CTS CSiv2 interceptors

The sections that follow explain how to enable/disable logging to help you debug CSiv2 test failures.

B.7.1 Debugging CTS Clients, Beans, and Servlets

The first area in which you can enable logging is Java EE 8 CTS clients, beans, and servlets. If you have done any debugging in other technology areas in the Java EE 8 CTS test suite, you are likely to be familiar with enabling and using logging to obtain additional information with which you can debug test problems. This kind of debugging output is enabled by setting the `harness.log.traceflag` property to "true" in the `<TS_HOME>/bin/ts.jte` file.

B.7.2 Debugging CTS CSiv2 Interceptors

The second area in which you can enable logging is Java EE 8 CTS CSiv2 interceptors, including Logging Interceptor Factory, Server Interceptor, and Client Interceptor. These three entities are configured during the CSiv2 test setup, which is described in [CSiv2 Test Setup](#), by executing the `enable.csiv2` Ant task. During that configuration step, the following lines are added to the `<javaee.home.ri>/domains/domain1/config/logging.properties` file:

```
com.sun.ts.tests.interop.csiv2.common.LoggingSecRequestInterceptorFactory.level=INFO
com.sun.ts.tests.interop.csiv2.common.LoggingSecClientRequestInterceptor.level=INFO
com.sun.ts.tests.interop.csiv2.common.LoggingSecServerRequestInterceptor.level=INFO
```

These properties control the logging levels of the CSiv2 interceptors. By default, "INFO" level logging is enabled, which yields only minimal output in the `server.log` file.

B.7.2.1 To Increase the Logging Level

1. Stop the Java EE 8 RI.
2. Edit the file `<javaee.home.ri>/domains/domain1/config/logging.properties` and set the logging level to "FINE" for the three CSiv2 interceptors.
3. Restart the Java EE 8 RI.
From this point on, an increased amount of logging output from the Java EE 8 CTS CSiv2 logging interceptors will be written to the `server.log` file.

B.7.2.2 To Reset the Logging Level

1. Stop the Java EE 8 RI.
2. Edit the file `<javaee.home.ri>/domains/domain1/config/logging.properties` and set the logging level back to "INFO" for the three CSiv2 interceptors.
3. Restart the Java EE 8 RI.



Execution of the `disable.csiv2` Ant target, which is explained in [CSiv2 Test Setup](#), will remove the three properties from the `<javaee.home.ri>/domains/domain1/config/logging.properties` file.

B.7.3 Debugging Logging Servlet Problems

If the `harness.log.traceflag` property has been set to `true`, you should be able to view the log files. If you do not see any log file(s), you are likely missing a JVM property setting somewhere (for example, in the RI, in the VI, or in the application client). Another possible cause of the problem could be that your host and port properties (`remote.orb.host` and `remote.orb.port`) are not set correctly. You should also be able to deploy the Logging Servlet and access the ping that was described [Section B.2, "CSiv2 Logging Servlet"](#).

If you see only a small part of the log file, you need to identify the missing log file entry and determine from where it did not get logged. In other words, you need to identify the component (VI, the RI, or the interceptor) in which logging failed to complete correctly. Once isolating this, you can check `server.log` files for clues, such as permissions not being set up correctly or a particular JVM option is missing or incorrectly set, etc.

If you see a log file and the content looks to be correct but the test but is not passing the final validation (log files are run thru an XML validator on the client side), you can compare your log files to sample log files from successful runs. These reference log files can be seen at `TS_HOME/src/com/sun/ts/tests/interop/csiv2/reference_logs`.

B.8 Examining Test Logs

B.8.1 To Examine the Test Logs

1. The first thing you will notice is the direction in which the test is running:

```
LocalSessionBean (VI) ==> RemoteSessionBean (RI)
```

VI-to-RI indicates that the test is running in the forward direction; RI-to-VI indicates that the test is running in the reverse direction. 2. The test direction is followed by a trace that outlines the path of execution (for example, from a local session bean to a remote session bean).

```
INVOKING java:comp/env/ejb/LocalSession...
SVR: Initialize remote logging
SVR: CSiv2SessionBean.ejbCreateInvoke()
SVR: Initialize remote logging
SVR: CSiv2SessionBean.invoke()
SVR: Entering CSiv2TestLogicImpl.invoke()
SVR: INVOKING java:comp/env/ejb/RemoteSession...
SVR: Initialize remote logging
SVR: CSiv2SessionBean.ejbCreateInvoke()
SVR: Initialize remote logging
SVR: CSiv2SessionBean.invoke()
SVR: Entering CSiv2TestLogicImpl.invoke()
SVR: Exiting CSiv2TestLogicImpl.invoke()
SVR: Exiting CSiv2TestLogicImpl.invoke()
```

The CSiv2 tests maintain a log during the invocation. The log is in XML format, and is organized to match the flow of test execution.

By examining the contents of the log, you can trace the test execution and see what happened in the test. See [CSiv2 Log Elements](#) for a detailed description of the DTD elements that make up the CSiv2 log.

3. Output validation results follow the log.

In the forward direction, the tests validate the request (see the EstablishContext message). In the reverse direction, the tests validate the IOR that the Licensee's Java EE 8 server publishes for the EJB and the response (see the **CompleteEstablishContext** message or the **ContextError** message). See [IORs and Associated CSiv2 Tests](#) for a list of the IORs that the test validation code and the test strategy descriptions reference.

The test output shows you what it is being validated for each test, and indicates the exact section of the log that is being analyzed. See [Example B-3](#), below. 4. Next, the test output indicates what matched and what mismatched.

Lines that start with the plus sign (+) indicate matches. Lines that start with **"MISMATCH:"** indicate

mismatches. Lines that start with neither are informational messages.

MISMATCH messages indicate what was expected. The log tells you what was received. See [Example B-4](#). The reverse direction tests validate that the IOR that is published by the Licensee Java Platform, Enterprise Edition Server matches the expected result. The CSIv2 log will represent the values collected for **target_supports**, **target_requires**, and other CSIv2 IOR structures as decimal integers. In accordance with the CSIv2 specification, these values represent a bit mask. To determine the meaning of the bits that have been set in the bit mask, see [Bit Mask Values for CSIv2 IOR Structures](#).

Example B-3 Sample Validation Log

```
-----
Validating EJBRemote IOR...
  Validating the following IOR against IOR.4:
-----
<ior>
  <port>44139</port>
  <stateful>>false</stateful>
  <compound-sec-mech>
    <target-requires>0</target-requires>
    <ior-transport-mech>
      <null-trans/>
    </ior-transport-mech>
    <ior-as-context>
      <target-supports>0</target-supports>
      <target-requires>0</target-requires>
      <client-authentication-mech></client-authentication-mech>
      <target-name></target-name>
    </ior-as-context>
    <ior-sas-context>
      <target-supports>1024</target-supports>
      <target-requires>0</target-requires>
      <supported-naming-mechanism>0606678102010101</supported-naming-mechanism>
      <supported-identity-types>15</supported-identity-types>
    </ior-sas-context>
  </compound-sec-mech>
</ior>
-----
Testing CompoundSecMech 1 of 1...
  Testing Naming Mechanisms 1 of 1...
    + This naming mechanism matches IOR.4
    + At least one naming mechanism matched IOR.4.
    + This CompoundSecMech matches IOR.4
    + At least one compound sec mech matched IOR.4.
EJBRemote IOR Valid.
```

Example B-4 Sample Mismatch Log

 Validating EJBHome IOR...

Validating the following IOR against IOR.3:

 <ior>
 <port>0</port>
 <stateful>>false</stateful>
 <compound-sec-mech>
 <target-requires>70</target-requires>
 <ior-transport-mech>
 <tls-trans>
 <target-supports>38</target-supports>
 <target-requires>6</target-requires>
 <trans-addr>
 <host-name>129.148.71.198</host-name>
 <port>0</port>
 </trans-addr>
 </tls-trans>
 </ior-transport-mech>
 <ior-as-context>
 <target-supports>64</target-supports>
 <target-requires>64</target-requires>
 <client-authentication-mech></client-authentication-mech>
 <target-name></target-name>
 </ior-as-context>
 <ior-sas-context>
 <target-supports>1024</target-supports>
 <target-requires>0</target-requires>
 <supported-identity-types>15</supported-identity-types>
 </ior-sas-context>
 </compound-sec-mech>
 </ior>

 Testing CompoundSecMech 1 of 1...

MISMATCH: Mismatch on target requires.

Testing Transport Address 1 of 1...

MISMATCH: Mismatch on port.

MISMATCH: This transport address does not match IOR.3.

MISMATCH: None of the transport address matched IOR.3.

MISMATCH: Mismatch on IOR Transport Mech

MISMATCH: Mismatch on AS Context

MISMATCH: None of the naming mechs matched IOR.3.

MISMATCH: Mismatch on SAS Context

MISMATCH: This CompoundSecMech does not match IOR.3

MISMATCH: None of the compound sec mechs matched IOR.3.

EJBHome IOR Invalid.

The following test output contains both matches and mismatches.

 Skipping IOR validation.

Validating EJBHome and EJBRemote invocation request...

Validating EJBHome Invocation Request...

Validating the following invocation:

 <client>
 <server-interceptor>
 <operation>createInvoke</operation>
 <req-svc-context present="true">
 <establish-context>
 <client-context-id>0</client-context-id>
 <identity-token>
 <anonymous/>
 </identity-token>
 <client-auth-token></client-auth-token>
 <authz-token-count>0</authz-token-count>
 </establish-context>
 </req-svc-context>
 <ssl-used>false</ssl-used>
 <transport-client-principals>
 </transport-client-principals>
 <server>
 <invocation-principal>guest</invocation-principal>
 </server>
 <reply-svc-context present="true">
 <complete-establish-context>
 <client-context-id>0</client-context-id>
 <context-stateful>false</context-stateful>
 <final-context-token></final-context-token>
 </complete-establish-context>
 </reply-svc-context>
 </server-interceptor>
 </client>

+ Match: Transport client principals absent, as expected.

+ Match: SAS Client principal present.

MISMATCH: Identity Token Type is invalid. Expecting one of the following:

* ITTX509CertChain

* ITTDistinguishedName

Found:

* ITTAnonymous

MISMATCH: Mismatched SAS Identity Token Type.

EJBHome Invocation Request Invalid.

B.8.2 Bit Mask Values for CSiv2 IOR Structures

Table B-1 shows the bit mask values for the `target_supports` and `target_requires` elements of the IOR structures.

These values and their meanings are shown on pages 16-38 and 16-69 of the CSiv2 specification, which can be found at the following location:

<http://www.omg.org/csiv2-ftf/csiv2-061401.pdf>

Table B-1 Bit Mask Values for IOR Structures

Association Option	Bit Mask Value	target_supports	target_requires
Integrity	2	Target supports integrity protected messages	Target requires integrity protected messages
Confidentiality	4	Target supports privacy protected messages	Target requires privacy protected messages
EstablishTrustInTarget	32	Target can authenticate to a client	Not applicable. This bit should never be set, and should be ignored by CSS.
EstablishTrustInClient	64	Target can authenticate a client	Target requires client authentication
IdentityAssertion	1024	<p>Target accepts asserted caller identities based on trust in the authentication identity of the asserting entity. Target can evaluate trust based on trust rules of the target. If <code>DelegationByClient</code> is set, target can also evaluate trust when provided with a delegation token (that is, a proxy attribute contained in an authorization token).</p> <p>Note: A target policy that accepts only identity assertions based on forward trust cannot be communicated in an IOR (although it can be enforced).</p>	Not applicable. This bit should never be set, and should be ignored by CSS.

Association Option	Bit Mask Value	target_supports	target_requires
DelegationByClient	2048	<p>When it occurs in conjunction with support for IdentityAssertion, this bit indicates that target can evaluate trust in an asserting entity based on a delegation token.</p> <p>Note: If an incoming request includes an identity token and a delegation token, the request shall be rejected if the delegation token does not endorse the asserting entity.</p>	<p>Target requires that CSS provide a delegation token that endorses the target as proxy for the client.</p> <p>Note: A target with DelegationByClient set in target_requires shall also have this bit set in target_supports. As noted elsewhere in this table, this has an impact on the target's identity assertion policy (if any).</p>

B.9 CSIV2 Log Elements

The CSIV2 log is stored in an XML format. This section describes the CSIV2 log elements. By understanding what these elements mean, you can use the log contents that are output from each test as a debugging aid. The CSIV2 log can be found in the CTS test source code, in the following location:

```
src/com/sun/ts/tests/interop/cxiv2/common/parser/cxiv2log.dtd
```

This section includes the following topics:

- [Key Elements in the CSIV2 Log](#)
- [Key Elements in the Server Interceptor Log](#)
- [Key Elements in the Client Interceptor Log](#)
- [Key Elements in an IOR Log](#)
- [Comprehensive List of All CSIV2 Log Elements](#)

B.9.1 Key Elements in the CSIV2 Log

The key elements of a CSIV2 log include the **<ejb-home>** and **<ejb-remote>** elements. These elements, in turn, contain the log information for the EJB home and remote interfaces.

Example B-5 CSiv2 Log Elements

```

<csiv2log>
  <ejb-home>
    <client>
      <client_interceptor> | <server_interceptor>
      </client_interceptor> | </server_interceptor>
    </client>
  </ejb-home>
  <ejb-remote>
    <client>
      <client_interceptor> | <server_interceptor>
      </client_interceptor> | </server_interceptor>
    </client>
  </ejb-remote>
</csiv2log>

```

- The `<ejb-home>` element contains the `<client>` tag, which indicates that the test component is the client in an invocation and `<client_interceptor>` or `<server_interceptor>`, based on reverse or forward tests.
- The `<ejb-remote>` element contains a similar set of elements as the `<ejb-home>` element.

During forward testing (from VI to RI) using a simple scenario, such as an application client directly invoking an EJB, only the `<client_interceptor>` is logged. Conversely, during reverse testing (from RI to VI) using a simple scenario, the `<server_interceptor>` is logged.

For a complex scenario, such as an application client invoking an EJB, which in turn invokes another EJB, both client and server interceptor elements are logged. Other complex scenarios could log multiple client and server interceptors.

B.9.2 Key Elements in the Server Interceptor Log

The server interceptor element includes the `<req_svc_context>`, `<ssl_used>`, `<transport_client_principals>`, `<server>`, and `<reply_svc_context>` elements.

Example B-6 Server Interceptor Log Elements

```

<server_interceptor>
  <req_svc_context> ... </req_svc_context>
  <ssl_used> true | false </ssl_used>
  <transport_client_principals> ... </transport_client_principals>
  <server> ... </server>
  <reply_svc_context> ... </reply_svc_context>
</server_interceptor>

```

Service contexts provide a means of passing service-specific information as part of IIOP message headers.

These elements contain the following information:

- The `<req_svc_context>` element contains the service context information for the request.
- The `<ssl_used>` element indicates whether the transport is protected with SSL or not.
- The `<transport_client_principals>` element contains the principal used by the container for authentication at the SSL level.
- The `<server>` element logs the invocation principal if the request reaches the other end.
- The `<reply_svc_context>` element contains the service context information for the reply.

B.9.3 Key Elements in the Client Interceptor Log

The client interceptor element includes the `<req_svc_context>`, `<ssl_used>`, `<ior>`, `<server>`, `<location_forward>`, and `<reply_svc_context>` elements.

Example B-7 Client Interceptor Log Elements

```

<client_interceptor>
  <req_svc_context> ... </req_svc_context>
  <ssl_used> true | false </ssl_used>
  <ior> ... </ior>
  <server> ... </server>
  <location_forward> ... </location_forward>
  <reply_svc_context> ... </reply_svc_context>
</client_interceptor>

```

Service contexts provide a means of passing service-specific information as part of IIOP message headers.

The client interceptor elements contain the following information:

- The `<req_svc_context>` element contains the service context information for the request.
- The `<ssl_used>` element indicates whether the transport is protected with SSL or not.
- The `<ior>` element contains the Interoperable Object Reference, which describes security policies of an EJB component.
- The `<location_forward>` element is `true` if the Client Security Service (CSS) received a location forward in response to a request. If this is the case, the client will establish a confidential connection with the new address.
A `true` value also indicates that the log will contain another client interceptor element. The test validation mechanism will ignore client interceptor elements that end in a location forward.
- The `<reply_svc_context>` element contains the service context information for the reply.

B.9.4 Key Elements in an IOR Log

An IOR includes the `<port>` and `<stateful>` elements and the `<compound_sec_mech>` structure. The `<compound_sec_mech>` structure contains the `<target_requires>`, `<ior_transport_mech>`, `<ior_as_context>`, and `<ior_sas_context>` elements.

Example B-8 IOR Log Elements

```
<ior>
  <port> ... </port>
  <stateful> true | false </stateful>
  <compound_sec_mech>
    <target_requires> ... </target_requires>
    <ior_transport_mech> ... </ior_transport_mech>
    <ior_as_context> ... </ior_as_context>
    <ior_sas_context> ... </ior_sas_context>
  </compound_sec_mech>
</ior>
```

These elements contain the following information:

- The `<port>` element can contain a zero or a nonzero number.
A nonzero port number indicates that the target supports unprotected IIOP invocations at the specified port number.
A zero port number indicates that the target supports protected IIOP invocations only.
- The `<stateful>` element is `true` if the target supports the establishment of stateful or reusable contexts.
- The `<compound_sec_mech>` structure describes support in the target for a compound security mechanism that may include security functionality that is realized in the transport layer and/or security functionality above the transport layer.

- The `<target_requires>` element designates a required outcome that shall be satisfied by one or more supporting (but not requiring) layers.
- The `<ior_transport_mech>` element describes the security functionality that is implemented in the transport layer.
- The `<ior_as_context>` element describes the client authentication functionality that the target expects to be layered above the transport layer in the service context.
- The `<ior_sas_context>` element describes the target's identity assertion support or support of authorization attributes that are delivered in the service context.

B.9.5 Comprehensive List of All CSiv2 Log Elements

Table B-2 provides a comprehensive list of all CSiv2 log elements.

Table B-2 CSiv2 Log Elements

Element	Description
<code><csiv2-log></code>	Root XML node. Contains 1 or more <code><assertion></code> elements.
<code><assertion></code>	Contains information relevant to a single test assertion. Contains a <code>name</code> attribute and an <code><invocation></code> element.
<code><invocation></code>	Indicates an invocation was started from a client component to a server component. We analyze invocation information for both an EJB Home (<code><ejb-home></code>) and an EJB Remote (<code><ejb-remote></code>) invocation.
<code><ejb-home></code> / <code><ejb-remote></code>	Separates the EJB Home from the EJB Remote invocation information. Both elements contain a single <code><client></code> element.
<code><client></code>	Indicates that this component is a client in an invocation. Contains a <code><reply></code> element and either a <code><client-interceptor></code> , <code><server-interceptor></code> , or a <code><server></code> element. The invocation determines which interceptor is to be invoked based on the whether the invoking component is acting as a client or as a server. For example, if an EJB acts as a server to an invocation, then the server-interceptor will be invoked.
<code><reply></code>	Indicates a reply in an invocation. Can be either <code><create-exception></code> , or <code><other-exception></code> .

Element	Description
<code><client-interceptor></code>	<p>Indicates that the client interceptor was invoked. This will happen when the Java EE 8 Reference Implementation is a client of some invocation. The following information is collected by the client interceptor:</p> <ol style="list-style-type: none"> 1. <code><operation></code> 2. <code><req-svc-context></code> 3. <code><ssl-used></code> 4. <code><ior></code> 5. Either <code><server-interceptor></code> or <code><server></code> 6. <code><location-forward></code> 7. <code><reply-svc-context></code> 8. Possibly another <code><client-interceptor></code> element
<code><operation></code>	The name of the operation just invoked.
<code><req-svc-context></code>	Request service context information. This will contain either an <code><establish-context></code> message, or an <code><invalid-message></code> .
<code><establish-context></code>	<p>Information collected from the CSiv2 <code>EstablishContext</code> message. Collects the following information:</p> <ol style="list-style-type: none"> 1. <code><client-context-id></code> 2. <code><identity-token></code>, one of: <code><absent></code>, <code><anonymous></code>, <code><principal-name></code>, <code><certificate-chain></code>, <code><distinguished-name></code>, <code><unknown-type></code> 3. <code><client-auth-token></code> - Client authentication token 4. <code><authz-token-count></code> - Number of authorization tokens sent
<code><invalid-message></code>	Indicates that an invalid message (one that was not expected) was sent in either the request or the reply. A details attribute will indicate why the message was invalid, or the type of message that was received.
<code><ssl-used></code>	True if SSL will be or was used for this invocation.

Element	Description
<code><ior></code>	<p>IOR information. This is a description of the IOR that the server published for the EJB, from the client's perspective. Collects the following information:</p> <ol style="list-style-type: none"> 1. <code><port></code> 2. <code><stateful></code> 3. <code><compound-sec-mech></code> <code><target-requires></code> <code><ior-transport-mech></code> <p>Within the <code><ior-transport-mech></code>, one of the following is collected:</p> <ol style="list-style-type: none"> 1. <code><tls-trans></code> <code><target-supports></code> <code><target-requires></code> <code><trans-addr></code> <code><host-name></code> <code><port></code> 2. <code><null-trans></code> 3. <code><other-trans></code> <div style="border: 1px solid #ccc; padding: 10px; margin-top: 10px;"> <code><ior-as-context></code> <code><target-supports></code> <code><target-requires></code> <code><client-authentication-mech></code> <code><target-name></code> <code><ior-sas-context></code> <code><target-supports></code> <code><target-requires></code> <code><supported-naming-mechanism></code> <code><supported-identity-types></code> </div>
<code><location-forward></code>	<p>If <code>true</code>, this request ended in a location forward, in which case we will expect to see another client interception later down the road. The test validation will ignore all client interceptor elements that end in a location forward, in case target servers do load balancing, or something of the sort.</p>

Element	Description
<code><reply-svc-context></code>	Reply service context information. This will contain either a <code><complete-establish-context></code> , a <code><context-error></code> , or an <code><invalid-message></code> element.
<code><complete-establish-context></code>	Information collected from the CSiv2 <code>CompleteEstablishContext</code> message. Collects the following information: <ol style="list-style-type: none"> 1. <code><client-context-id></code> 2. <code><context-stateful></code> 3. <code><final-context-token></code>
<code><context-error></code>	Information collected from the CSiv2 <code>ContextError</code> message. Collects the following information: <ol style="list-style-type: none"> 1. <code><client-context-id></code> 2. <code><major-status></code> 3. <code><minor-status></code> 4. <code><error-token></code>
<code><server-interceptor></code>	Indicates that the server interceptor was invoked. This will happen when the Java EE 8 Reference Implementation is a server of some invocation. The following information is collected by the server interceptor: <ol style="list-style-type: none"> 1. <code><operation></code> 2. <code><req-svc-context></code> 3. <code><ssl-used></code> 4. <code><transport-client-principals></code> 5. <code><server></code>, if the request makes it to the server. 6. <code><reply-svc-context></code>
<code><transport-client-principals></code>	Collection of all transport client principals for this invocation, if it was an SSL invocation.
<code><server></code>	Indicates that the server bean was invoked. This will happen on every successful invocation. The following information is collected on the server bean: <ol style="list-style-type: none"> 1. <code><invocation-principal></code> 2. <code><invocation></code>, if another invocation is made.

Element	Description
<invocation-principal>	The value of <code>EJBContext.getCallerPrincipal().getName()</code> .

B.10 IORs and Associated CSiv2 Tests

Table B-3 provides additional information about the CSiv2 tests:

- The test ids that are associated with each IOR
- The identity assertion type that is tested by each test
- The name of the directory in which the tests reside

Table B-3 IORs and Associated CSiv2 Tests

IOR	Test ID	Identity Assertion Type	Directory Name
0	0	NA	ac_ssl_sslr_upn_noid
1	2	NA	ac_ssl_ssln_upr_noid
	2a	NA	ac_ssl_ssln_upr_noid_a
3	3	anonymous	ew_ssl_ssln_upn_anonid
	3a	upid	ew_ssl_ssln_upn_upid
	3b	ccid	ew_ssl_ssln_upn_ccid
4	4	anonymous	ew_ssln_ssln_upn_anonid
	4a	ccid	ew_ssln_ssln_upn_ccid
	6	upid	ew_ssln_ssln_upn_upid
7	7	upid	ew_ssl_sslr_upn_upid
	7a	ccid	ew_ssl_sslr_upn_ccid
	8	anonymous	ew_ssl_sslr_upn_anonid

The following sections provide the expected published Interoperable Object References (IORs) for the

CSiv2 interoperability tests. If, at test time, an IOR does not match the expected result, the test output will refer to one of these IORs by number. The test strategy descriptions attached to each reverse-direction CSiv2 test also reference these IORs.

These sections contain listings for the following IORs:

- [IOR.0](#)
- [IOR.1](#)
- [IOR.3](#)
- [IOR.4](#)
- [IOR.7](#)

B.10.1 IOR.0

Example B-9 IOR.0

```

port=0
CompoundSecMechList {
  stateful = FALSE;
  mechanism_list = {
    CompoundSecMec {
      target_requires={Integrity, Confidentiality,
        EstablishTrustInClient};
      transport_mech = TAG_SSL_SEC_TRANS {
        target_supports = {Integrity, Confidentiality,
          EstablishTrustInClient,
          EstablishTrustInTarget};
        target_requires = {Integrity, Confidentiality,
          EstablishTrustInClient};
        addresses = {
          TransportAddress = {
            host_name = x;
            port = y;
          };
        };
      };
      as_context_mech = {
        target_supports = {};
        ...
      };
      sas_context_mech = {
        target_supports = {};
        ...
      };
    };
  };
};
};

```

B.10.2 IOR.1

Example B-10 IOR.1

```

port=0
CompoundSecMechList {
  stateful = FALSE;
  mechanism_list = {
    CompoundSecMec {
      target_requires = {Integrity, Confidentiality,
        EstablishTrustInClient};
      transport_mech = TAG_SSL_SEC_TRANS {
        target_supports = {Integrity, Confidentiality,
          EstablishTrustInTarget};
        target_requires = {Integrity, Confidentiality};
        addresses = {
          TransportAddress {
            host_name = x;
            port = y;
          };
        };
      };
    };
    as_context_mech = {
      target_supports = {EstablishTrustInClient};
      target_requires = {EstablishTrustInClient};
      client_authentication_mech = GSSUP_OID;
      target_name = {GSSUP,"default"};
      ...
    };
    sas_context_mech = {
      target_supports = {};
      ...
    };
  };
};
};

```

B.10.3 IOR.3

Example B-11 IOR.3

```

port=0
CompoundSecMechList {
  stateful = FALSE;
  mechanism_list = {
    CompoundSecMec {
      target_requires = {Integrity, Confidentiality};
      transport_mech = TAG_SSL_SEC_TRANS {
        target_supports = {Integrity, Confidentiality,
          EstablishTrustInTarget};
        target_requires = {Integrity,
          Confidentiality};
        addresses = {
          TransportAddress {
            host_name = x;
            port = y;
          };
        };
      };
      as_context_mech = {
        target_supports = {};
        ...
      };
      sas_context_mech = {
        target_requires = {};
        target_supports = {IdentityAssertion};
        ...
        supported_naming_mechanisms = {GSSUPMechOID};
        supported_identity_types = {ITTPrincipalName};
      };
    };
  };
};

```

B.10.4 IOR.4

Example B-12 IOR.4

```

port=<nonzero-port-number>
CompoundSecMechList {
    stateful = FALSE;
    mechanism_list = {
        CompoundSecMec {
            target_requires = {};
            transport_mech = TAG_NULL_TAG;
            as_context_mech = {
                target_supports = {};
                ...
            };
            sas_context_mech = {
                target_requires = {};
                target_supports = {IdentityAssertion};
                ...
                supported_naming_mechanisms = {GSSUPMechOID};
                supported_identity_types = {ITTPrincipalName};
            };
        };
    };
};

```

B.10.5 IOR.7

Example B-13 IOR.7


```

port=0
CompoundSecMechList {
  stateful = FALSE;
  mechanism_list = {
    CompoundSecMec {
      target_requires = {Integrity, Confidentiality,
        EstablishTrustInClient};
      transport_mech = TAG_SSL_SEC_TRANS {
        target_supports = {Integrity, Confidentiality,
          EstablishTrustInClient,
          EstablishTrustInTarget};
        target_requires = {Integrity, Confidentiality,
          EstablishTrustInClient};
        addresses = {
          TransportAddress {
            host_name = x;
            port = y;
          };
        };
      };
      as_context_mech = {
        target_supports = {};
        ...
      };
      sas_context_mech = {
        target_requires = {};
        target_supports = {IdentityAssertion};
        ...
        supported_naming_mechanisms = {GSSUPMechOID};
        supported_identity_types = {ITTPrincipalName};
      };
    };
  };
};

```

C JASPIC Technology Notes and Files

The JASPIC technology tests are used to verify the compatibility of a licensee's implementation of the JASPIC 1.1 specification.

This appendix provides information about the following topics:

- [JASPIC 1.1 Technology Overview](#)
- [JASPIC TSSV Files](#)

You run the `ant enable.jaspic` command to configure the Java EE 8 RI to run the JASPIC tests. After running the JASPIC tests, you run the `ant disable.jaspic` command to restore the Java EE 8 RI to the state it was in before you configured it for running the JASPIC tests. This is required because JASPIC replaces some of the Java EE 8 RI's default system security components with CTS security components. If this change is not reverted after the tests have been run, the RI's system security could be left in a partially working state. The CTS security `AuthConfigFactory` and `AuthConfigProvider(s)` are designed for compatibility testing, not the functional completeness that one expects from the Java EE 8 RI.

C.1 JASPIC 1.1 Technology Overview

The JASPIC 1.1 specification (JSR 196) defines a service provider interface (SPI) by which authentication providers implementing message authentication mechanisms can be integrated in client and server message processing runtimes (or containers).

Java EE 8 CTS uses a Test Suite SPI Verifier (TSSV) to verify whether the vendor's message processing runtimes invoke the right SPI in the right order.

TSSV includes test suite implementations of:

- `AuthConfigFactory`
- `AuthConfigProvider`
- `AuthConfig(Client & Server)`
- `AuthContext(client & Server)`
- `AuthenticationModules(Client & Server)`

TSSV gets loaded into vendor's message processing runtime using one of the following two ways as defined by the JSR 196 specification:

- By defining a property in `JAVA_HOME/jre/lib/security/java.security` as follows:
`authconfigprovider.factory=com.sun.ts.tests.jaspic.tssv.config.TSAuthConfigFactory`
- By calling `registerConfigProvider()` method in vendor's `AuthConfigFactory` with the following values:

- Test Suite Provider ClassName
- Map of properties
- Message Layer (such as `SOAP` or `HttpServlet`)
- Application Context Identifier
- A description of the provider



For the Java EE 8 CTS, we register more than one provider in vendor's message processing runtime.

In a typical test scenario (for each profile of Servlet or SOAP), an application is deployed into a vendor's runtime, and a client invokes the service. The message policies required for the secure invocations are built into TSSV implementations, and the runtime is analyzed to see whether it invokes the right SPIs at the right time.

TSSV uses Java logging APIs to log the client and server invocation into a log file (`TSSVLog.txt`), this log file is used by the TCK tests to validate actual logged runtime information against expected results to ensure that the runtime is compliant. The `jaspic_util_web.war` file contains the JASPIC log file processor, which writes output to the `TSSVLog.txt` file. The `TSSVLog.txt` file is put into the location defined by the `log.file.location` property in the `ts.jte` file.

C.2 JASPIC TSSV Files

The following sections describe the `tssv.jar`, `ProviderConfiguration.xml`, and `provider-configuration.dtd` files that are used by the JASPIC TCK tests.

C.2.1 tssv.jar file

The `tssv.jar` file contains classes necessary for populating your implementation with a CTS AuthConfigFactory (ACF) as well as information used to register CTS providers. The `tssv.jar` file contains the class files for the Test Suite SPI Verifier. The `tssv.jar` file classes need to be loaded by your implementation's runtime during startup.

C.2.2 ProviderConfiguration.xml file

The format of the `ProviderConfiguration.xml` file is a test suite-specific format. The file was designed to contain test provider information the test suite uses to populate the ACF with a list of providers for testing. The file needs to be copied to the location specified in the `ts.jte` file by the `provider.configuration.file` property. An edit to the `ProviderConfiguration.xml` file may be required

for your implementation. The current application context Ids are generic and should work as is, but there could be some scenarios in which the application Context Ids may need to be altered.

The value of the `<app-context-id>` element in the `ProviderConfiguration.xml` file should reflect what your implementation will use for its internal representation of the application context identifier for a registered provider. Said differently, the test suite registers its providers with information from the `ProviderConfiguration.xml` file but every implementation is not guaranteed to use the application context identifier that is used in the call to register the configuration provider. This value of the `<app-context-id>` element corresponds to the `appContext` argument in the `AuthConfigFactory.registerConfigProvider()` API. The API documentation for this method indicates that the `appContext` argument may be used but is not guaranteed to be used.

The default `ProviderConfiguration.xml` file should work without modification but you may need to alter the value of the `<app-context-id>` element as previously described to accommodate the implementation under test. You need to find the correct application context identifier for your implementation.

You should enable two levels of logging output to get finer levels of debugging and tracing information than is turned on by default. This is done by setting the `traceflag` property in the `ts.jte` file and the `HARNESS_DEBUG` environment variable to "true". If both of these are set, application context identifier information should appear in the debug output.

C.2.3 provider-configuration.dtd file

The `provider-configuration.dtd` file is a DTD file that resides in the same directory as the `ProviderConfiguration.xml` file and describes the `ProviderConfiguration.xml` file. This file should not be edited.

D Configuring Your Backend Database

This appendix explains how to configure a backend database to use with a Java Platform, Enterprise Edition server being tested against the Java EE 8 CTS.

The topics included in this appendix are as follows:

- [Overview](#)
- [The `init.<database>` Ant Target](#)
- [Database Properties in `ts.jte`](#)
- [Database DDL and DML Files](#)
- [CMP Table Creation](#)

D.1 Overview

All Java Platform, Enterprise Edition servers tested against the Java EE 8 CTS must be configured with a database and JDBC 4.1-compliant drivers. Note that the Java Platform, Enterprise Edition RI includes the Java DB database.

To perform interoperability testing, you need to configure two Java Platform, Enterprise Edition servers and two databases, one of which must be the Java Platform, Enterprise Edition RI with the bundled Java DB database. See [Java Platform, Enterprise Edition Server Configuration Scenarios](#) for more information.

For the purposes of Java EE 8 CTS testing, all database configuration properties required by the CTS are made in the `<TS_HOME>/bin/ts.jte` file. The CTS `init.<`database>` Ant target uses the properties you set in ``ts.jte` to generate one or more SQL statement files that are in turn used create and populate database tables and configure procedures required by the CTS.

The database configuration process comprises four general steps:

1. Set database-related properties in the `<TS_HOME>/bin/ts.jte` file.
2. Configure your Java Platform, Enterprise Edition server implementation for your database and for CTS.
3. Start your database.
4. Run the `init.<`database>` Ant target to initialize your database for CTS.

The procedure for configuring your Java Platform, Enterprise Edition server for your database is described in [Configuring a Java EE 8 Server](#). The final step, initializing your database for CTS by running ``init.<`database>` target, is explained more in the next section.

D.2 The init.<database> Ant Target

Before your Java Platform, Enterprise Edition server database can be tested against the Java EE 8 CTS, the database must be initialized for CTS by means of the Ant `init.<database>` target. For example, the `init.javadb` Ant task is used to initialize the Java DB database for CTS.

This Ant target references database properties in `ts.jte` file and database-specific DDL and DML files to generate SQL statement files that are read by the Java EE 8 CTS when you start the test suite. The DDL and DML files are described later in this appendix, in [Database DDL and DML Files](#).

The Java EE 8 CTS includes the following database-specific Ant targets:

- `init.cloudscape`
- `init.db2`
- `init.oracle`
- `init.oracleDD`
- `init.oracleInet`
- `init.derby`
- `init.javadb`
- `init.sybase`
- `init.sybaseInet`
- `init.mssqlserver`
- `init.mssqlserverInet`
- `init.mssqlserverDD`

Each Ant target uses a database-specific JDBC driver to configure a backend for a specific database; for example, OracleInet/Oracle Inet driver; OracleDD/Oracle DataDirect driver. These targets are configured in the `<TS_HOME>/xml/initdb.xml` file.

D.3 Database Properties in ts.jte

Listed below are the names and descriptions for the database properties you need to set for CTS testing.

Note that some properties take the form `property`.ri``. In all cases, properties with an `.ri` suffix are used for interoperability testing only. In such cases, the property value applies to the Java Platform, Enterprise Edition VI server (the server you want to test) and the `property`.ri`` value applies to the Java Platform, Enterprise Edition RI server. For example:

```
db.dml.file=VI_DML_filename
db.dml.file.ri=RI_DML_filename
```

The property `.ri`` properties are only used in two-server configurations; that is, when you are performing interoperability tests.

Table D-1 ts.jte Database Properties

Property	Description
database`.classes`	<code>CLASSPATH</code> to JDBC driver classes.
database`.dataSource`	DataSource driver.
database`.dbName`	Database Name.
database`.driver`	DriverManager driver.
database`.password`	User password configured.
database`.poolName`	Name of pool configured in the RI (do not change!).
database`.port`	Database Server port.
database`.properties`	Additional properties required by the defined data source for each driver configuration in <code>ts.jte</code> . You should not need to modify this property.
database`.server`	Database Server.
database`.url`	URL for the CTS database; the <code>dbName</code> , <code>server</code> , and <code>port</code> properties are automatically substituted in to build the correct URL. You should never need to modify this property.
database`.user`	User ID configured.
<code>create.cmp.tables</code>	When set to <code>false</code> , the application server is responsible for creating CMP tables at deployment of the EJB/EAR. When set to <code>true</code> , <code>init.<database></code> creates the tables used by CMP EJBs. The SQL for the CMP tables are contained in <code><TS_HOME>/`database/sql/database.ddl.cmp.sql`</code> and <code><TS_HOME>/`database/sql/database.ddl.interop.sql`</code> .
<code>db.dml.file</code>	Tells <code>init.<database></code> which DML file to use for the VI database; for example, <code>`db.dml.file=\${javadb.dml.file}</code> .
<code>db.dml.file.ri</code>	Tells <code>init.<database></code> which DML file to use for the RI database; for example, <code>`db.dml.file=\${javadb.dml.file}</code> .
<code>jdbc.lib.class.path</code>	Used by the database`.classes` properties to point to the location of the JDBC drivers.

Property	Description
<code>jdbc.poolName</code>	Configures the connection pool that will be used in the CTS test run; for example, <code>jdbc.poolName=\${javadb.poolName}</code> . Set this property when running against the RI if using a database other than Java DB.
<code>password1</code>	Password for the JDBC/DB1 resource; for example, <code>password1=\${javadb.passwd}</code> .
<code>password2</code>	Password for the JDBC/DB2 resource; for example, <code>password2=\${javadb.passwd}</code> .
<code>password3</code>	Password for the JDBC/DBTimer resource; for example, <code>password3=\${javadb.passwd}</code> .
<code>user1</code>	User name for the JDBC/DB1 resource; for example, <code>user1=\${javadb.user}</code> .
<code>user2</code>	User name for the JDBC/DB2 resource; for example, <code>user2=\${javadb.user}</code> .
<code>user3</code>	User name for the JDBC/DBTimer resource; for example, <code>user3=\${javadb.user}</code> .

D.4 Database DDL and DML Files

For each supported database type, the Java EE 8 CTS includes a set of DDL and DML files in subdirectories off the `<TS_HOME>/sql` directory. The `config.vi` and `config.ri` targets use two `ts.jte` properties, `db.dml.file` and `db.dml.file.ri` (interop only), to determine the database type, and hence which database-specific DML files to copy as `<TS_HOME>/bin/tssql.stmt` and `tssql.stmt.ri` (for interop) files.

The `tssql.stmt` and `tssql.stmt.ri` files contain directives for configuring and populating database tables as required by the CTS tests, and for defining any required primary or foreign key constraints and database-specific command line terminators.

In addition to the database-specific DML files, the Java EE 8 CTS includes database-specific DDL files, also in subdirectories off `<TS_HOME>/sql`. These DDL files are used by the ``init.`` database target to create and drop database tables and procedures required by the CTS.

The SQL statements in the `tssql.stmt` and `tssql.stmt.ri` files are read as requested by individual CTS tests, which use the statements to locate required DML files.

The DDL and DML files are as follows:

- database ``ddl.sql``: DDL for BMP, Session Beans
- database ``ddl.sprocs.sql``: DDL for creating stored procedures

- database`.ddl.cmp.sql`: DDL for CMP Entity Beans
- database`.ddl.interop.sql`: DDL for interop tests
- database`.dml.sql`: DML used during test runs

Each DDL command in each `<TS_HOME>/sql/`database`` is terminated with an ending delimiter. The delimiter for each database is defined in the ``<TS_HOME>/bin/xml/initdb.xml`` file. If your configuration requires the use of a database other than the databases that `initdb.xml` currently supports, you may modify `initdb.xml` to include a target to configure the database that you are using.

An example of the syntax for a database target in `initdb.xml` is shown below:

```
<target name="init.sybase">
  <antcall target="configure.backend">
    <param name="db.driver" value="${sybase.driver}"/>
    <param name="db.url" value="${sybase.url}"/>
    <param name="db.user" value="${sybase.user}"/>
    <param name="db.password" value="${sybase.passwd}"/>
    <param name="db.classpath" value="${sybase.classes}"/>
    <param name="db.delimiter" value="!"/>
    <param name="db.name" value="sybase" />
  </antcall>
</target>
```

The database`.name` property should be added to your `ts.jte` file. The `db.name` property is the name of a subdirectory in `<TS_HOME>/sql`. After updating `initdb.xml`, you invoke the new target with:

```
ant -f <TS_HOME>/bin/xml/initdb.xml init.databasesname
```

D.5 CMP Table Creation

If the application server under test does not provide an option to automatically create tables used by CMP Entity EJBs, the needed SQL is provided in `<TS_HOME>/sql/`database/database.cmp.sql``.

Setting the `ts.jte` property `create.cmp.tables=true` instructs the `init.`databasesname`` target to create the tables defined in the ``<TS_HOME>/sql/`database/database.cmp.sql`` file.

If you set `create.cmp.tables=false` in the `ts.jte` file, it is expected that you will create the necessary CMP tables at deployment time.

E EJBQL Schema

The EJB-QL tests perform queries against a CMP 2.0 abstract persistence model that you deploy before you start the test runs.

Section 9.3.5, "EJB QL and SQL," in the EJB 3.1 Specification (<http://jcp.org/en/jsr/detail?id=318>) contains a sample mapping that shows how the Java Platform, Enterprise Edition RI translates EJB QL to SQL, which helps to clarify the EJB QL semantics.


This appendix includes information about the following topics:

- [Persistence Schema Relationships](#)
- [SQL Statements for CMP 1.1 Finders](#)

E.1 Persistence Schema Relationships

The figure, [Figure E-1](#), below, contains detailed information about the persistence schema relationships.

Figure E-1 Persistence Schema Relationships



AliasEJB String id;(pk)(cmp) String alias;(cmp) Customer customerNoop;(cmr) Collection customersNoop;(cmr) Collection customers;(cmr) Country: DVC String name;(cmp) String code;(cmp) AddressEJB String id;(pk)(cmp) String street;(cmp) String city;(cmp) String state;(cmp) String zip;(cmp) Collection phones;(cmr) ProductEJB String id;(pk)(cmp) String name;(cmp) float price;(cmp) int quantity;(cmp) long partNumber;(cmp)	CustomerEJB String id;(pk)(cmp) String name;(cmp) Country country;(cmp) AddressLocal home;(cmr) AddressLocal work;(cmr) Collection creditCards;(cmr) Collection orders;(cmr) Collection aliases;(cmr) SpouseLocal spouse;(cmr) CreditCardEJB String id;(pk)(cmp) String type;(cmp) String expires;(cmp) boolean approved;(cmp) String number;(cmp) OrderLocal order;(cmr) CustomerLocal customer;(cmr) double balance;(cmp) InfoEJB String id;(pk)(cmp) String street;(cmp) String city;(cmp) String state;(cmp) String zip;(cmp) SpouseLocal spouse;(cmr)	OrderEJB String id;(pk)(cmp) float totalPrice;(cmp) CustomerLocal customer;(cmr) LineItemLocalsampleLineItem;(cmr) Collection lineItems;(cmr) CreditCardLocal creditCard;(cmr) LineItemEJB String id;(pk)(cmp) int quantity;(cmp) OrderLocal order;(cmr) ProductLocal product;(cmr) PhoneEJB String id;(pk)(cmp) String area;(cmp) String number;(cmp) AddressLocal address;(cmr) SpouseEJB String id;(pk)(cmp) String firstName;(cmp) String maidenName;(cmp) String lastName;(cmp) String SocialSecurityNumber(cmp) ; InfoLocal info;(cmr) CustomerLocal customer;(cmr)
---	--	---

E.2 SQL Statements for CMP 1.1 Finders

Listed below are the SQL statements used for CMP 1.1 finders in:

- `ejb/ee/bb/entity/cmp/clientviewtest`
- `interop/ejb/entity/cmp/clientviewtest`
- `ejb/ee/bb/entity/cmp/complexpktest`
- `ejb/ee/tx/txECMPbean`

E.2.1 `ejb/ee/bb/entity/cmp/clientviewtest`, `interop/ejb/entity/cmp/clientviewtest` ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^ ^^

```
<method-name>findWithinPrimaryKeyRange</method-name>
<sql>SELECT "KEY_ID" FROM "TestBeanEJBTable" WHERE "KEY_ID" BETWEEN ?1 AND ?2</sql>
<method-name>findWithinPriceRange</method-name>
<sql>SELECT "KEY_ID" FROM "TestBeanEJBTable" WHERE "PRICE" BETWEEN ?1 AND ?2</sql>
<method-name>findByName</method-name>
<sql>SELECT "KEY_ID" FROM "TestBeanEJBTable" WHERE "BRAND_NAME" = ?1</sql>
<method-name>findAllBeans</method-name>
<sql>SELECT "KEY_ID" FROM "TestBeanEJBTable"</sql>
<method-name>findByPrice</method-name>
<sql>SELECT "KEY_ID" FROM "TestBeanEJBTable" WHERE "PRICE" = ?1</sql>
<method-name>findByNameSingle</method-name>
<sql>SELECT "KEY_ID" FROM "TestBeanEJBTable" WHERE "BRAND_NAME" = ?1</sql>
```

E.2.2 `ejb/ee/bb/entity/cmp/complexpktest`

```
<method-name>findByPrice</method-name>
<sql>SELECT "BRAND_NAME", "ID" FROM "TestBeanEJBTable" WHERE "PRICE" = ?1</sql>
<method-name>findById</method-name>
<sql>SELECT "BRAND_NAME", "ID" FROM "TestBeanEJBTable" WHERE "ID" = ?1</sql>
<method-name>findByName</method-name>
<sql>SELECT "BRAND_NAME", "ID" FROM "TestBeanEJBTable" WHERE "BRAND_NAME" = ?1</sql>
```

E.2.3 `ejb/ee/tx/txECMPbean`

```
<method-name>findByName</method-name>
<sql>SELECT "KEY_ID" FROM "TxECMPBeanEJBTable" WHERE "BRAND_NAME" = ?1</sql>
<method-name>findWithinPrimaryKeyRange</method-name>
<sql>SELECT "KEY_ID" FROM "TxECMPBeanEJBTable" WHERE "PRICE" BETWEEN ?1 AND ?2</sql>
<method-name>findByPrice</method-name>
<sql>SELECT "KEY_ID" FROM "TxECMPBeanEJBTable" WHERE "PRICE" = ?1</sql>
<method-name>findWithinPrimaryKeyRange</method-name>
<sql>SELECT "KEY_ID" FROM "TxECMPBeanEJBTable" WHERE "KEY_ID" BETWEEN ?1 AND ?2</sql>
```

F Context Root Mapping Rules for Web Services Tests

The context root mapping rules that are described in this appendix apply to all of the web services test areas, including `jaxrpc`, `jaxws`, `jws`, `webservices`, `webservices12`, and `webservices13`.

This appendix covers the following topics:

- [Servlet-Based Web Service Endpoint Context Root Mapping](#)
- [EJB-Based Web Service Endpoint Context Root Mapping](#)

F.1 Servlet-Based Web Service Endpoint Context Root Mapping

This section describes the context root mapping for servlet-based web services endpoints and clients. Since most of the application runtime and Web runtime deployment descriptor files have been removed in Java EE 8, the context root mapping for web archives in the Java EE 8 RI becomes the base name of the Web archive file without the file extension. For example, the context root for the archive `web-client.war` defaults to `web-client`.

This covers the mapping for all servlet-based web services endpoints and clients under the Java EE 8 CTS test trees [`jaxrpc`, `jaxws`, `jws`, `webservices`, `webservices12`, `webservices13`].

For example, for the `jaxws` test directory, the context root mapping is as shown in the following table.

Table F-1 Context Root Mapping for `jaxws` Test Directory

Endpoint	Context Root Mapping
<code>WSW2JDLHttpTest_web.war</code>	<code>WSW2JDLHttpTest_web</code>
<code>WSW2JDLHttpTest_wsservlet_vehicle_web.war</code>	<code>WSW2JDLHttpTest_wsservlet_vehicle_web</code>

The directory listing is as follows:

```
% cd $TS_HOME/src/com/sun/ts/tests/jaxws/ee/w2j/document/literal/httptest
% ant ld

[echo] WSW2JDLHttpTest.ear
[echo] WSW2JDLHttpTest_web.war
[echo] WSW2JDLHttpTest_web.war.sun-web.xml
[echo] WSW2JDLHttpTest_wsappclient_vehicle.ear
[echo] WSW2JDLHttpTest_wsappclient_vehicle_client.jar
[echo] WSW2JDLHttpTest_wsappclient_vehicle_client.jar.sun-application-client.xml
[echo] WSW2JDLHttpTest_wsejb_vehicle.ear
[echo] WSW2JDLHttpTest_wsejb_vehicle_client.jar
[echo] WSW2JDLHttpTest_wsejb_vehicle_client.jar.sun-application-client.xml
[echo] WSW2JDLHttpTest_wsejb_vehicle_ejb.jar
[echo] WSW2JDLHttpTest_wsejb_vehicle_ejb.jar.sun-ejb-jar.xml
[echo] WSW2JDLHttpTest_wsservlet_vehicle.ear
[echo] WSW2JDLHttpTest_wsservlet_vehicle_web.war
[echo] WSW2JDLHttpTest_wsservlet_vehicle_web.war.sun-web.xml
```

Similarly, for the `jaxrpc` test directory, the context root mapping is as shown in the following table.

Table F-2 Context Root Mapping for jaxrpc Test Directory

Endpoint	Context Root Mapping
<code>W2JREMarshallTest_web.war</code>	<code>W2JREMarshallTest_web</code>
<code>W2JREMarshallTest_jsp_vehicle_web.war</code>	<code>W2JREMarshallTest_jsp_vehicle_web</code>
<code>W2JREMarshallTest_servlet_vehicle_web.war</code>	<code>W2JREMarshallTest_servlet_vehicle_web</code>

The directory listing is as follows:

```
% cd $TS_HOME/src/com/sun/ts/tests/jaxrpc/ee/w2j/rpc/encoded/marshalltest
% ant ld

[echo] W2JREMarshallTest.ear
[echo] W2JREMarshallTest_appclient_vehicle.ear
[echo] W2JREMarshallTest_appclient_vehicle_client.jar
[echo] W2JREMarshallTest_appclient_vehicle_client.jar.sun-application-client.xml
[echo] W2JREMarshallTest_ejb_vehicle.ear
[echo] W2JREMarshallTest_ejb_vehicle_client.jar
[echo] W2JREMarshallTest_ejb_vehicle_client.jar.sun-application-client.xml
[echo] W2JREMarshallTest_ejb_vehicle_ejb.jar
[echo] W2JREMarshallTest_ejb_vehicle_ejb.jar.sun-ejb-jar.xml
[echo] W2JREMarshallTest_jsp_vehicle.ear
[echo] W2JREMarshallTest_jsp_vehicle_web.war
[echo] W2JREMarshallTest_jsp_vehicle_web.war.sun-web.xml
[echo] W2JREMarshallTest_servlet_vehicle.ear
[echo] W2JREMarshallTest_servlet_vehicle_web.war
[echo] W2JREMarshallTest_servlet_vehicle_web.war.sun-web.xml
[echo] W2JREMarshallTest_web.war
[echo] W2JREMarshallTest_web.war.sun-web.xml
```

For Web archives, the context root mapping becomes the base name of the Web archive file minus the extension.

F.2 EJB-Based Web Service Endpoint Context Root Mapping

This section describes the context root mapping for EJB-based web services endpoints and clients. The context root mapping for EJB-based web services and clients is based on the following mapping rules that are used for the Java EE 8 RI.

The following algorithm describes the context root mapping rules that are used by the Java EE 8 Reference Implementation.


```

if sun-ejb-jar.xml deployment descriptor exists
  if <endpoint-address-uri> tag exists
    context root = value of <endpoint-address-uri>
  else
    if WebService.name annotation is specified on implementation bean
      context root = WSDL Service Name + / + WebService.name
    else
      context root = WSDL Service Name + / + Simple Bean Class Name
    endif
  endif
else
  if WebService.name annotation is specified on implementation bean
    context root = WSDL Service Name + / + WebService.name
  else
    context root = WSDL Service Name + / + Simple Bean Class Name
  endif
endif

```

For example, the following table shows the context root mappings for the `webservices12/ejb/annotations` directory.

Table F-3 Context Root Mappings

Test Directory	Context Root (<endpoint-address-uri>)
WSEjbMultipleClientInjectionTest1	"WSEjbMultipleClientInjectionTest1/ejb"
WSEjbMultipleClientInjectionTest2	"WSEjbMultipleClientInjectionTest2/ejb"
WSEjbNoWebServiceRefInClientTest	"WSEjbNoWebServiceRefInClientTest/ejb"
WSEjbPortFieldInjectionTest	"WSEjbPortFieldInjectionTest/ejb"
WSEjbPortMethodInjectionTest	"WSEjbPortMethodInjectionTest/ejb"
WSEjbSOAPHandlersTest	"WSEjbSOAPHandlersTest/ejb"
WSEjbSOAPHandlersTest2	"WSEjbSOAPHandlersTest2/ejb"
WSEjbWebServiceProviderTest	"WSEjbWebServiceProviderTest/ejb"
WSEjbWebServiceRefTest2	"WSEjbWebServiceRefTest2/ejb"
WSEjbAsyncTest	"WSEjbAsyncTest/ejb"

Test Directory	Context Root = <endpoint-address-uri>
WSEjbMultipleClientInjectionTest1	"WSEjbMultipleClientInjectionTest1/ejb"
WSEjbMultipleClientInjectionTest2	"WSEjbMultipleClientInjectionTest2/ejb"
WSEjbNoWebServiceRefInClientTest	"WSEjbNoWebServiceRefInClientTest/ejb"
WSEjbNoWebServiceRefInClientTest	"WSEjbNoWebServiceRefInClientTest/ejb"
WSEjbPortFieldInjectionTest	"WSEjbPortFieldInjectionTest/ejb"
WSEjbPortMethodInjectionTest	"WSEjbPortMethodInjectionTest/ejb"
WSEjbSOAPHandlersTest	"WSEjbSOAPHandlersTest/ejb"
WSEjbSOAPHandlersTest2	"WSEjbSOAPHandlersTest2/ejb"
WSEjbWebServiceProviderTest	"WSEjbWebServiceProviderTest/ejb"
WSEjbWebServiceRefTest2	"WSEjbWebServiceRefTest2/ejb"
WSEjbAsyncTest	"WSEjbAsyncTest/ejb"

The following table shows the two test directories under the `webservices12/ejb/annotations` that do not specify the `<endpoint-address-uri>` deployment tag or do not contain a EJB JAR runtime deployment descriptor file. Because of this, the context root is calculated using the previously described formula. In both cases, the context root is calculated as a concatenation of the WSDL Service Name, a slash (/), and the Simple Bean Class Name.

Table F-4 Context Root Mapping for Directories Without Endpoint Address URIs

Test Directory	Context Root (WSDL Service Name/Simple Bean Class Name)
WSEjbWebServiceRefTest1	"WSEjbWebServiceRefTest1HelloService/HelloBean"
WSEjbWebServiceRefWithNoDDsTest	"WSEjbWSRefWithNoDDsTestHelloEJBService/WSEjbWSRefWithNoDDsTestHelloEJB"

Test Directory	Context Root = <WSDL Service Name/Simple Bean Class Name>
WSEjbWebServiceRefTest1	"WSEjbWebServiceRefTest1HelloService/HelloBean"
WSEjbWebServiceRefWithNoDDsTest	"WSEjbWSRefWithNoDDsTestHelloEJBService/WSEjbWSRefWithNoDDsTestHelloEJB"

The context root mappings for some, but not all, tests also exist in the DAT files under the `$TS_HOME/bin` directory. These include the `jaxrpc-url-props.dat`, `jaxws-url-props.dat`, `jws-url-props.dat`, and `webservices12-url-props.dat` files.

Licensees can use the previously described information in their porting implementation layer for web services.

G Testing a Standalone JMS Resource Adapter

This appendix explains how to set up and configure the Java EE 8 RI and Java EE 8 CTS so a standalone JMS resource adapter can be tested.

This appendix covers the following topics:

- [Setting Up Your Environment](#)
- [Configuring Java EE 8 CTS](#)
- [Configuring the Java EE 8 RI for the Standalone JMS Resource Adapter](#)
- [Modifying the Runtime Deployment Descriptors for the JMS MDB and Resource Adapter Tests](#)
- [Running the JMS Tests From the Command Line](#)
- [Restoring the Runtime Deployment Descriptors for the JMS MDB and Resource Adapter Tests](#)
- [Reconfiguring Java EE 8 RI for Java EE 8 CTS After Testing the Standalone JMS Resource Adapter](#)

G.1 Setting Up Your Environment

Before you can run the JMS CTS tests against a standalone JMS Resource Adapter using the Java EE 8 RI, you must install the following components:

- Java SE 8 software
- Java EE 8 RI software
- Java EE 8 CTS software

Complete the following steps to set up your environment:

1. Set the following environment variables in your shell environment:
 - JAVA_HOME to the directory where the Java SE 8 software has been installed
 - JAVAEE_HOME to the directory where the Java EE 8 RI software has been installed
 - TS_HOME to the directory where the Java EE 8 CTS software has been installed
2. Update your PATH environment variable to include the following directories: JAVA_HOME/bin, JAVAEE_HOME/bin, TS_HOME/bin, and ANT_HOME/bin.

G.2 Configuring Java EE 8 CTS

The `ts.jte` file includes properties that must be set for testing a standalone JMS Resource Adapter

using the Java EE 8 RI. The JMS Resource Adapter documentation in the `ts.jte` file should help you understand what you need to set in this step of the testing process.

1. Set the following properties in the `ts.jte` file:

- `javaee.home` to the location where the Java EE 8 RI is installed
- Use the default value or enter a new host name for the `orb.host` property
- Use the default value or enter a new port number for the `orb.port` property
- `test.sa.jmsra` to true
- `jmsra.rarfile` to the location of the standalone JMS Resource Adapter RAR file
- `jmsra.jarfile` to the location of the standalone JMS Resource Adapter JAR file
- `jmsra.name` to the name of the JMS Resource Adapter under test

2. Add `${jmsra.jarfile}` to the beginning or at the end of the `AppClient` classpath:

`APPCPATH=list of classes and jars followed by ${pathsep}${jmsra.jarfile} \`

The `jmsra.jarfile`, which contains all the JMS Resource Adapter classes, needs to be added to the `AppClient` classpath in the `ts.jte` file. This JAR file will also be copied to the appropriate directory in your Java EE 8 environment when the `config.vi` Ant task, which is described in the next section, is invoked. For the Java EE 8 RI, the file is copied to the `JAVAE_HOME/lib` directory.

G.3 Configuring the Java EE 8 RI for the Standalone JMS Resource Adapter

Invoke the `config.vi` Ant task to configure the Java EE 8 RI for CTS 8 and the standalone JMS Resource Adapter:

1. Change to the `TS_HOME/bin` directory.

2. Execute the `config.vi` Ant task.

The `config.vi` Ant task executes scripts, which configure your Java EE 8 environment for CTS 8. One of the ant scripts that gets executed will configure and deploy the standalone JMS Resource Adapter, copy the JAR file containing the classes for the standalone JMS Resource Adapter to the `JAVAE_HOME/lib` directory, create the JMS connector connection pools and resources, and create the necessary JMS administration objects. The following Ant scripts are called by the `config.vi` Ant task:

- `TS_HOME/bin/xml/impl/glassfish/jmsra.xml`
- `TS_HOME/bin/xml/impl/glassfish/templates/create.jmsra.template`

The script `TS_HOME/bin/xml/impl/glassfish/jmsra.xml` calls the template file `TS_HOME/bin/xml/impl/glassfish/templates/create.jmsra.template`, which handles the creation of the JMS connector connection pools, the JMS connector resources and the JMS administration objects.

These scripts are written for the standalone Generic JMS Resource Adapter (GenericJMSRA) for the Java EE 8 RI. If you are using a different Java EE 8 environment, you will need to rewrite these scripts for that environment. If you are using a different standalone JMS resource adapter, you will need to rewrite these scripts for that JMS resource adapter.

G.4 Modifying the Runtime Deployment Descriptors for the JMS MDB and Resource Adapter Tests

After the standalone JMS Resource Adapter has been configured and deployed and the required JMS connector connection pools, JMS connector resources, and JMS administration objects have been created, the glassfish-ejb-jar runtime deployment descriptor XML files must be modified for the JMS MDB and Resource Adapter tests. An Ant task handles the modifications.

1. Change to the `TS_HOME/bin` directory.
2. Execute the following Ant task:

```
ant -f xml/impl/glassfish/jmsra.xml modify-jmsmdbejbxml
```

This Ant target modifies the glassfish-ejb-jar runtime deployment descriptor XML files in the distribution directory of the JMS MDB and Resource Adapter test directories that exist under `TS_HOME/src/com/sun/ts/tests/jms/ee/mdb` and `TS_HOME/src/com/sun/ts/tests/jms/ee20/ra`.

The modified glassfish-ejb-jar runtime deployment descriptor XML files exist under the `TS_HOME/src/com/sun/ts/tests/jms/commonee/xml/descriptors/genericra` directory. These files are copied into the correct distribution test directory under `TS_HOME/dist/com/sun/ts/tests/jms/ee/mdb` and `TS_HOME/dist/com/sun/ts/tests/jms/ee20/ra`.

The `<mdb-resource-adapter>` information for the standalone JMS Resource Adapter being tested is added to the glassfish-ejb-jar runtime deployment descriptor XML files. In the default case, the resource adapter being tested is the Generic JMS Resource Adapter (GenericJMSRA). If you are using a different Java EE 8 environment, your runtime deployment descriptor XML files will need to be vendor specific. In this case, you will need to modify the Ant script to handle your vendor-specific runtime deployment descriptor XML files.

G.5 Running the JMS Tests From the Command Line

Run the JMS tests:

1. Change to the `TS_HOME/src/com/sun/ts/tests/jms` directory.
2. Invoke the `runclient` Ant target:

```
ant runclient
```

G.6 Restoring the Runtime Deployment Descriptors for the JMS MDB and Resource Adapter Tests

After you run the JMS tests against your standalone JMS Resource Adapter, you need to restore the JMS MDB and Resource Adapter tests. Java EE 8 CTS provides an Ant task that handles the restoration. Invoke the following Ant task to restore the JMS MDB and Resource Adapter glassfish-ejb-jar runtime deployment descriptor XML files to their previous state:

1. Change to the `TS_HOME/bin` directory.

2. Invoke the following Ant target:

```
ant -f xml/impl/glassfish/jmsra.xml restore-jmsmdbejbxml
```

If you are using another Java EE 8 environment, these runtime deployment descriptor XML files will be vendor specific. In this case, you will need to modify the Ant script to handle the vendor-specific runtime deployment descriptor XML files appropriate for your environment.

G.7 Reconfiguring Java EE 8 RI for Java EE 8 CTS After Testing the Standalone JMS Resource Adapter

After you finish testing the standalone JMS Resource Adapter, you need to reconfigure the Java EE 8 RI before you can continue testing with Java EE 8 CTS:

1. Change to the `TS_HOME/bin` directory.

2. Invoke the `clean.vi` Ant target:

```
ant clean.vi
```

3. Set the following properties in the `ts.jte` file:

- `javaee.home` to the location where the Java EE 8 RI is installed
- Use the default value for the `orb.host` property or enter a new host name
- Use the default value for the `orb.port` property or enter a new port number
- `test.sa.jmsra` to false
- Unset the `jmsra.rarfile` property
- Unset the `jmsra.jarfile` property
- Reset the `jmsra.name` property to `jmsra` to refer to the JMS Resource Adapter for the Java EE 8 RI

4. From the `TS_HOME/bin` directory, invoke the `config.vi` Ant task to reconfigure the Java EE 8 RI for Java EE 8 CTS:

```
ant config.vi
```